



UIN Sultan Syarif Kasim Riau
Fakultas Sains dan Teknologi

iCoSTechS 2014
International Conference on Science and Technology for Sustainability

Proceeding

The International Conference on
Science and Technology for Sustainability



Supported by :



www.icostechs.org

Committee

Honorary Executive Committee

- Prof. Dr. H. Mundzir Hitami, M.A (Rector of Universitas Islam Negeri Sultan Syarif Kasim Riau)
- Prof. Dr. Ir. Djoko Santoso, M.Sc (Director of DGHE, the Ministry of National Education, Republic of Indonesia)
- Prof. Dr. Ir. Satryo Soemantri Brodjonegoro (Visiting Professor, TUT Japan and ITB Indonesia)
- Prof. Dr. dr. Syahril Pasaribu, DTM&H, M.Sc (CTM) Sp. A(K), (Rector of University of Sumatera Utara)
- Prof. Dr. Ashaluddin Jalil, MS (Rector of University of Riau)
- Prof. Akhmaloka, Ph.D (Rector of Institute of Technology Bandung)
- Prof. Dr. Ir. Djoko Suharto (Institute of Technology Bandung)
- Prof. Dr. Samsul Rizal, M.Eng (Rector of University of Syiah Kuala)
- Prof. Dr. Badia Perizade, MBA (Rector of University of Sriwijaya)
- Dr. H. Werry Dartta Taifur, SE, MA (Rector of University of Andalas)

International Advisory Board

- Prof. Emeritus Hiromi Homma (Professor Emeritus Toyohashi, University of Technology Japan)
- Prof. Dr. Magnus Jaeger (Ostbayerische Technische Hochschule (OTH), Weiden)
- Prof. Masashi Daimaruya (Muroran Institute of Technology, Hokkaido, Japan)
- Prof. Masanori Kikuchi (Science University of Tokyo, Japan)
- Prof. Dr.Ing. Peter Dietz (Institut für Maschinenwesen der Technischen Universität, Germany)
- Prof. Dr. Bustami Syam (University of Sumatera Utara)
- Prof. Yasuhiro Kanto (Ibaraki University, Japan)
- Prof. Ahmad Kamal Arifin (University Kebangsaan Malaysia, Malaysia)
- Prof. Ichsan S Putra (Institute of Technology Bandung)
- Prof. Jamasri (University of Gajah Mada)
- Prof. Dr. Samsul Rizal (University of Syah Kuala)
- Prof. Dr. Aini Hussain (Universiti Kebangsaan Malaysia, Malaysia)
- Dra. Hj. Yenita Morena, M.Si (Faculty Sains and Technology, UIN SUSKA Riau, Pekanbaru, Indonesia)

Conference Chair

- Dr. Alex Wenda (Faculty Sains and Technology, UIN Suska Riau, Pekanbaru, Indonesia)

Conference Co Chair

- Dr. Ladda Suanmali (Suan Dusit Rajabhat University, Thailand)
- Dr. Fahmi Arif (Universiti Teknikal Malaka, Malaysia)
- Suherman, Ph.D (University of Sumatera Utara)

Technical Program Committee

- Dr. Okfalisa (Faculty Sains and Technology, UIN Suska Riau, Pekanbaru, Indonesia)
- Muhammad Ary Murty, ST, MT (Telkom Institute of Technology, Indonesia)
- Dr. Noritawati (Universiti Teknologi Mara (UiTM), Malaysia)

International Program Committee

- Assistant Professor Dr. Ali Ahmed A. Abdelrahim (Karary University, Omdurman, 12304, Sudan)
- Dr. Mohammed Abdulatef Ali Al-Shargabi (Najran University, Kingdom of Saudi Arabia)
- Dr. Dewi Nasien (Universiti Teknologi Malaysia, Johor, Malaysia)
- Dr. Mohammed Abdulatef Ali Al-Shargabi (Najran University, Kingdom of Saudi Arabia)
- Assistant Professor Dr Ahmed Hamza Osman Ahmed (International University of Africa)
- Prof. Ali Selamat (Universiti Teknologi Malaysia, Johor, Malaysia)
- Prof. Zaki Abu Bakar (Universiti Teknologi Malaysia, Johor, Malaysia)
- Asst Prof. Dr. Sakesun Suthummanon (Prince of Songkhla University, Hadyai, Songkhla, Thailand)
- Dr. Kanya Auckaraaree (Prince of Songkhla University, Hadyai, Songkhla, Thailand)
- Dr. Indris Sulaiman (Institute-Chulalongkorn Univ.-TH & Adjunct Fellow, ANU-CECS & Energy Change Institute, Australia)
- Assoc. Prof. M. Zamari Mat Saman, M.Eng (Universiti Teknologi Malaysia)
- Prof. Dr. Abdul Hakim Halim, M. Eng (Institute of Technology Bandung (ITB), Indonesia)
- Dr. Rosniwati (Universiti Sains Malaysia (USM))
- Dr. Mohd Asyraf Zulkifley (Universiti Kebangsaan Malaysia (UKM))
- Dr. Teddy Purnamirza (UIN Suska Riau, Pekanbaru, Indonesia)
- Dr. Rado Yendra (UIN Suska Riau, Pekanbaru, Indonesia)
- Dr. Eng. Listiani Nurul Huda, MT (University of Sumatera Utara)
- Prof. Dr. Ir. Rahim Matondang, MT (University of Sumatera Utara)
- Dr. Ing. Ikhwanasyah Isranuri (University of Sumatera Utara)
- Dr. Eng. Indra Nasution, MSc (University of Sumatera Utara)
- Dr. Himsar Ambarita (University of Sumatera Utara)
- Suherman, Ph.D (University of Sumatera Utara)
- Dr. Taslim, MT (University of Sumatera Utara)
- Ir. Bauni Hamid, M.DesS, Ph.D (University of Sumatera Utara)
- Ir. Dwira Nirfalini Aulia, MSc., PhD (University of Sumatera Utara)
- Dr. Benny O. Marpaung (University of Sumatera Utara)
- Prof. Johanes Tarigan (University of Sumatera Utara)
- Prof. Dr. Ir. Roesyanto, MSC (University of Sumatera Utara)

Contents

Preface	ii
Welcome	iii
Committee	v
ICoSTechS 2014 Schedule	vii
1 Zaina Norhallis Zainol, Masine Mad Tap, Mad Rebi Abdul Rani Pilot Study Thermal Ergonomic For Fire Fighters In Malaysia	1
2 Muhammad Sufi, Jalil Ali, Saktioto Chemical Kinetic Model in Equilibrium State Thermal Plasma of Carbon Ion Species	8
3 Fahrul Agus, Rahmat Sholeh, Heliza Rahmania Hatta, Tarbiyatul Munawwarah Fuzzy Analytical Hierarchy Process for Land Suitability Analysis Compared to Analytical Hierarchy Process	15
4 Imam Tahyudin, Berlilana The Effectiveness Analysis of Application of Analytical Hierarchy Process (AHP) Method in Decision Support System for Employee Selection	24
5 Andang Sunarto, J. Sulaiman, A. Saudi Approximate Solution For The Time-Fractional Diffusion Equations Using Quarter-Sweep Gauss-Seidel Method	35
6 Lestari Handayani, Iwan Iskandar, Weli Andrian Analysis and Implementation of the Kohonen Neural Network for Arabic Character Recognition	42
7 Rahmad Kurniawan, Okfalisa, Mohd Zakree Ahmad Nazri A Comparative Study Of Decision Tree, Artificial Neural Network and Rough Set Theory On Multivariate Data Set Characteristics	51
8 Abdul Rahman Hemdi, M. M. Mahadzir, Muhamad, Salwa Mahmood, Muhamad Zameri Mat Saman, Safian Sharif, Melfa Yola Fuzzy Based Sustainability Assessment: Case Study of Passenger Car	58
9 Azriyenni, M.W. Mustafa Identification Fault In Transmission System Utilize Neuro-Fuzzy Systems	68
10 Imam Tahyudin, Mohammad Imron, Siti Alvi Solikhatin Decision Support System Using Data Mining Method for A Cross Selling Strategy in Retail Stores	73
11 Mohamad Satori, Reni Amaranti, Endang Prasetyaningsih Development of Gasification - Pyrolysis Technology using Residual Household Waste to Produce Alternative Energy	79
12 Aji Prasetya Wibawa, Andrew Nafalski Javanese Classifier and Language Selector for Statistical Machine Translation (SMT)	87

13	Dian Mursyitah Design PID Sliding Surface For Sliding Mode Controller	94
14	Zulfatri Aini Optimal Reactive Power Flow through Regulation of Voltage Control Variable	100
15	Dedi Irawan, Ismu Kusumanto, Saktioto, Jalil Ali Theoretical Optimization of Coupling Coefficient for Weakly Coupled Fiber Coupler	106
16	Angraini, Yozita Dewi Audit of Hospital Management System (HMS) at RSIA Andini of Pekanbaru Using COBIT Framework 4.1	112
17	Nanda Putri Miefthawati, Mohammad Arif Autonomous Pick and Place Mobile Robot in a LEGO NXT	118
18	Adhatus Solichah A., Dwi Sunaryono, Riyanarto Sarno, and Andre Victorio Allorerung Customer Relationship Management Application on Enterprise Resource Planning System	125
19	Elin Haerani, Samsinar Interactive Map To Determine The Location Transmigration With Fuzzy AHP	131
20	Dewi Fitria, Miklas Scholz and Gareth Swift Impact of Rapid Mixing Velocity and Rapid Mixing Time on Sludge Dewaterability	135
21	Rice Novita, Fadli Gunawan Web Service System Data Push And Pull PDPT (Higher Education Data Bases) (Case Study: UIN SUSKA Riau)	145
22	Fanny Camelia, T. L. J. Ferris, Merry Siska The Need for Introducing System Engineering to Industrial Engineering Students	155
23	Difana Meilani, Merry Siska, Feli Elysa Accelerate Out Patient Health Services with Lean Service	165
24	Rado Yendra, Ari Pani Desvina, Rahmadeni and Abdul Aziz Jemain Extreme Strom Duration Modelling at Peninsular Malaysia	175
25	Wayan Firdaus Mahmudy Solving Flexible Job-Shop Scheduling Problem Using Improved Real Coded Genetic Algorithms	181
26	Megawati, Kridanto Surendro Design Model Incident and Problem Management Based Integration Of ITIL V3 and COBIT 4.1	189
27	Teddie Darmizal, Benny Ranti Analysis of Online Training System Using Ranti's Generic IS/IT Business Value And Economic Value Added (Case Study: Bank Rakyat Indonesia)	197
28	Tengku Nurainun A Multi Due Date Batch Scheduling Model on Dynamic Flow Shop to Minimize Total Production Cost	206
29	Idria Maita Spatial Data Analysis For Development of Web Based Geographic Information System (GIS) (Case Study : Universiti Teknologi Malaysia (UTM))	214

30	Haviluddin, Rayner Alfred Comparison of ANN Back Propagation Techniques in Modelling Network Traffic Activities	224
31	Yola Melfa, Rahmayanti Dina Production Planning for Power Pole in PT. Jaya Sentrikon Padang Pariaman with Goal Programming Method	232
32	Alex Wenda Utilization of Web-based Power Quality Analysis	238
33	Febi Yanto, R. Joko Musridho Performance Analysis of Line Maze Solving Algorithm on Curved and Zig-zag Track from Line Maze Robot	243
34	Inggih Permana, Agus Buono, Bib Paruhum Silalahi Noise Cancelling for Robust Speaker Identification Using Least Mean Square	247
35	Nesdi Evrilyan Rozanda, Faisal Amir Designing an Application of Customer Relationship Management	253
36	Sutoyo, Liliana Frequency Channel Management of HF Radio In Initial Implementation of ALE Stations Network Riau	258
37	Teddy Purnamirza The Realization Study on the Reconfigurable Functions of Radial Line Slot Array (RLSA) Antennas	266

Accelerate Out Patient Health Services with Lean Service

(Case Study: RSUP Dr. M. Djamil Padang)

Difana Meilani¹, Feli Elysa²
Industrial Engineering Department
Andalas University
Padang, Indonesia
¹difana@ft.unand.ac.id or
¹difana.meilani@gmail.com

Merry Siska
Industrial Engineering Department
UIN Sultan Syarif Kasim Riau
Pekanbaru, Indonesia
merrysiska@yahoo.com

Abstract – Nowadays, industries and companies do not only focus on producing products and services, but also improving the services. This happens because the demand of services by the customers rise sharply.

Hospitals as a service industry need to improve their services to the patients. They have to reduce the non-value activities and provide more value activities in order not to waste the patients' time. This can be done by applying Lean Approach.

Installation out patient in Dr. M. Djamil hospital is the place where services are found. Cardiac poly has the biggest numbers of patients. Here, lean was used to identify waste by using big picture mapping tool. The method was value stream mapping which includes the detailed mapping of the process activities. Observation and research showed that the average length of service for each patient's heart was 127 minutes and this is judged as spending too much time. 22 minutes 20 second was categorized as the value added activity, 5 minutes 44 seconds as transportation time, while the rest 99-minute 38 seconds as waiting (delay) time. This 99 minutes 38 seconds is the non-value added activity.

It is said as waste if related with waiting, inappropriate processing, unnecessary motion, and unnecessary inventory. Waste appears because of

the unimplementation one piece flow system, the unclear of SOP (Standard Operational Procedure), and the lack of discipline time.

To eliminate waste, it is recommended to improve one piece flow in flow documents, to make a clear SOP, to arrange a good layout on patient service facilities, to deploy principle of 5S, to improve time service discipline, and to increase appreciation of employees' working achievement.

By applying the recommendation above and by deleting several waiting activities, the total patient service time can be reduced from 127 minutes to 75 minutes. Customers' value ratio will increase from 21.19% to 26.7%.

Keywords – Lean, waste, big picture mapping, value stream mapping

I. INTRODUCTION

In some of health service organization for many years have adopted techniques of process improvement, such us Total Quality Management (TQM) and Six Sigma (SS). But some experts observe that TQM have its own limited because this methode need a lot of time and cost to apply in health service field. In other case, Benedetto (2003) found the constraint of six sigma application, such us many data

to process, front line worker have difficult to understand about SS tools and the sequence of its process. Ghosh and Sobek (2006) has state that the principle of Toyota (Lean) that developed from Industrial Engineering principles, have offers the right tools to change work process in health service field.

A Research in Montana State University and Community medical Centre in Missouri Montana, that adopted several tools and lean principle in Health service field, has show the effectivly of this Methode in order to improvement the quality of work process in hospital. Lean Methode to eliminate waste was believed to improve Company competitive excellence, especially in productivity and quality (Shingo, 1989). This Productivity improvement can be establish if there is operation downsizing that can indicated waste and quality problems that can be occurs

In this globalization era, industries trend is not only producing, but also improving services. Service can be defined as capability to produce right products and to give services to the customers, start from the customers want a product/service until the customers get it with a good price in a short time or minimum hours [Womack & Jones, 2003]. The adding value is got from reducing waste by applying lean approach. Waste can be defined as all the working activities which do not add value in the transformation process of input into output along the value stream [4]. Lean is defined as efforts to reduce waste and add the value of products and services for customer value.

As a pholosophy, lean can be implemented in manufacture indutries and in health service in Dr. M. Djamil hospital. This hospital is a government hospital which becomes the referral hospital in Central Part of Sumatra. Because of this, Dr. M. Djamil hospital must give the best services to the people.

Polyclinic in Dr. M. Djamil Hospital is the installation with the biggest amount of patients. From 18 polyclinics, the cardiac polyclinic has the biggest amount of patients. The working days are five days a week.

The biggest amount of patients and the limitation of time will influence the time service for each patient. This condition can be seen in table 1 Patients Service Time.

TABLE 1. TOTAL TIME OF SERVING PATIENTS IN CARDIAC POLY DR. M. DJAMIL HOSPITAL

Patient	Arrival Time	Accomplish Time	Time span between arrival and accomplish time
1	7:35:00	10:07:00	2:32:00
2	7:56:00	10:20:00	2:24:00
3	7:58:00	10:25:00	2:27:00
4	8:03:00	10:18:00	2:15:00
5	8:03:00	10:15:00	2:12:00
6	8:07:00	10:55:00	2:48:00
7	8:13:00	10:02:00	1:49:00
8	8:10:00	10:36:00	2:26:00
9	8:10:00	10:25:00	2:15:00
10	8:12:00	9:56:30	1:44:30
11	8:22:00	11:43:00	3:21:00
12	8:22:00	10:22:00	2:00:00
13	8:40:00	11:13:00	2:33:00
14	9:03:00	10:50:00	1:47:00
15	9:03:00	11:47:00	2:44:00
16	9:12:00	11:11:00	1:59:00
17	9:15:00	11:12:00	1:57:00
18	9:15:00	10:46:00	1:31:00
19	9:23:00	12:23:00	3:00:00
20	9:54:00	11:55:00	2:01:00
21	9:56:00	11:29:00	1:33:00
22	10:05:00	11:45:00	1:40:00
23	10:08:00	11:40:00	1:32:00

Referring to the interview in cardiac poly, the total time to serve the patients was too much. The pre survey which was the interview with the head of cardiac poly said that it is caused by the existency of the non value added activities (waste). For example, the patient did a mistake in registration, or the machine is broken. Because of that, evaluation to score the effectiveness of patient service activities is needed.

II. RESEARCH METHODOLOGY

The research methodoly systematically explained the steps which are related in order to help and give the fact of the research.

A. Pre Survey

The first step in the research was pre survey. This pre-survey was to know the system of health services in RSUP Dr. M. DJamil. The purpose of pre survey was to get general picture of patient service in polyclinic. The activity was direct observation on the business and the facilities which support the service of polyclinic. Interview was also carried out.

B. Literature Study

In this step , all the references which related to the research are collected. The references would be the guidance in facing the problems that happens in

polyclinic services. The references were lean thinking, waste, and value stream mapping.

C. Pre Collecting Data

Pre collecting the data was carried out in order to know which polyclinics have the biggest time problem in servicing the patients. The secunder data was from the monthly report of medical record installation in Dr. M. Djamil hospital. The data were

1. The amount of patients in every instalation of Dr. M. Djamil hospital
2. The data of polyclinic's visitors which categorized into type of visiting and the way of payment
3. The working hours of polyclinic of Dr. M. Djamil hospital.

D. Identification of the Problem

The identification of the problem in this research was the existency of non value added activities (waste) in giving services to polyclinic patients of Dr. M Djamil Hospital, and this influenced the time for serving the patients.

E. The Research Purpose

The purpose of the reseach was to identified and to reduce the non value added activities (waste) at polyclinic services in Dr. M. Djamil Hospital. It was hoped that the time spending for serving the patients can be minimized.

F. The Research Methodology

After identifying the problems and the purpose of the research, the next step was deciding the research methodology. In this research, Lean Service Approach with tool Value Stream Mapping were applied.

G. Collecting Data

The data which were collected were premier data. They were :

1. The activities procedure of polyclinic patients in heart poly
2. The data of time services in cardiac poly
3. Identified the waste through assessment table which was given by using waste workshop method.

H. Data Analysis

The data was analyzed based on the methods in the literatures and references. The data was analyzed by :

1. Counting the Activities Hours

To recognize the activity time that happens during the outpatient service. The activity time is gain by subtracting the accomplish activity time with the starting activity time.

2. Test of Normalcy, Test Sufficiency, Test amount of Measurement needed and Kruskal Wallis Test

Test of normalcy is done using software SPSS 15.0 for windows with histogram method. Test sufficiency is done by using \bar{x} chart with some steps; Group the data into several sub group:

- a. Calculate the subgroup average (x) with the equation:

$$\bar{X} = \frac{\sum X_i}{n} \quad (1)$$

with : n= size of sub group

- b. Calculate the average of data from the average of subgroup with the equation

$$\bar{\bar{X}} = \frac{\sum \bar{X}}{k} \quad (2)$$

with : k = amount of subgroup

- c. Calculate the standard deviations with the equation

$$\sigma = \sqrt{\frac{\sum_{i=1}^n (X_i - \bar{\bar{X}})^2}{N - 1}} \quad (3)$$

with : N = Amount of data

- d. Calculate the standard deviations from the average subgroup distribution with the equation

$$\sigma_x = \frac{\sigma}{\sqrt{n}} \quad (4)$$

with : n = size of subgroup

- e. Determine the Upper Specification Limit and Lower Specification Limit with the equation

$$UCL = \bar{\bar{X}} + (3 \times \sigma_x) \quad (5)$$

$$LCL = \bar{X} - (3 \times \sigma_x) \quad (6)$$

- f. If the data is outside the specification limit, all of the outcontrol data shall be eliminated, and then the data is determined again.

Futhermore, determined the amount of data with the equation

$$N' = \left[\frac{\frac{a}{b} \sqrt{N \sum_{i=1}^n X_i^2 - \left(\sum_{i=1}^n X_i \right)^2}}{\sum_{i=1}^N X_i} \right]^2 \quad (7)$$

N' = Amount of data required

N = Amount of data taken

a = Confidence level coefficient

b = Standard of error

In this research the confidence level is 90% with coefficient 2 and precision level 10%. Futhermore, the next step is Kruskal Wallis test to identify if the average doctor examination time is the same for each doctor that is on duty at the cardiac poly, the equation for Kruskal Wallis test is :

$$h = \frac{12}{n(n+1)} \sum_{i=1}^k \frac{r_i^2}{n_i} - 3(n+1) \quad (8)$$

3. Big Picture Mapping

To know the overall system.

4. Detailed Mapping

To identified the problems more detail based on the waste workshop.

The average score from the two sources is multiple with the value stream mapping tools selected matrix. The mapping type with the highest result will be the tool or detailed mapping which can identified waste

5. Calculate the Customer Value Ration

Customer Value Ratio is the value added ratio from the consumer point of view. Customer Value Ratio can be identified from the time recapitulation on process activity mapping and the equation is:

$$\text{Customer Value Ratio} = \frac{\text{Value added activity}}{\text{Type one waste} + \text{Type two waste}} \times 100\% \quad (9)$$

I. Closing

Closing section includes the conclusion about the research, some suggestion for the company's improvement, and suggestion for futher research.

III. RESULTS AND DISCUSSION

After all data been collected, the data analysis was carried out.

A. Patient's Time Serving

Previously, identified the types of activities that the patient have to pass through, shown on table 2

TABLE 2. SERVICE ACTIVITY CODE FOR OUTPATIENT CARDIAC POLY

Activity Code	Activity
F1	Registration Process Time
F2	Askes Procedure Waiting Time
F3	Askes Procedure Preparing Time
F4	Patient Registration Waiting Time
F5	Patient Registration Process Time
F6	Medicines Submission Waiting Time
F7	Transportation Time
F8	Measuring Blood Pressure Waiting Time
F9	Measuring Blood Pressure Process Time
F10	Processing Medical Record Waiting Time
F11	Processing Medical Record Process Time
F12	Electronic Cardiograph (ECG) Waiting Time
F13	Electronic Cardiograph (ECG) Process Time
F14	Doctor Examination Waiting Time
F15	Doctor Examination Process Time

Futhermore the calculation of duration for each activity is the time activity completed minus with the time the activity started.

B. The Statistical Data Test

The statistical data test consists of test of normalcy, test sufficiency, test amount of measurement needed,

and the Kruskal Wallis test. The calculation is done by using equation (1) until (9) and the result is shown on Table 3.

TABLE 3. RECAPITULATION RESULT ON TEST OF NORMALITY, TEST SUFFICIENCY AND TEST AMOUNT OF MEASUREMENT NEEDED

Activity Code	Test of Normalcy			Test Statistic
	Mean	Standard Deviation	Description	
F1	0,49	0,02	Normal	Uni
F2	19,3	8,4	Normal	Uni
F3	6,98	3,03	Normal	Uni
F4	7,82	3,38	Normal	Uni
F5	1,37	0,38	Normal	Uni
F6	2,26	0,94	Normal	Uni
F7	5,65	2,21	Normal	Uni
F8	7,21	3,08	Normal	Uni
F9	1,45	0,59	Normal	Uni
F10	20,21	10,19	Normal	Uni
F11	1,69	0,63	Normal	Uni
F12	14,17	5,16	Normal	Uni
F13	5,03	1,41	Normal	Uni
F14	29,58	12,89	Normal	Uni
F15	5,36	1,16	Normal	Uni

Kruskal Wallis test was carried out to identify that the three doctors in cardiac poly do not have significant different duration in medical checking. The duration time was in minutes.

1. $H_0 : \mu_1 = \mu_2 = \mu_3$
2. H_1 : The mean of the three doctors examination is not the same
3. $\alpha = 0,05$
4. Critical region : $h > X^2\alpha = 5,991$ for $v = 2$ df
5. Computation : At Table 4 the examination process time is rang and then sum each rang of the doctors.

Futhermore, added the $n_1=27$, $n_2 = 26$, and $n_3 = 22$ next r_1 with the value = 160, $r_2 = 139$, and $r_3 = 126$ then the result of statistic h is :

$$h = \frac{12}{n(n+1)} \sum_{i=1}^k \frac{r_i^2}{n_i} - 3(n+1)$$

$$h = \frac{12}{75(76)} \left(\frac{160^2}{27} + \frac{139^2}{26} + \frac{126^2}{22} \right) - (3)(76) = -222,92$$

6. Decision: because $h_{\text{computation}} < h_{\text{table}}$ so do not reject H_0 and conclude that there isn't any significant differences in the length of checking time by the three doctors.

TABLE 4. DOCTOR EXAMINATION TIME RANG

Doctor 1	Doctor 2	Doctor 3
10	5	3
5	6	5
4	4	5
6	3	5
5	6	5
7	7	4
5	5	6
4	3	6
5	5	4
2	4	6
5	4	6
4	9	12
7	6	6
11	3	4
7	7	5
6	8	4
7	8	12
8	3	7
4	5	5
8	9	7
4	3	4
9	7	5
4	5	
3	5	
5	6	
7	3	
8		
r 1 =	r2 =	r 3 =
160	139	126




Fig 1. Big Picture Mapping at Cardiac Poly Patient Services Dr. M. Djamil Hospital

C. Detailed Mapping

Detailed mapping or value stream mapping tools is determine based on waste workshop method. Waste workshop is the predecessor activity that is being done to get information as many as possible related with waste. This is done with assessment table which is filled by the person in charge of the patient care cardiac poly. The assessing range is between 0 until 10. The recapitulation of the value is shown at Table 5

TABLE 5. THE AVERAGE SCORE FOR EACH WASTE

No.	Waste	Score		Average	Ranking
		Head of Cardiac poly	Registration Medical record		
1	Overproduction	3	3	3	7
2	Waiting	8	8	8	1
3	Excessive transportation	3	5	4	5
4	Inappropriate processing	4	7	5,5	2
5	Unnecessary inventory	5	5	5	4
6	Unnecessary motion	8	3	5,5	3
7	Defects	4	4	4	6
Total		35	35		

The average of the waste will next be multiplied with the matrix conversion value seven selection - Value

Stream Mapping (VALSAT)- and the result is as shown on Table 6

TABLE 6. THE SUMMARY RESULT OF THE VALSAT SELECTION

No.	Waste	DETAILED VALUE STREAM MAPPING						
		Process activity mapping	Supply chain response matrix	Production variety funnel	Quality filter mapping	Demand amplification mapping	Decision point analysis	Physical structure mapping
1	Overproduction	3	9	0	3	9	9	0
2	Waiting	72	72	8	0	24	24	0
3	Excessive transportation	36	0	0	0	0	0	4
4	Inappropriate processing	49,5	0	16,5	5,5	0	5,5	0
5	Unnecessary inventory	15	45	15	0	45	15	5
6	Unnecessary motion	49,5	5,5	0	0	0	0	0
7	Defects	4	0	0	36	0	0	0
Total		229	131,5	39,5	44,5	78	53,5	9
Ranking		1	2	6	3	4	5	7

The chosen Value stream mapping is the tools with the highest weight. Based from the information at Table 6, the tools that is suitable to be used for describing the process and waste in detail is the Process Activity Mapping. Process Activity Mapping at Cardiac Poly Patient Care RSUP Dr. M. Djamil is shown on Table 7.

TABLE 7. PROCESS ACTIVITY MAPPING AT CARDIAC POLY PATIENT SERVICES, DR. M. DJAMIL HOSPITAL

Activity Code	Flow Process	Machine/Tools	Distance (meters)	Time	Activity					Description	Category
					Operation	Transportation	Inspection	Storage	Delay		
Registration counters											
F1	Registration			0:00:30	O	T	I	S	D		VA
F2	Waiting for the letter of warranty check preparation			0:19:24	O	T	I	S	D		NVA
F3	Officer prepare the letter of warranty check	Computer, printer		0:06:55	O	T	I	S	D	1 Server, 1 Operator	VA
F4	Waiting for the registration			0:07:47	O	T	I	S	D		NVA
F5	The officer makes the registration form	Computer, printer		0:01:21	O	T	I	S	D	1 Server, 1 Operator	VA
F6	Waiting for the package submission (Letter of warranty check +registration)			0:02:10	O	T	I	S	D		NVA
F7	Leading to the cardiac poly		60	0:05:44	O	T	I	S	D		NNVA
Cardiac Poly											
F8	Waiting for blood pressure measurement			0:07:09	O	T	I	S	D		NVA
F9	Blood pressure measurement			0:01:26	O	T	I	S	D	1 nurse	VA
F10	Waiting for medical record process			0:19:31	O	T	I	S	D		NVA
F11	Processing patient medical record			0:01:41	O	T	I	S	D	2 nurse	VA
F12	Waiting for ECG process			0:14:26	O	T	I	S	D	2 server	NVA
F13	ECG process	Electrocardiogram		0:05:03	O	T	I	S	D		VA
F14	Waiting for doctor medical checking			0:29:09	O	T	I	S	D	2-4 doctors	NVA
F15	Doctor medical checking			0:05:22	O	T	I	S	D		VA
TOTAL	15 Steps		60	2:07:43	7	1	-	-	7		
	Operation	0:22:20									
	% Value added activity	17,49%									
	Delay	1:39:38									
	% Non-value added activity	78,01%									
	Transportation	0:05:44									
	% Necessary but non value added activity	4,49%									

Referring to the Process Activity Mapping, there are three types of Activities. They are Value Added Activity, Non Value Added Activity, and Necessary but Non Value Added Activity. The activity percentage is described on Fig. 2.




Fig 2. The Percentage of Activity Time at Cardiac Poly Patient Services

It is categorized as waste if it is non value added activity. After observing the serving system in cardiac poly, Dr. M Djamil hospital, waste which occur are:

1. Waiting time happens during the process of ASKES packet, during registration of ASKES, during waiting for the medical record file, and during waiting for doctor's medical checking. The causes are the operators process the documents in batch, the broken machine and tools, and computer system error.
2. Over-processing or Inappropriate Processing which occurs during the patients' re- registration happens because of error procedures or incomplete requirement, medical record revision file for patient who has two medical record cards, and because of wrong process of registration.

3. Unnecessary Motion happens when a nurse tries to find the patient that is not on the spot when the treatment time has come and when the officer tries to find the medical record at the wrong place because of the wrong placement of the medical record before.
4. Unnecessary Inventory. Waste happens because of material stacking such as registration forms and treatment packages which are in storage room and medical record office. This materials are stacked in boxes and take spaces. The office room and medical record storage room are located in one place with the area of approximately 40 m² and the stacking material used 3,2 m² or nearly 8 % of the area. Locating material in a big amount and unappropriate place affectst the office layout and the storage room become narrow.

D. Customer Value Ratio

Customer Value Ratio is the value added ratio from the consumer point of view. Customer Value Ratio can be identified from the time recapitulation on the process activity mapping and the equation is:

$$\text{Customer Value Ratio} = \frac{\text{Value added activity}}{\text{Typeone waste} + \text{Typetwo waste}} \times 100\%$$

Total time *Type one waste* (NNVA) = 00:05:44

Total time *Type two waste* (NVA) = 01:39:38

Total time *value added* (VA) = 00:22:20

$$\begin{aligned} \text{Customer Value Ratio} &= \frac{00:22:20}{00:05:44 + 01:39:38} \times 100\% \\ &= 21,19\% \end{aligned}$$

For waste reduction and customer value ratio improvement, the recommendations that can be given are:

- a. Applying one piece flow in the document flow or patient registration
- b. Making the Standard Operational Procedure (SOP) service for patient with clear and easily understandable language
- c. Setting good layout on patient service facilities
- d. Applying the principle of 5S (sort, set in order, sweep, standardize, and sustain)
- e. Giving each operator the basic skills of tools maintenance, like computer and printer
- f. ECG check up in order to avoid stuck machine during the operation.
- g. Providing bigger waiting room in Cardiac Poly or move to another big room.
- h. Applying advice system from the workers.
- i. Being discipline in time serving
- j. Understanding the lean by the management and the target to accomplish.
- k. Determining the standard time for the process time service.

By implementing the recommendations, it is hoped that the process time and patient waiting time reduce so it will form new activities describe in Table 8.

TABLE 8 PROCESS ACTIVITY MAPPING AT CARDIAC POLY PATIENT SERVICE, DR. M. DJAMIL HOSPITAL (RECOMMENDED)

Activity Code	Flow Process	Machine/Tools	Distance (metre)	Time	Activity					Description	Category
					Operation	Transportation	Inspection	Storage	Delay		
Registration counters											
F1	Registration			0:00:30	O	T	I	S	D		VA
F2	Waiting for the letter of warranty check preparation			0:06:44	O	T	I	S	D		NVA
F3	Officer prepare the letter of warranty check	Computer, printer		0:01:30	O	T	I	S	D	1 Server, 1 Operator	VA
F4	Waiting for the registration			0:01:00	O	T	I	S	D		NVA
F5	The officier makes the registration form	Computer, printer		0:01:15	O	T	I	S	D	1 Server, 1 Operator	VA
F6	Waiting for the package submission (Letter of warranty check +registration)			0:01:19	O	T	I	S	D		NVA
F7	Leading to the cardiac poly		60	0:05:19	O	T	I	S	D		NNVA

Cardiac Poly											
F8	Waiting for blood pressure measurement			0:00:00	O	T	I	S	D		NVA
F9	Blood pressure measurement			0:01:19	O	T	I	S	D	1 nurse	VA
F10	Waiting for medical record process			0:20:06	O	T	I	S	D		NVA
F11	Processing patient medical record			0:01:34	O	T	I	S	D	2 nurse	VA
F12	Waiting for ECG process			0:05:00	O	T	I	S	D	2 server	NVA
F13	ECG process	Electrocardiogram		0:04:40	O	T	I	S	D		VA
F14	Waiting for doctor medical checking			0:20:00	O	T	I	S	D	2-4 doctors	NVA
F15	Doctor medical checking			0:04:58	O	T	I	S	D		VA
TOTAL	15 Steps		60	1:15:14	7	1	-	-	7		
	Operation	0:15:48									
	% Value added activity	21,09%									
	Delay	0:53:50									
	% Non value added activity	71,84%									
	Transportation	0:05:19									
	% Necessary but non value added activity	7,10%									

The activity percentage of recommendation mapping is shown in Fig.3




Fig 3. The percentage of serving activities' time of cardiac patients (Recommended)

Then, the increasement of *Customer Value Ratio* happened as followed

$$\text{Customer Value Ratio} = \frac{\text{Value added activity}}{\text{Typeone waste} + \text{Typetwo waste}} \times 100\%$$

$$\text{Total time Type one waste (NNVA)} = 00:05:19$$

$$\text{Total time Type two waste (NVA)} = 00:53:50$$

$$\text{Total time value added (VA)} = 00:15:48$$

$$\begin{aligned} \text{Customer Value Ratio} &= \frac{00:15:48}{00:05:19 + 00:53:50} \times 100\% \\ &= 26,7\% \end{aligned}$$

IV. CONCLUSION AND SUGGESTION

A. Conclusion

Based on the research, the waste activities that are found in patients services are waiting, inappropriate processing, unnecessary motion, and unnecessary inventory. By using the tool Process Activity Mapping, the average length of cardiac patient's service was 127 minutes 43 second with the added value activity 17,49% or with the time only 22 minutes 20 second. The transportation time is 5 minutes 44 seconds or 4,49% and 78,01%, and the delay activity time is 99 minutes 38 second.

The non value added activity such as waiting time between the services process can be reduced by using some of the lean concept such as one piece flow and 5S. By reducing non value added activity through recommanded steps, the total time of patient servicing can be minimized from 127 minutes to 75 minutes. Customer value ratio will also increase from 21,19% to 26,7%.

B. Suggestions

For futher research, it is suggested all sections in poly of Dr. M. Djamil hospital being observed in services activities in order to get a vivid picture of the system.

REFERENCES

- [1] J. Ahlstrom, Using the 5S Lean Tool for Health Care, WIPFLI CPAs and Consultants, 2007, unpublished.
- [2] A. R. Benedetto, "Adopting Manufacturing-Based Six Sigma Methodology to the Service Environment of a Radiology Film Library", *Journal of Healthcare Management*, 48 (4): 263-280, 2003.
- [3] J. Billi, "Application of Lean Thinking to Health Care", access on 31 September 2010 www.bf.umich.edu/Lean_Healthcare_at_Michigan_Billi_2005.pdf. 2005.
- [4] V. Gaspersz, "Lean Six Sigma for Manufacturing and Service Industries" Gramedia. Jakarta. 2007.
- [5] M. Ghosh, and D. Sobek, "Pragmatic Problem Solving for Healthcare: Principles, Tools, and Applications". Available on 19 Oktober 2010 www.coe.montano.edu/ie/faculty/sobek/loc-grant/papers.htm_2006.
- [6] P. Hines, and N. Rich, "The Seven Value Stream Mapping Tools". *International Journal of Operations & Production Management*, 17 (1):46-64. 1997.
- [7] P. Hines, and D. Taylor, "Going Lean". Available on 21 September 2010 dari <http://www.cf.uk/lom/lerc/centre/GoingLean/2000>.
- [8] C. Jimmerson, D. Weber, and D. Sobek. "Reducing Waste and Errors: Piloting Lean Principles at Intermountain Healthcare". *Joint Commission Journal on Quality and Patient Safety*, 31 (5):249-257. 2005.
- [9] J. Liker, "The Toyota Way", 14 Prinsip Manajemen dari Perusahaan Manufaktur Terhebat di Dunia. Erlangga. Jakarta. 2006.
- [10] M. Lubis, 17 Desember 2008. Cost Effective Service Excellent: Memenangkan Hati Pelanggan pada Masa Krisis. Available on 4 Desember 2010 http://mahyudaniil-lubis.blogspot.com/2008_12_01_archive.html.
- [11] M. L. Laursen, "Applying Lean Thinking in Hospital-Exploring Implementation Difficulties". Denmark: Center for Industrial Production. 2003.
- [12] L. Levere, & K. Black, "Integrating Six Sigma with Total Quality Management: A Case Example for Measuring Medication Error". *Healthcare Financial Management*, 48 (6): 377-391. 2003.
- [13] M. Rother, and J. Shook. "Learning to See". Unpublished paper. Lean Enterprise Institute. 1998.
- [14] RSUP Dr. M. Djamil Padang. Available on 19 Oktober 2010 www.rsup-mdjamil.do.am.
- [15] S. Shingo, "A Study of the Toyota Production System from an Industrial Engineering Viewpoint". Portland. Productivity Press. 1989.
- [16] I. Z. Satalaksana, "Teknik Tata Cara Kerja" Bandung. Institut Teknologi Bandung. 1979.
- [17] F. Syani, "Penggunaan Value Stream Mapping pada Instalasi Rawat Jalan untuk Mengurangi Antrian dan Waktu Tunggu Pasien". Tugas Akhir. Institut Teknologi Sepuluh Nopember. 2006.
- [18] Warta Berita Kota. Pembinaan Mutu Pelayanan Di RSUP M.Djamil Padang. 6 April 2010.
- [19] J. P. Womack, and D. Jones, "Lean Thinking: Banish Waste and Create Wealth in Your Corporation". New York: Simon & Schuster. 1996.

Certificate

This certificate is awarded to :

DIFANA MEILANI

Speaker


For invaluable participation in The 1st International Conference on Science and Technology for Sustainability organized by the Faculty of Science and Technology - UIN Sultan Syarif Kasim Riau.

Theme : "Green Campus Practices Toward Sustainable Development "

Pekanbaru - Indonesia , October 22nd 2014
Chief of the organizing committee,

Dean,


(Dra. Hj. Yenita Morena, M.Si)
NIP. 19601125 198503 2 002


(Dr. Alex Wenda, ST, M.Eng)
NIP. 197801262007101001

EE
SECTION


BKS PTN Barat




iaes

OMNIKA
of Electrical Engineering



Pemerintah Kota
Pekanbaru



Pemerintah Kota
Batam



Pemerintah Daerah
Kabupaten Siak

Accelerate Out Patient Health Services with Lean Service

(Case Study: RSUP Dr. M. Djamil Padang)

Difana Meilani

Industrial Engineering Department
Andalas University
Padang, Indonesia

difana@ft.unand.ac.id or difana.meilani@gmail.com

Feli Elysa

Industrial Engineering Department
Andalas University
Padang, Indonesia

Merry Siska

Industrial Engineering Department
UIN Sultan Syarif Kasim Riau
Pekanbaru, Indonesia
merrysiska@yahoo.com

Abstract—Nowdays, industries and companies do not only focus on producing products and services, but also improving the services. This happens because the demand of services by the customers rise sharply.

Hospitals as a service industry need to improve their services to the patients. They have to reduce the non-value activities and provide more value activities in order not to waste the patients' time. This can be done by applying Lean Approach.

Installation out patient in Dr. M. Djamil hospital is the place where services are found. Cardiac poly has the biggest numbers of patients. Here, lean was used to identify waste by using big picture mapping tool. The method was value stream mapping which includes the detailed mapping of the process activities. Observation and research showed that the average length of service for each patient's heart was 127 minutes and this is judged as spending too much time. 22 minutes 20 second was categorized as the value added activity, 5 minutes 44 seconds as transportation time, while the rest 99-minute 38 seconds as waiting (delay) time. This 99 minutes 38 seconds is the non-value added activity.

It is said as waste if related with waiting, unappropriate processing, unnecessary motion, and unnecessary inventory. Waste appears because of the unimplementation one piece flow system, the unclear of SOP (Standard Operational Proesure), and the lack of discipline time.

To eliminate waste, it is recommended to improve one piece flow in flow documents, to make a clear SOP, to arrange a good layout on patient service facilities, to deploy principle of 5S, to improve time service discipline, and to increase appreciation of employees' working achievement.

By applying the recommendation above and by deleting several waiting activities, the total patient service time can be reduced from 127 minutes to 75 minutes. Customers' value ratio will increase from 21.19% to 26.7%.

Keywords—Lean, waste, big picture mapping, value stream mapping

I. INTRODUCTION

In some of health service organization for many years have adopted techniques of process improvement, such us Total Quality Management (TQM) and Six Sigma (SS). But some experts observe that TQM have its own limited because this methode need a lot of time and cost to apply in health service field. In other case, Benedetto (2003) found the constraint of six sigma application, such us many data to process, front line worker have difficult to understand about SS tools and the suquence of its process. Ghosh and Sobek (2006) has state that the principle of Toyota (Lean) that developed from Industrial Engineering principles, have offers the right tools to change work process in health service field.

A Research in Montana State University and Community medical Centre in Misssouri Montana, that adopted several tools and lean principle in Health service field, has show the effectvely of this Methode in order to improvement the quality of work process in hospital. Lean Methode to eliminate waste was believed to improve Company competitive excellence, especially in productivity and quality (Shingo, 1989). This Productivity improvement can be establish if there is operation downsizing that can indicated waste and quality problems that can be occurs

In this globalization era, industries trend is not only producing, but also improving services. Service can be defined as capability to produce right products and to give services to the customers, start from the customers want a product/service until the customers get it with a good price in a short time or minimum hours [Womack & Jones, 2003]. The adding value is got from reducing waste by applying lean approach. Waste can be defined as all the working activities which do not add value in the transformation process of input into output along the value stream [4]. Lean is defined as efforts to reduce waste and add the value of products and services for customer value.

As a philosophy, lean can be implemented in manufacture industries and in health service in Dr. M. Djamil hospital. This hospital is a government hospital which becomes the referral hospital in Central Part of Sumatra. Because of this, Dr. M. Djamil hospital must give the best services to the people.

Polyclinic in Dr. M. Djamil Hospital is the installation with the biggest amount of patients. From 18 polyclinics, the cardiac polyclinic has the biggest amount of patients. The working days are five days a week.

The biggest amount of patients and the limitation of time will influence the time service for each patient. This condition can be seen in table 1 Patients Service Time.

TABLE 1. Total time of serving patients in Cardiac Poly Dr. M. Djamil Hospital

Patient	Arrival Time	Accomplish Time	Time span between arrival and accomplish time
1	7:35:00	10:07:00	2:32:00
2	7:56:00	10:20:00	2:24:00
3	7:58:00	10:25:00	2:27:00
4	8:03:00	10:18:00	2:15:00
5	8:03:00	10:15:00	2:12:00
6	8:07:00	10:55:00	2:48:00
7	8:13:00	10:02:00	1:49:00
8	8:10:00	10:36:00	2:26:00
9	8:10:00	10:25:00	2:15:00
10	8:12:00	9:56:30	1:44:30
11	8:22:00	11:43:00	3:21:00
12	8:22:00	10:22:00	2:00:00
13	8:40:00	11:13:00	2:33:00
14	9:03:00	10:50:00	1:47:00
15	9:03:00	11:47:00	2:44:00
16	9:12:00	11:11:00	1:59:00
17	9:15:00	11:12:00	1:57:00
18	9:15:00	10:46:00	1:31:00
19	9:23:00	12:23:00	3:00:00
20	9:54:00	11:55:00	2:01:00
21	9:56:00	11:29:00	1:33:00
22	10:05:00	11:45:00	1:40:00
23	10:08:00	11:40:00	1:32:00

Referring to the interview in cardiac poly, the total time to serve the patients was too much. The pre survey which was the interview with the head of cardiac poly said that it is caused by the existency of the non value added activities (waste). For example, the patient did a mistake in registration, or the machine is broken. Because of that, evaluation to score the effectiveness of patient service activities is needed.

II. RESEARCH METHODOLOGY

The research methodology systematically explained the steps which are related in order to help and give the fact of the research.

A. Pre Survey

The first step in the research was pre survey. This pre-survey was to know the system of health services in RSUP Dr. M. Djamil. The purpose of pre survey was to get general picture of patient service in polyclinic. The activity was direct observation on the business and the facilities which support the service of polyclinic. Interview was also carried out.

B. Literature Study

In this step, all the references which related to the research are collected. The references would be the guidance in facing the problems that happens in polyclinic services. The references were lean thinking, waste, and value stream mapping.

C. Pre Collecting Data

Pre collecting the data was carried out in order to know which polyclinics have the biggest time problem in servicing the patients. The secunder data was from the monthly report of medical record installation in Dr. M. Djamil hospital. The data were

1. The amount of patients in every instalation of Dr. M. Djamil hospital
2. The data of polyclinic's visitors which categorized into type of visiting and the way of payment
3. The working hours of polyclinic of Dr. M. Djamil hospital.

D. Identification of the Problem

The identification of the problem in this research was the existency of non value added activities (waste) in giving services to polyclinic patients of Dr. M Djamil Hospital, and this influenced the time for serving the patients.

E. The Research Purpose

The purpose of the reseach was to identified and to reduce the non value added activities (waste) at polyclinic services in Dr. M. Djamil Hospital. It was hoped that the time spending for serving the patients can be minimized.

F. The Research Methodology

After identifying the problems and the purpose of the research, the next step was deciding the research methodology. In this research, Lean Service Approach with tool Value Stream Mapping were applied.

G. Collecting Data

The data which were collected were premier data. They were :

1. The activities procedure of polyclinic patients in heart poly
2. The data of time services in cardiac poly
3. Identified the waste through assessment table which was given by using waste workshop method.

H. Data Analysis

The data was analyzed based on the methods in the literatures and references. The data was analyzed by :

1. Counting the Activities Hours
To recognize the activity time that happens during the outpatient service. The activity time is gain by subtracting the accomplish activity time with the starting activity time.

2. Test of Normalcy, Test Sufficiency, Test amount of Measurement needed and Kruskal Wallis Test

Test of normalcy is done using software SPSS 15.0 for windows with histogram method. Test sufficiency is done by using *chart* with some steps; Group the data into several sub group:

a. Calculate the subgroup average (x) with the equation:

$$\bar{X} = \frac{\sum X_i}{n} \quad (1)$$

with : n= size of sub group

b. Calculate the average of data from the average of subgroup with the equation

$$\bar{\bar{X}} = \frac{\sum \bar{X}}{k} \quad (2)$$

with : k = amount of subgroup

c. Calculate the standard deviations with the equation

$$\sigma = \sqrt{\frac{\sum_{i=1}^n (X_i - \bar{X})^2}{N - 1}} \quad (3)$$

with : N = Amount of data

d. Calculate the standard deviations from the average subgroup distribution with the equation

$$\sigma_x = \frac{\sigma}{\sqrt{n}} \quad (4)$$

with : n = size of subgroup

e. Determine the Upper Specification Limit and Lower Specification Limit with the equation

$$UCL = \bar{\bar{X}} + (3 \times \sigma_x) \quad (5)$$

$$LCL = \bar{\bar{X}} - (3 \times \sigma_x) \quad (6)$$

f. If the data is outside the specification limit, all of the outcontrol data shall be eliminated, and then the data is determined again.

Futhermore, determined the amount of data with the equation

$$N' = \left[\frac{\frac{a}{b} \sqrt{N \sum_{i=1}^n X_i^2 - \left(\sum_{i=1}^n X_i \right)^2}}{\sum_{i=1}^N X_i} \right]^2 \quad (7)$$

N' = Amount of data required

N = Amount of data taken

a = Confidence level coefficient

b = Standard of error

In this research the confidence level is 90% with coefficient 2 and precision level 10%. Futhermore, the next step is Kruskal Wallis test to identify if the average doctor examination time is the same for each doctor that is on duty at the cardiac poly, the equation for Kruskal Wallis test is :

$$h = \frac{12}{n(n+1)} \sum_{i=1}^k \frac{r_i^2}{n_i} - 3(n+1) \quad (8)$$

3. Big Picture Mapping

To know the overall system.

4. Detailed Mapping

To identified the problems more detail based on the waste workshop.

The average score from the two sources is multiple with the value stream mapping tools selected matrix. The mapping type with the highest result will be the tool or detailed mapping which can identified waste

5. Calculate the Customer Value Ration

Customer Value Ratio is the value added ratio from the consumer point of view. Customer Value Ratio can be identified from the time recapitulation on process activity mapping and the equation is:

$$\text{Customer Value Ratio} = \frac{\text{Value added activity}}{\text{Type one waste} + \text{Type two waste}} \times 100\% \quad (9)$$

I. Closing

Closing section includes the conclusion about the research, some suggestion for the company's improvement, and suggestion for futher research.

III. RESULTS AND DISCUSSION

After all data been collected, the data analysis was carried out.

A. Patient's Time Serving

Previously, identified the types of activities that the patient have to pass through, shown on table 2

TABLE 2. Service Activity Code for Outpatient Cardiac Poly

Activity Code	Activity
F1	Registration Process Time
F2	Askes Procedure Waiting Time
F3	Askes Procedure Preparing Time
F4	Patient Registration Waiting Time
F5	Patient Registration Process
F6	Medicines Submission Waiting Time
F7	Transportation Time
F8	Measuring Blood Pressure Waiting Time
F9	Measuring Blood Pressure Process Time
F10	Processing Medical Record Waiting Time
F11	Processing Medical Record Process Time
F12	Electronic Cardiograph (ECG) Waiting Time
F13	Electronic Cardiograph (ECG) Process Time
F14	Doctor Examination Waiting
F15	Doctor Examination Process Time

Futhermore the calculation of duration for each activity is the time activity completed minus with the time the activity started.

A. The Statistical Data Test

The statistical data test consists of test of normalcy, test sufficiency, test amount of measurement needed, and the Kruskal Wallis test. The calculation is done by using equation (1) until (9) and the result is shown on Table 3.

TABLE 3. Recapitulation Result on Test of Normality, Test Sufficiency and Test amount of Measurement Needed

Activity Code	Test of Normality			Test Sufficiency	Test amount of Measurement Needed		
	Mean	Standard Deviation	Description		Description	N	N'
F1	0,49	0,02	Normal	Uniform Data	75	1	Enough Sampel
F2	19,3	8,4	Normal	Uniform Data	75	75	Enough Sampel
F3	6,98	3,03	Normal	Uniform Data	75	75	Enough Sampel
F4	7,82	3,38	Normal	Uniform Data	75	74	Enough Sampel
F5	1,37	0,38	Normal	Uniform Data	75	71	Enough Sampel
F6	2,26	0,94	Normal	Uniform Data	75	71	Enough Sampel
F7	5,65	2,21	Normal	Uniform Data	64	61	Enough Sampel
F8	7,21	3,08	Normal	Uniform Data	75	72	Enough Sampel
F9	1,45	0,59	Normal	Uniform Data	75	67	Enough Sampel
F10	20,21	10,19	Normal	Uniform Data	75	67	Enough Sampel
F11	1,69	0,63	Normal	Uniform Data	75	67	Enough Sampel
F12	14,17	5,16	Normal	Uniform Data	51	43	Enough Sampel
F13	5,03	1,41	Normal	Uniform Data	51	31	Enough Sampel
F14	29,58	12,89	Normal	Uniform Data	75	75	Enough Sampel
F15	5,36	1,16	Normal	Uniform Data	75	19	Enough Sampel

Kruskal Wallis test was carried out to identify that the three doctors in cardiac poly do not have significant different duration in medical checking. The duration time was in minutes.

1. $H_0 : \mu_1 = \mu_2 = \mu_3$
2. H_1 : The mean of the three doctors examination is not the same
3. $\alpha = 0,05$
4. Critical region : $h > X^2\alpha = 5,991$ for $v = 2$ df
5. Computation : At Table 4 the examination process time is rang and then sum each rang of the doctors. Futhermore, added the $n_1=27$, $n_2 = 26$, and $n_3 = 22$ next r_1 with the value = 160, $r_2 = 139$, and $r_3 = 126$ then the result of statistic h is :

$$h = \frac{12}{n(n+1)} \sum_{i=1}^k \frac{r_i^2}{n_i} - 3(n+1)$$

$$h = \frac{12}{75(76)} \left(\frac{160^2}{27} + \frac{139^2}{26} + \frac{126^2}{22} \right) - (3)(76) = -222,92$$

6. Decision: because $h_{\text{computation}} < h_{\text{table}}$ so do not reject H_0 and conclude that there isn't any significant differences in the length of checking time by the three doctors.

TABLE 4. Doctor Examination Time Rang

Doctor 1	Doctor 2	Doctor 3
10	5	3
5	6	5
4	4	5
6	3	5
5	6	5
7	7	4
5	5	6
4	3	6
5	5	4
2	4	6
5	4	6
4	9	12
7	6	6
11	3	4
7	7	5
6	8	4
7	8	12
8	3	7
4	5	5
8	9	7
4	3	4
9	7	5
4	5	
3	5	
5	6	
7	3	
8		
r 1 =	r2 =	r 3 =
160	139	126




Fig 1. Big Picture Mapping at Cardiac Poly Patient Services Dr. M. Djamil Hospital

B. Detailed Mapping

Detailed mapping or value stream mapping tools is determine based on waste workshop method. Waste workshop is the predecessor activity that is being done to get information as many as possible related with waste. This is done with assessment table which is filled by the person in charge of the patient care cardiac poly. The assessing range is between 0 until 10. The recapitulation of the value is shown at Table 5

TABLE 5. The Average Score for each Waste

No.	Waste	Score		Average	Ranking
		Head of Cardiac poly	Registration Medical record		
1	Overproduction	3	3	3	7
2	Waiting	8	8	8	1
3	Excessive transportation	3	5	4	5
4	Inappropriate processing	4	7	5,5	2
5	Unnecessary inventory	5	5	5	4
6	Unnecessary motion	8	3	5,5	3
7	Defects	4	4	4	6
Total		35	35		

The average of the waste will next be multiplied with the matrix conversion value seven selection - Value Stream Mapping (VALSAT)- and the result is as shown on Table 6

TABLE 6. The Summary Result of the VALSAT Selection

No.	Waste	DETAILED VALUE STREAM MAPPING						
		Process activity mapping	Supply chain response matrix	Production variety funnel	Quality filter napping	Demand amplification mapping	Decision point analysis	Physical structure mapping
1	Overproduction	3	9	0	3	9	9	0
2	Waiting	72	72	8	0	24	24	0
3	Excessive transportation	36	0	0	0	0	0	4
4	Inappropriate processing	49,5	0	16,5	5,5	0	5,5	0
5	Unnecessary inventory	15	45	15	0	45	15	5
6	Unnecessary motion	49,5	5,5	0	0	0	0	0
7	Defects	4	0	0	36	0	0	0
Total		229	131,5	39,5	44,5	78	53,5	9
Ranking		1	2	6	3	4	5	7

The chosen Value stream mapping is the tools with the highest weight. Based from the information at Table 6, the tools that is suitable to used for describing the process and waste in detail is the Process Activity Mapping. Process Activity Mapping at Cardiac Poly Patient Care RSUP Dr. M. Djamil is shown on Table 7

TABLE 7. Process Activity Mapping at Cardiac Poly Patient Services, Dr. M. Djamil Hospital

Activity Code	Flow Process	Machine/Tools	Distance (meters)	Time	Activity					Description	Category
					Operation	Transportation	Inspection	Storage	Delay		
Registration counters											
F1	Registration			0:00:30	O	T	I	S	D		VA
F2	Waiting for the letter of warranty check preparation			0:19:24	O	T	I	S	D		NVA
F3	Officer prepare the letter of warranty check	Computer, printer		0:06:55	O	T	I	S	D	1 Server, 1 Operator	VA
F4	Waiting for the registration			0:07:47	O	T	I	S	D		NVA
F5	The officer makes the registration form	Computer, printer		0:01:21	O	T	I	S	D	1 Server, 1 Operator	VA
F6	Waiting for the package submission (Letter of warranty check +registration)			0:02:10	O	T	I	S	D		NVA
F7	Leading to the cardiac poly		60	0:05:44	O	T	I	S	D		NNVA
Cardiac Poly											
F8	Waiting for blood pressure measurement			0:07:09	O	T	I	S	D		NVA
F9	Blood pressure measurement			0:01:26	O	T	I	S	D	1 nurse	VA
F10	Waiting for medical record process			0:19:31	O	T	I	S	D		NVA
F11	Processing patient medical record			0:01:41	O	T	I	S	D	2 nurse	VA
F12	Waiting for ECG process			0:14:26	O	T	I	S	D	2 server	NVA
F13	ECG process	Electrocardiogram		0:05:03	O	T	I	S	D		VA
F14	Waiting for doctor medical checking			0:29:09	O	T	I	S	D	2-4 doctors	NVA
F15	Doctor medical checking			0:05:22	O	T	I	S	D		VA
TOTAL	15 Steps		60	2:07:43	7	1	-	-	7		
	Operation	0:22:20									
	% Value added activity	17,49%									
	Delay	1:39:38									
	% Non-value added activity	78,01%									
	Transportation	0:05:44									
	% Necessary but non value added activity	4,49%									

Referring to the Process Activity Mapping, there are three types of Activities. They are Value Added Activity, Non Value Added Activity, and Necessary but Non Value Added Activity. The activity percentage is described on Fig. 2.




Fig 2. The Percentage of Activity Time at Cardiac Poly Patient Services

It is categorized as waste if it is non value added activity. After observing the serving system in cardiac poly, Dr. M Djamil hospital, waste which occur are:

1. Waiting time happens during the process of ASKES packet, during registration of ASKES, during waiting for

the medical record file, and during waiting for doctor's medical checking. The causes are the operators process the documents in batch, the broken machine and tools, and computer system error.

2. Over-processing or Inappropriate Processing which occurs during the patients' re- registration happens because of error procedures or incomplete requirement, medical record revision file for patient who has two medical record cards, and because of wrong process of registration.
3. Unnecessary Motion happens when a nurse tries to find the patient that is not on the spot when the treatment time has come and when the officer tries to find the medical record at the wrong place because of the wrong placement of the medical record before.
4. Unnecessary Inventory. Waste happens because of material stacking such as registration forms and treatment packages which are in storage room and medical record office. This materials are stacked in boxes and take spaces. The office room and medical record storage room are located in one place with the area of approximately 40 m² and the stacking material used 3,2 m² or nearly 8 % of the area. Locating material in a big amount and unappropriate place affect the office layout and the storage room become narrow.

C. Customer Value Ratio

Customer Value Ratio is the value added ratio from the consumer point of view. Customer Value Ratio can be identified from the time recapitulation on the process activity mapping and the equation is:

$$\text{Customer Value Ratio} = \frac{\text{Value added activity}}{\text{Type one waste} + \text{Type two waste}} \times 100\%$$

Total time *Type one waste* (NNVA) = 00:05:44

Total time *Type two waste* (NVA) = 01:39:38

Total time *value added* (VA) = 00:22:20

$$\text{Customer Value Ratio} = \frac{00:22:20}{00:05:44 + 01:39:38} \times 100\%$$

= 21,19 %

For waste reduction and customer value ratio improvement, the recommendations that can be given are:

- a. Applying one piece flow in the document flow or patient registration

- b. Making the Standard Operational Procedure (SOP) service for patient with clear and easily understandable language
- c. Setting good layout on patient service facilities
- d. Applying the principle of 5S (sort, set in order, sweep, standardize, and sustain)
- e. Giving each operator the basic skills of tools maintenance, like computer and printer
- f. ECG check up in order to avoid stuck machine during the operation.
- g. Providing bigger waiting room in Cardiac Poly or move to another big room.
- h. Applying advice system from the workers.
- i. Being discipline in time serving
- j. Understanding the lean by the management and the target to accomplish.
- k. Determining the standard time for the process time service.

By implementing the recommendations, it is hoped that the process time and patient waiting time reduce so it will form new activities describe in Table 8.

TABLE 8. Process Activity Mapping at Cardiac Poly Patient Service, Dr. M. Djamil Hospital (Recommended)

Activity Code	Flow Process	Machine/Tools	Distance (metre)	Time	Activity					Description	Category
					Operation	Transportation	Inspection	Storage	Delay		
Registration counters											
F1	Registration			0:00:30	O	T	I	S	D		VA
F2	Waiting for the letter of warranty check preparation			0:06:44	O	T	I	S	D		NVA
F3	Officer prepare the letter of warranty check	Computer, printer		0:01:30	O	T	I	S	D	1 Server, 1 Operator	VA
F4	Waiting for the registration			0:01:00	O	T	I	S	D		NVA
F5	The officier makes the registration form	Computer, printer		0:01:15	O	T	I	S	D	1 Server, 1 Operator	VA
F6	Waiting for the package submission (Letter of warranty check +registration)			0:01:19	O	T	I	S	D		NVA
F7	Leading to the cardiac poly		60	0:05:19	O	T	I	S	D		NNVA
Cardiac Poly											
F8	Waiting for blood pressure measurement			0:00:00	O	T	I	S	D		NVA
F9	Blood pressure measurement			0:01:19	O	T	I	S	D	1 nurse	VA
F10	Waiting for medical record process			0:20:06	O	T	I	S	D		NVA
F11	Processing patient medical record			0:01:34	O	T	I	S	D	2 nurse	VA
F12	Waiting for ECG process			0:05:00	O	T	I	S	D	2 server	NVA
F13	ECG process	Electrocardiogram		0:04:40	O	T	I	S	D		VA
F14	Waiting for doctor medical checking			0:20:00	O	T	I	S	D	2-4 doctors	NVA
F15	Doctor medical checking			0:04:58	O	T	I	S	D		VA
TOTAL	15 Steps		60	1:15:14	7	1	-	-	7		
	Operation	0:15:48									
	% Value added activity	21,09%									
	Delay	0:53:50									
	% Non value added activity	71,84%									
	Transportation	0:05:19									
	% Necessary but non value added activity	7,10%									

The activity percentage of recommendation mapping is shown in Fig.3




Fig 3. The percentage of serving activities' time of cardiac patients (Recommended)

Then, the increase of Customer Value Ratio happened as followed

$$\text{Customer Value Ratio} = \frac{\text{Value added activity}}{\text{Type one waste} + \text{Type two waste}} \times 100\%$$

Total time *Type one waste* (NNVA) = 00:05:19

Total time *Type two waste* (NVA) = 00:53:50

Total time *value added* (VA) = 00:15:48

$$\text{Customer Value Ratio} = \frac{00:15:48}{00:05:19 + 00:53:50} \times 100\%$$

$$= 26,7\%$$

IV. CONCLUSION AND SUGGESTION

A. Conclusion

Based on the research, the waste activities that are found in patients services are waiting, inappropriate processing, unnecessary motion, and unnecessary inventory. By using the tool Process Activity Mapping, the average length of cardiac patient's service was 127 minutes 43 second with the added value activity 17,49% or with the time only 22 minutes 20 second. The transportation time is 5 minutes 44 seconds or 4,49% and 78,01%, and the delay activity time is 99 minutes 38 second.

The non value added activity such as waiting time between the services process can be reduced by using some of the lean concept such as one piece flow and 5S. By reducing non value added activity through recommended steps, the total time of patient servicing can be minimized from 127 minutes to 75 minutes. Customer value ratio will also increase from 21,19% to 26,7%.

B. Suggestions

For further research, it is suggested all sections in poly of Dr. M. Djamil hospital being observed in services activities in

order to get a vivid picture of the system.

References

- [1] J. Ahlstrom, Using the 5S Lean Tool for Health Care, WIPFLI CPAs and Consultants, 2007, unpublished.
- [2] A. R. Benedetto, "Adopting Manufacturing-Based Six Sigma Methodology to the Service Environment of a Radiology Film Library", *Journal of Healthcare Management*, 48 (4): 263-280, 2003.
- [3] J. Billi, "Application of Lean Thinking to Health Care", access on 31 September 2010 www.bf.umich.edu/Lean_Healthcare_at_Michigan_Billi_2005.pdf.
- [4] V. Gaspersz, "Lean Six Sigma for Manufacturing and Service Industries" Gramedia. Jakarta. 2007.
- [5] M. Ghosh, and D. Sobek, "Pragmatic Problem Solving for Healthcare: Principles, Tools, and Applications". Available on 19 Oktober 2010 www.coe.montano.edu/ie/faculty/sobek/loc-grant/papers.htm. 2006.
- [6] P. Hines, and N. Rich, "The Seven Value Stream Mapping Tools". *International Journal of Operations & Production Management*, 17 (1):46-64. 1997.
- [7] P. Hines, and D. Taylor, "Going Lean". Available on 21 September 2010 dari http://www.cf.uk/om/lerc/centre/Going_Lean/2000.
- [8] C. Jimmerson, D. Weber, and D. Sobek. "Reducing Waste and Errors: Piloting Lean Principles at Intermountain Healthcare". *Joint Commission Journal on Quality and Patient Safety*, 31 (5):249-257. 2005.
- [9] J. Liker, "The Toyota Way", 14 Prinsip Manajemen dari Perusahaan Manufaktur Terhebat di Dunia. Erlangga. Jakarta. 2006.
- [10] M. Lubis, 17 Desember 2008. Cost Effective Service Excellent: Memenangkan Hati Pelanggan pada Masa Krisis. Available on 4 Desember 2010 <http://mahyudani-lubis.blogspot.com/2008/12/01/archive.html>.
- [11] M. L. Laursen, "Applying Lean Thinking in Hospital-Exploring Implementation Difficulties". Denmark: Center for Industrial Production. 2003.
- [12] L. Levere, & K. Black, "Integrating Six Sigma with Total Quality Management: A Case Example for Measuring Medication Error". *Healthcare Financial Management*, 48 (6): 377-391. 2003.
- [13] M. Rother, and J. Shook. "Learning to See". Unpublished paper. Lean Enterprise Institute. 1998.
- [14] RSUP Dr. M. Djamil Padang. Available on 19 Oktober 2010 www.rsup-mdjamil.do.am.
- [15] S. Shingo, "A Study of the Toyota Production System from an Industrial Engineering Viewpoint". Portland. Productivity Press. 1989.
- [16] I. Z. Satalaksana, "Teknik Tata Cara Kerja" Bandung. Institut Teknologi Bandung. 1979.
- [17] F. Syani, "Penggunaan Value Stream Mapping pada Instalasi Rawat Jalan untuk Mengurangi Antrian dan Waktu Tunggu Pasien". Tugas Akhir. Institut Teknologi Sepuluh Nopember. 2006.
- [18] Warta Berita Kota. Pembenhahan Mutu Pelayanan Di RSUP M.Djamil Padang. 6 April 2010.
- [19] J. P. Womack, and D. Jones, "Lean Thinking: Banish Waste and Create Wealth in Your Corporation". New York: Simon & Schuster. 1996.