

DAFTAR PUSTAKA

- [APG] Angiosperm Phylogeny Group. 2003. An update of the Angiosperm phylogeny group classification for the orders and families of flowering plants: APG II. *Botanical Journal of the Linnean Society* 141: 399-436.
- Athimulam, A. Kumaresan, S. Foo, D. C. Y. Sarmidi, M. R. And Aziz, R. A. 2006. Modelling and Optimization of *Eurycoma longifolia* Water Extract Production. *Food and Bioproduct Processing*, 84 (2): 139-149
- Azrai, M. 2005. Pemanfaatan Markah Molekuler dalam Proses Seleksi Pemuliaan Tanaman. *Jurnal Agro Biogen* 1 (1): 26-37
- Bernard, J. 1998. Molecular biotechnology, Principles and application of recombinant DNA. University of Waterloo. Waterloo Ontario Canada.
- Biofeedback. 1991. A Simple Technique for Removing Plant Polysaccharide Contaminants from DNA. *Biotechniques*, 10: 162-166.
- Chamberlain, J. S., R. A. Gibbs, J. E. Ranier, P. N. Nguyen and C. T. Caskey. 1988. Deletion screening of duchenne muscular dystropy locus via multiplex DNA amplification. *Nucleic Acids Research*, 16: 11141-11156
- Chan, K.L. Choo CY, Abdullah NR. 2005. Semisynthetic 15-O-acyl- and 1,15-di-Oacylerycomanones from *Eurycoma longifolia* as potential antimalarials. *Planta Medica* 71 (10): 967-9.
- Demeke, T. and R. P. Adams. 1994. PCR technology current innovations: the use PCR-RAPD analysis in plant taxonomy and evolution. CRC Press. Boca raton. Inc. 179-191
- Doyle, J.J. and J.L. Doyle. 1990. isolasi of plant DNA From Fresh Tissue. Focus, 12:13-15.
- Dick CW, Hardy, Jones, Petit. 2008. Spatial Scales of pollen and Seed-Mediated Gene Flow in Tropical Rain Forest Tress. *Tropical Plant Biology* 1: 20-33.
- Finkeldey, R. 2005. An introduction to tropical forest genetics. Institute of Forest Genetic and Forest Tree Breeding. Göttingen University.
- Ginting. A. B. 2010. Kajian Ekologi Pasak Bumi (*Eurycoma longifolia* Jack) dan Pemanfaatan oleh Masyarakat di Sekitar Hutan Bukit Lawang. *Tesis*. Universitas Sumatera Utara.
- Grattapaglia, D., J. Chaparro, P. Wilcox, S. Mc Cord, D. Werner, H. Amerson, S. McKeand, F. Bridgwater, R. Whetten, D. O'Malley and R. Sederoff. 1992. Mapping in woody plants with RAPD markers : Application to breeding in forestry and horticulture. In. Application of RAPD technology to plant breeding symposia series. Minneapolis, p 37-40

- Griffiths, Griesbach, R.J, and ehara 1996. Development of Phaleonopsis Orchids for the Mass- Market. p. 458-465. In: J. Janick and A. Whipkey (eds.), Trends in new crops and new uses. ASHS Press, Alexandria, VA. <http://www.hort.purdue.edu/newcrop/ncnu02/v5-458.html>.
- Hadiyah JT. 2000. *Eurycoma longifolia* Jack (Pasak bumi). <http://www.bogor.indo.net.id/kri/eurycoma.htm>.
- Herianto, N. M. Sawitri, R dan Subiandono, E. 2006. Kajian Ekologi dan Potensi Pasak Bumi (*Eurycoma longifolia* Jack) di Kelompok Hutan Sungai Manna-Sungai Nasal, Bengkulu. *Buletin Plasma Nuftah*. 12 (2): 69-75
- Hill WG and Weir BS. 2004. Moment Estimation of Population Diversity and Genetic Distance Data on Recessive Markers. *Molecular Ecology* 13:895-908
- Hussein, S., R. Ibrahim, A. L. P. Kiong, N. M. Fadzillah, S. K. Daud. 2005. Multiple shoot formation of an important tropical plant, *Eurycoma longifolia* Jack. *Plant Biotechnology*. 22 (2): 349-351
- [IBG] Indonesian Botanic Garden. 1998. *The Flora of Bukit Tiga Puluh National Park, Kerumutan Sanctuary And Mahato Protective Reserve Riau, Indonesia*. Jakarta: Indonesian Botanical Garden.
- Indrioko, S. 1996. Studi variasi genetik *Pinus merkusii* Jungh et de Vriese di pulau jawa dengan metode analisis isozim. *Tesis*. Fakultas Kehutanan Universitas Gadjah Mada, Yogyakarta.
- Karsinah, S., Lilik, S., Hajrial, A. 2002. Keragaman Genetik Plasma Nuftah Jeruk Berdasarkan Analisis Penanda RAPD. *Jurnal Biotehnologi Pertanian*. 7 (1) : 8-16
- Koski V, Skroppa T, Paule L, Wolf H, Turok J, 1997. *Technical guidelines for genetic conservation of norway spruce (Picea abies (L.) Karst)*. International Plant Genetic Resources Institute, Rome, Italy.
- Knight, R. 1979. Quantitative genetic statistics and plant breeding. P.41-76. Di dalam Knight R (ed). *Plant Breeding*, Brisbane.
- Lee, S.B. and Taylor J.W. 1992. Phylogenetic if five fungus like prototistan Phytophthora species inferred from the internal transcribed spacers of ribosomal DNA. *Molecular Biology and Evolution* 9: 263-273
- Lisdiyanti, P. 1997. Polymeration chain reaction. Cara mudah memperbanyak DNA. *Warta Biotek*, IX (3-4): 1-3
- Lumaret, R., H. Michaud, J.P Ripoll, and L. Toumi. 1998. Chloroplast DNA extraction procedure for species high in phenolics and polysaccharides. In

- A. Karp, P.G. Isaac, and D.S. Ingram (Eds.). Moleculer Tool for Screening Biodiversity. Chapman and Hall, London. p. 15-17.
- Made, I. J. M dan Marsum, D. 2004. Hubungan Pemuliaan Tanaman Secara Konvensional. *Lokakarya Teknik Dasar Molekuler untuk Pemuliaan Tanaman*. Bogor 19-23 Juli 2004.
- Manchua J, Muturi G, Gichereu G. 2007. Genetic diversity within *Brachylena huillensis* (O. Hoffm) population in Kenya: implication for conservation of wood carving tree. *Journal of Discovery Innovation* 19: 32-36.
- Muladno. 2002. Seputar teknologi rekayasa genetika. Pustaka Wirausaha Muda dan USESE Foundation. Institut Pertanian Bogor, Bogor.
- Nasir M. 2002. Bioteknologi: Potensi dan Keberhasilannya dalam Bidang Pertanian. Jakarta: Rajawali Press.
- Noor, R. R. 2008. Genetik Ternak. Penebar Swadaya, Jakarta.
- Nybom H. 2004. Comparison of different nuclear DNA markers for estimating intraspecific genetic diversity in plants. *Molecular Ecology* 13: 1143-1155.
- Osman A, Jordan B, Lessard PA, Muhammad N, Haron MR, Riffin NM, Sinskey AJ, Rha C, Housman DE. 2003. Genetic diversity of *Eurycoma longifolia* inferred from single nucleotide polymorphism. *Plant Physiology* 131: 1294 1301
- Padua LS de. 1999. Plant Resources of South East Asia. Bibliography 12: Medicinal Plant, Bagian ke-1 [bibliografi]. Bogor: Prosea Foundation
- Pandin, D.S. 2009. Keragaman Genetic Kultivar Kelapa Dalam Mapaget (DMT) dan dalam Tenga (DTA) berdasarkan penanda random amplified polymorphic DNA (RAPD). *Buletin Parma*. No. 36. P. 17-29
- Pandin, D.S. 2010. Penanda DNA untuk Pemuliaan Kelapa (*Cocos nucifera* L). *Perspektif*, .9(1):21-23.
- Panjahitan, R. G. P. Jayuska, A. Harahap, Z. Dan Zakiah, Z. 2009. Pemberian Akar Pasak Bumi (*Eurycoma longifolia* Jack) pada Induk Laktasi Untuk Meningkatkan Bobot Badan Anak Mencit Makara, *Sains*. 13 (2): 195-199
- Pharmawati, M. 2009. Optimalisasi Ekstraksi DNA dan PCR-RAPD pada *Grevillea* spp (Proteaseae). *Jurnal Biology*, 8 (1) : 12-16.
- Powell W, Morgante M, Andre C, Hanavey M, Vogel J, Tingey S, Rafalski A. 1996. The comparison of RFLP, RAPD, AFLP, and SSR (microsatellite) markers for germplasm analysis. *Molecular Breeding* 2: 225-238

- Pratiwi. 2011. Pollination and breeding system of *Globba leucantha* Miq Thunb. In Japan. *Biota* 8 (1): 27-32
- Rafalski, J. A., S. V. Tingey, and J. G. K. Williams. 1991. RAPD markers-a new technology for genetic mapping and plant breeding. *AgBiotechnology News and Information*, 3: 645-648
- Rybicky, E. P. 1996. PCR primer design and reaction optimization. In Molecular Biology Techniques Manual. Ed. V. E. Coyne, M. D. James, S. J. Reid & E. P. Rybicki. Dept. of Microbiology. Univ. Cape Town.
- Runo MS, Muluvi GM, Odee DW. 2004. Analysis of genetic structure in *Melia volkensii* (Gurke) population using random amplified polymorphic DNA. *African Journal of Biotechnology* 3(8): 421-425.
- Ruwaida, I., P. Supriadi, dan Parjanto. 2009. Variability Analysis of Sukun Durian Plant (*Durio zibethinus*) based on RAPD Marker. *Bioscience*, 1 (2): 84-91.
- Sambrook, J., E.F. Fritsh, and T. Maniatis. 1989. Moleculer cloning. Cold Spring Harbor Laboratory Press, New York. P. 568-500
- Sharma, A., A. G. Namdeo and K. R. Mahadik. 2008. Molecular markers : new prospects in plant genome analysis. *Pharmacognosy Reviews*, 2 (3): 23-31
- Sripaoraya S, Blackhall NW, Marchant R, Power JB, Lowe KC, and Davey MR. 2001. Relationships in Pineapple by Random Amplified Polymorphic DNA (RAPD) Analysis. *Plant Breeding* 120: 265-267
- Stallen NV, Noten V, and Proft MD. 2001. The Phylogenetic Relationship Between Different Cichorium Intybus Cultivars and Cultivar Groups, as Revealed by RAPD. *Plant Breeding* 120: 425-428.
- Sobir, D. G, dan I. Septimayani. 2005. Analisis Keragaman Genetik Enam Belas Aksesi Blewah (*Cucumis melo* L) dengan Metode Random Amplified Polymorphic DNA (RAPD). *Gakuryoku*, XI (2): 177-180.
- Suhartinah. 2006. Efek Aprodisiak Kombinasi Serbuk Akar Pasak Bumi, Cabe Jawa dan Rimpang Jahe Merah terhadap Frekuensi Climbing Tikus Putih Jantan Wastar. *Laporan Penelitian*. Universitas Setia Budi.
- Suryanto, D. 2003. Melihat keanekaragaman organisme melalui beberapa teknik genetika molekuler. Program Studi Biologi Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Sumatera Utara
- Susilawati, D dan Wibowo, R. P. 2010. Tinjauan Kekerabatan Genetik dan Implikasi Konservasi Pasak Bumi (*Eurycoma longifolia* Jack). *Mitra Hutan Tanaman*. 5 (3): 93-98

- Susilowati, A. 2008. Teknik perbanyakan dan kekerabatan genetik pasak bumi (*Eurycoma longifolia* Jack). *Tesis*. Sekolah Pascasarjana Institut Pertanian Bogor, Bogor. 81 hal.
- Syamsuardi. 2004. *Mating system variation in Ranunculus japonicus Thunb. (Ranunculaceae): Evidence from electrophoretic data*. Makalah Semirata Bidang MIPA BKS-PTN Wilayah Indonesia Barat di Pontianak tanggal 27-30 Juli
- Taufikurrahman dan Wibowo Susilo. 2000. Pengaruh Ekstrak Akar *Eurycoma longifolia* Jack (pasak bumi) terhadap peningkatan Kadar Testosteron, LH dan FSH Pada Tikus Jantan Sparague Dawley. *Makara. Sains*, 35(2): 72-81
- Thenawijaya, M. 1982. *Dasar-Dasar Biokimia Jilid 3*. Erlangga. Institute Pertanian Bogor. Bogor.
- Wang BY, Shi L, Ruan ZY, Deng J. 2011. Genetic diversity and differentiation in *Dalbergia sissoo* (Fabaceae) as revealed by RAPD. *Genetic in Molecular Research* 10(1): 114-120.
- Weishing, K., Nybom H., Wolff K., Mayer W. 1995. DNA fingerprinting in plant and fungi. Boca Raton: CRC Press. Florida. USA. 322 p.
- Williams, J. G. K., A. R. Kubelik, K. J. Livak, J. A. Rafalski dan S. V. Tingey. 1990. DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucleic Acids Research*, 18:6531-6535
- Wu, Z. C., Hu, J. S., Polston J. E., Ullman De and Hiebert E. 1996. Complete nucleotide sequence of a nonvector-transmissible strain of abutilon mosaic Geminivirus in Hawaii. *Phytopathology*, 86:608-613
- Comparison of DNA markers technologies in characterizing plant genome diversity. Variability in chinese shorgums. *Crop. Science*, 36: 1669-1676
- Yeh, F. C., Yang, R., T. Boyle. 1999. Popgen version 1.31 microsoft window based for population genetic analysis. Department Renewable Resources, University of Alberta, Edmonton, Alberta, Canada.
- Yong JW, Xue PS, Zhang CZ. 2012. Clonal Diversity and Genetic Differentiation in Rhizomatous Herb, *Iris japonica* (Iridaceae) Populations on Jinyun Mountain, Southwest China. *Sains Malaysiana* 41(2): 149-154.
- Yu, K., K. P. Pauls. 1992. Optimization of the PCR program for RAPD analysis. *Nucleic Acids Research*, 20: 2606

Yunus, M. 2004. Marka Molekuler untuk Perbaikan Tanaman. *Lokakarya TeknikDasar Molekuler untuk Pemuliaan Tanaman*. Bogor 19-23 Juli 2004.

Yusuf, M. 2001. *Genetika I Struktur dan Ekspresi Gen*. Sangung Seto. Jakarta.

Yuwono, T. 2007. *Teori dan Aplikasi Polymerase Chain Reaction*. Yogyakarta. Andi press. 79 hal.

Zulfahmi. 2007. Genetic Variation of Assessment of Maesopsis eminii Using Random Amplified Polymorphisms DNA (RAPD) Marker. In: *Proceeding symposium on Forest and Land Rehabilitation in Indonesia*. Jakarta, 5-7 Februari, 2007. Pp 7-14.