

Investigating Functional Thinking Processes That Impact on Function Composition Problems in Indonesia

by Suci Yuniati

Submission ID: 2059013670

File name: Template_Acta_Scientiae_ok.docx (769.34K)

Word count: 8990

Character count: 51435

Investigating Functional Thinking Processes That Impact on Function Composition Problems in Indonesia

Suci Yuniati^a ORCID iD (0000-0001-6998-8000)
 Toto Nusantara^b ORCID iD (0000-0003-1116-9023)
 I Made Sulandra^b ORCID iD (0000-0003-3023-7562)
 Suparjono^a ORCID iD (0000-0002-1928-5232)

^aUniversitas Islam Negeri Suska Riau, Faculty of Tarbiyah and Teacher Training, Department of Mathematics Education, Riau, Indonesia

^bUniversitas Negeri Malang, Faculty of Mathematics and Natural Sciences, Department of Mathematics Education, Malang, Indonesia

ABSTRACT

Background: Every student has the ability to think, especially the ability to think in solving mathematical problems. This ability needs to be explored by the teacher to find out how far the level of student understanding of the material being taught. Functions are important material because they are the basis for understanding algebra. The way of thinking about function is functional thinking. **Objective:** This study aims to investigate the Functional Thinking Process of students in solving mathematical problems based on APOS Theory. **Design:** This type of research is qualitative through an exploratory descriptive approach. **Research subjects:** two students out of 44 students who are able to communicate fluently when working on questions using the think-aloud and interview methods. **Data analysis:** Analysis of students' functional thinking processes using the triangulation method, namely comparing think-aloud data, student answer sheets, and interview results. **Results:** This study found two ways of student functional thinking processes, namely semi-compositional functional thinking processes and compositional functional thinking processes. Where students can generalize the relationship between quantity variations in the form of a composition function. **Conclusion:** This study investigates the functional thinking process of students in exploring the understanding of the concept of function so that students are expected to be able to represent and generalize function forms.

Keywords: Functional Thinking, APOS Theory, Mathematics Education, Problem Solving.

Investigando processos de pensamento funcional que afetam problemas de composição de funções na Indonésia

Corresponding author: Suci Yuniati. Email: suci.yuniati@uin-suska.ac.id

RESUMO

Antecedentes: Cada aluno tem a capacidade de pensar, especialmente a capacidade de pensar na resolução de problemas matemáticos. Essa habilidade precisa ser explorada pelo professor para descobrir até que ponto está o nível de compreensão do aluno do material que está sendo ensinado. Funções são materiais importantes porque são a base para a compreensão da álgebra. A maneira de pensar sobre a função é o pensamento funcional. **Objetivo:** Este estudo tem como objetivo investigar o Processo de Pensamento Funcional de alunos na resolução de problemas matemáticos com base na Teoria APOS. **Desenho:** Este tipo de pesquisa é qualitativa por meio de uma abordagem descritiva exploratória. **Sujeitos da pesquisa:** dois alunos de 44 alunos que são capazes de se comunicar fluentemente ao trabalhar em perguntas usando os métodos de pensar em voz alta e de entrevista. **Análise de dados:** Análise dos processos de raciocínio funcional dos alunos usando o método de triangulação, ou seja, comparando os dados do think-aloud, as folhas de respostas dos alunos e os resultados das entrevistas. **Resultados:** Este estudo encontrou duas formas de processos de pensamento funcional dos alunos, a saber, processos de pensamento funcional semi-composicional e processos de pensamento funcional composicional. Onde os alunos podem generalizar a relação entre variações de quantidade na forma de uma função de composição. **Conclusão:** Este estudo investiga o processo de pensamento funcional dos alunos ao explorar a compreensão do conceito de função, de modo que se espera que os alunos sejam capazes de representar e generalizar formas funcionais.

Palavras-chave: Pensamento Funcional, Teoria APOS, Educação Matemática, Resolução de Problemas.

INTRODUCTION

Function is a mathematics topic that is taught at almost all levels of education to junior high school, senior high school, and university students. The comprehension of function can provide a basis for the students to succeed in more complex subjects in mathematics, such as Calculus and Algebra. Knowledge of the concept of function is essential to support students' achievement in studying calculus, advanced mathematics, or science (Subanji 2011). According to Chazan (Warren, et al., 2006), the concept of function constitutes a fundamental relationship and transformation, associated with how particular quantities are correlated with each other. A function is represented or expressed in terms of the relationship between the first quantity and the second quantity. In other words, functions are mathematical statements that describe how two (or more) variant quantities are correlated with one another (Tanişli, 2011). For instance, there are a large number of square tables and there are a lot of people sitting around the tables. The correspondence relationship between many square tables and many people is known as function (Blanton, et al., 2015).

. Chazan (Warren, et al., 2006) states that function is not a concept that is easily understood by students. Most students have difficulty in representing and interpreting functions. Tanişli (2011) also states that many students experience misunderstandings about functions and difficulties in representing the use of algebraic notation, where most students have difficulty solving the general forms $y = 2x - a$ and $y = 3x - a$. Carlson et al. (2002) identified the difficulties of students in understanding functions, among others; 1) there is no emphasis on understanding functions as a form of input and output; 2) students view functions as two expressions separated by an equal sign (=); 3) students assume that all functions can be defined by a single algebraic formula; 4) students often find it difficult to accept different forms of the same function; 5) students tend to think of functions only as linear and quadratic forms; and 6) students have difficulty distinguishing between the visual attributes of the physical situation and the visual attributes of the graph of a function which is a model of the situation. With the problems mentioned above, it is necessary to do an analysis to find out how students think in solving problems about function. A related way of thinking about function is functional thinking. Functional thinking should be introduced from an early age. This situation is supported by NCTM (2001) which states the importance of developing algebraic and functional thinking in early grades (pre-kindergarten). Several studies have also shown that early learners (Kindergarten to Elementary School) can understand functional relationships and begin to think functionally and use algebraic notation (Blanton and Kaput 2004; Markworth et al. 2010; Warren, 2006; Warren and Cooper, 2005). For example, Blanton and Kaput (2004) stated that kindergarten students can determine covariational relationships and are able to determine correspondences since grade 1. The results of the following study are that novice students are able to generalize and can provide examples of relationships and functions. Students can also explain the inverse of the relationship, and provide a correct explanation of how to determine the inverse relationship (Warren 2005). Likewise, the results of research Tanişli (2011) show that 5th grade elementary school students are able to determine covariation relationships when working on linear function tables and students are able to determine correspondence. In the research of Warren et al., (2007) showed that elementary school students are not only able to think functionally but also able to communicate functional thinking verbally and symbolically.

Functional thinking and Growth pattern

Functional thinking is an important aspect of learning mathematics in schools (Stephens et al., 2011; Tanişli 2011; Warren, et al, 2006). Functional thinking is defined as representational thinking that focuses on the relationship

between two (or more) quantity variations (Markworth 2010). This is in line with what was stated by Blanton et al. (2015) that functional thinking involves generalizing the relationship between covariant quantities (covarying), reasoning and representing these relationships through natural language, algebraic notation (symbols), tables and graphs. Blanton and Kaput (2005) also define that functional thinking is the relationship between certain quantities called "correspondence". Blanton et al. (2016) give an example of a functional thinking task which is about "rope cutting: the relationship between the number of pieces of rope and the number of pieces of rope produced", then the type of function that can be formed is $y = x + 1$, where x = number rope cut and y = number of strings produced. Thus, based on the example of the functional thinking task, it can be explained that there is a relationship between the two quantities which are then generalized into the appropriate form of function. Some of the benefits of functional thinking are: 1) it can facilitate students learning about algebra and understanding functions; 2) can be used as an alternative way of thinking in generalizing the relationship between quantity variations; 3) can be used as the development of students' reasoning abilities; and 4) can be used as basic competencies to support successful learning of calculus, advanced mathematics, or science Tanişli (2011).

Functional thinking processes are mental activities that are in accordance with a functional thinking framework, namely: 1) identifying problems, 2) organizing data, 3) determining recursive patterns, 4) covariational relationships, 5) correspondence, and 6) checking generalization results. This functional thinking framework was adopted from (Blanton et al., 2015; Pinto & Cañadas 2012; and Tanişli 2011). In this case, identifying the problem is a mental activity of reading the test sheet, observing and understanding the sequential many tenths, many squares, and many triangles. Organizing data is a mental activity in sorting and grouping data by registering or grouping them into tables. This is in accordance with the opinion of Blanton et al (2015) which state that in organizing data, it can be described in tables and making lists. Defining recursive patterns is a mental activity in determining patterns based on previous values. This is in accordance with the opinion of (Pinto & Cañadas, 2012; Stephens et al., 2011 and Tanişli, 2011) which states that a recursive pattern is looking for patterns of variation in a series of values, so that a certain value is obtained based on the previous value. Determining a covariational relationship is a mental activity in the coordination of two quantities related to the change in the value of one quantity against another (for example, when x increases by 1, y increases by 3). This is in accordance with the opinion of Carlson, et al. (2004); Stephens et al. (2011); Subanji (2011); Subanji & Supratman (2015); and Tanişli (2011) which states that a covariational

relationship is a mental activity in coordinating two quantities (independent variables and dependent variables) that are associated with changes in the value of one quantity to another. Determining correspondence is a mental activity that produces general conclusions by changing two quantities (eg y is 3 times x plus 2 or $y = 3x + 2$). Finally, checking the results of generalizations is a mental activity in retracing the entire process of completion of the general conclusions obtained. Indicators of functional thinking processes in solving problems can be seen in Table 1.1.

One of the mental activities that can improve functional thinking is growth patterns. Repeating patterns are a tool that can be used to understand the concept of function (Blanton & Kaput, 2004; Warren 2004; and Wilkie 2014). Growth patterns can explore concepts related to functional thinking (Warren et al., 2006). In other words, the use of growth patterns can be used to find functional relationships so that students' functional thinking can be explored. According to Wilkie (2014) the experience of visualizing and generalizing about geometric growth patterns provides students with a new context for developing a conceptual understanding of functional relationships and what they can look like in mathematics (e.g., word descriptions, symbolic equations by representing variables, value tables, and graphs). This provides a great foundation for primary school students to engage effectively in learning algebra.

Literatur review

Almost every year, many conduct research on how students think related to the concept of function, including: Blanton et al., (2015) stated that students in the intervention group were able to identify a covariational relationship between two quantities and were able to use variable notation. Pinto & Cañadas (2012) show that students can distinguish two types of functional relationships, some students are able to generalize (correspondence) and are able to determine covariational relationships. Tanişli (2011) investigated elementary school students' functional thinking through function tables, where students were able to determine recursive patterns on the dependent variable without looking at the independent variable, students were able to determine covariational relationships in linear function tables, and students were able to work on linear function tables in the form of $y = 2x - a$ and $y = 3x - a$. Other research findings include designing and developing learning tools in the learning process to improve functional thinking skills (Blanton & Dartmouth, 2005; Doorman et al., 2012; Stephens et al., 2017; Stephens et al., 2017; Warren et al., 2006; Wilkie 2004, 2015; Wilkie & Clarke 2016; and Yuniati et al., 2020). On the other hand, Mceldoon & Rittle-Johnson (2010) designed and developed an

assessment of the ability of elementary school students in functional thinking, especially in the ability to determine correspondence in linear function tables. Based on the studies mentioned above, there is no research that examines the functional thinking process in solving mathematical problems based on APOS Theory.

APOS Theory

APOS theory emerged with the aim of understanding the abstraction reflection introduced by Piaget which explains the development of logical thinking for children. These ideas were then developed for broader mathematical concepts (Dubinsky, 2002). This theory is based on the hypothesis that one's mathematical knowledge is a tendency to overcome situations that are mathematical problems by constructing actions, processes, objects and schemes and organizing them in schemes to understand and solve problems (Dubinsky and Michael, 2008). According to (Arnon, et al., 2014) APOS theory is principally a model to describe how mathematical concepts can be learned, the model is a framework used to explain how individuals build their mental understanding of mathematical concepts. From a cognitive perspective, certain mathematical concepts are framed in genetic decomposition which describes how concepts can be constructed in an individual's mind. According to Dubinsky (2001) APOS theory is a constructivist theory about how learning mathematical concepts is possible. APOS theory is a theory that can be used as an analytical tool to describe the development of a person's schema on a mathematical topic which is the totality of knowledge related (consciously or unconsciously) to that topic (Dubinsky and McDonald, 2001). Regarding analytical tools, Tall (1999) analyzed the role of APOS theory in the reality of learning and mathematical thinking, in particular comparing its role in various contexts of basic mathematical thinking and higher-order mathematical thinking. Based on this description, APOS theory can be used as a tool to analyze mental activities carried out by someone in building knowledge.

APOS theory inspires that all mathematical entities can be represented in mental structures of Actions, Processes, Objects, and schemas, and mental mechanisms consisting of interiorization, coordination, reversal, encapsulation, de-encapsulation and thematization. The mental structures and mental mechanisms are described in detail in Figure 1.1. Furthermore, Arnon et al. (2014) explain that an individual's ability to make connections between mental structures and their constituent elements can determine the depth and complexity of their understanding.




Figure. 1.1 Mental Structures and Mental Mechanisms for Construction Knowledge of Mathematics

METHODS

Research Design

This research is a qualitative descriptive exploratory research. This is in accordance with the characteristics of qualitative research proposed by Creswell (2012) as follows: 1) scientific environment (natural setting). The researcher collects data in the class where the research subjects are solving the problem under study. Researchers do not bring individuals into situations that have been set, 2) Researchers as key instruments (researcher as key instrument). Researchers collect data themselves through audio-visual recordings/documentation, observations, or interviews with subjects, 3) Various sources of data (multiple sources of data). Researchers choose to collect data from various sources, such as recording/documentation, observation or interviews, then reviewing all the data, giving it meaning, and processing it into categories or topics that cross all data sources, 4) Inductive data analysis (data analysis). Researchers build categories or topics inductively, by processing data into more abstract units of information, 5) Emergent design. The research process is always evolving dynamically, this means that the initial research plan cannot be strictly adhered to. All stages in the research process may change after the researcher enters the research location and begins to collect data, and 6) holistic view.

Participants

The participants in this study were 44 students in semester 4 and semester 6, Department of Mathematics Education, Universitas Islam Negeri Suska Riau.

The selection of subjects was carried out at the university, because based on preliminary studies conducted by researchers, there were indications that students were able to carry out functional thinking processes in solving mathematical problems. Details of the subject can be seen in Table 1.2.

Table 1.2 Research subject details



Students	Number of students
Semester 4	20
Semester 6	24

The criteria for research subjects are 1) subjects who have fluent and clear communication skills when solving problems with think aloud and interviews, 2) subjects who are able to solve problems and meet functional thinking indicators, and 3) subjects who are willing to be involved in the collection process. data to obtain accurate data. Thus, students who meet these criteria are 2 students out of 44 students. The two students are distinguished by giving the symbol S, namely S1 = the first subject and S2 = the second subject.

Data collection

Data collection was carried out in several stages, namely first, holding a written test, where when doing the written test students were asked to express their thoughts aloud, namely think aloud. The test sheet is in the form of a written test that aims to obtain an overview of students' functional thinking processes in solving mathematical problems. The test sheets that have been prepared are then validated by experts until the draft is valid for use in research. Second, check the results of student answer sheets. In this case, looking for the correct answer sheet and obtained two different groups of answers. Furthermore, to explore the students' functional thinking processes, interviews were conducted with one student from each group. Interviews were conducted to explore and clarify students' functional thinking processes that have not been revealed in think aloud (this activity is documented with an audiovisual recorder). The questions in the interview guide used are still very likely to develop according to the conditions or characteristics of the respondents. Thus the interview used is an unstructured interview. Interview guidelines that have been prepared are then validated by experts. Based on the results of the expert validation test, the interview guide is valid to use. In addition, field notes were made on interesting and unique important events related to students' functional thinking processes in solving mathematical problems. The test sheet instrument in this study is the development of a growth pattern tasksheet from (Wilkie 2014). The differences are presented in Table 1.3

Table 1.3 Development of Research Instruments

Task Sheet Instrument Wilkie's (2014)	Test Sheet Instruments in this Research
Use two quantities	Use three quantities
 1st flower 2st flower 3st flower	 1st image 2st image 3st image

Data analysis

The data analysis in this study was modified from Creswell (2012), namely: first, preparing the data for analysis. At this stage the activities carried out are transcribing think aloud data and interviews, scanning student answers, and compiling the data into certain types based on the characteristics of the data, and reducing data, namely explaining, choosing the main things, focusing on things what is important, discarding unnecessary and organizing raw data obtained from the field. Data reduction is intended to select, focus, abstract and formulate raw data. Second, read the entire data. Build a general sense of the information obtained and reflect on its overall meaning. At this stage, the activities carried out are writing special notes or general ideas about the data obtained. Third, analyze the data in more detail by coding or categorizing the data. Coding the data is done to facilitate the interpretation of the data, simplify the problem, and simplify the process of analyzing the subject's thinking. The activities carried out at this stage are taking the written data or pictures that have been collected, segmenting the sentences or pictures into categories, then labeling these categories with special terms. Fourth, draw the structure of students' functional thinking in solving mathematical problems based on data categorization. Fifth, drawing conclusions is based on the results of data analysis, both those obtained by using test sheets with think aloud and those obtained from interviews.

RESULTS

From the two groups that had different answers, there was one student in the first group and four students in the second group. To find out how these students explore functional thinking processes, here are the results of the descriptions of the two students, namely student 1 (S1) and student 2 (S2).

Functional thinking process in solving problems (S1)

The initial activity carried out by the S1 subject identifies the problem,

namely observing and understanding Figure 1, Figure 2, and Figure 3 with the object of observing many flat shapes from each Figure. Then, S1 organized the data into a table and grouped them based on the number of two-dimensional figures found in Figure 1, Figure 2, and Figure 3. The participant's data organization can be seen in Figure 1.2.

	Segi-10	Segi-4	Segi-3
Gambar 1	1	6	9
Gambar 2	2	11	7
Gambar 3	3	16	10

Figure 1.2 Data Organization by S1

What S1 did next was explaining and writing down the number pattern of the decagons (1, 2, 3, ...), of the quadrilaterals (6, 11, 16, ...), and of the triangles (4, 7, 10, ...). The participant then searched for the common difference using the following formula $U_2 - U_1$ (the next term is subtracted by the previous term). He found that the decagons had the common difference of $b = 1$, the triangles had the common difference of $b = 3$, while the quadrilaterals had the common difference of $b = 5$. The participant (S1) termed "pattern" as "difference", symbolized by "b". By doing so, recursive patterns had existed in the S1's mind. It was also supported by the recursive patterns predicted by S1, such as presented in Figure 1.3.

Segi-10 (1, 2, 3, ...)
$b = 1$
Segi-4 (6, 11, 16, ...)
$b = 5$
Segi-3 (4, 7, 10, ...)
$b = 3$

Figure 1.3 Recursive Patterns Predicted by S1

The next step, the subject of S1 indirectly determines the change in value between the location of an item and the item itself. After that, S1 applied the arithmetic formula $U_n = a + (n - 1)b$ to determine the n^{th} term; $U_n = 3n + 1$ for triangles; $U_n = 5n + 1$ for quadrilaterals; and $U_n = n$ for decagons. Therefore, it can be said that S1 was able to make generalizations about the relationship between quantity variations (correspondence). The generalizations

made by S1 to show the relationship between quantity variations can be seen in Figure 1.4.

$$\begin{array}{l}
 \boxed{U_n = a + (n-1)b} \\
 \hline
 \text{Segi-10 (1, 2, 3, \dots)} \\
 b = 1 \\
 U_n = 1 + (n-1)1 \Rightarrow A \\
 = 1 + n - 1 \\
 = n \\
 \hline
 \text{Segi-4 (6, 11, 16, \dots)} \\
 b = 5 \\
 U_n = 6 + (n-1)5 \Rightarrow B \\
 = 6 + 5n - 5 \\
 = 5n + 1 \\
 \hline
 \text{Segi-3 (4, 7, 10, \dots)} \\
 b = 3 \\
 U_n = 4 + (n-1)3 \Rightarrow C \\
 = 4 + 3n - 3 \\
 = 3n + 1
 \end{array}$$

Figure 1.4 Generalizations by S1

Then, S1 generalized the relationship between two quantities by writing pentagons, quadrilaterals and triangles as A , B and C and generating the following formulas: $A = n$; $B = 5n + 1$; $C = 3n + 1$ for pentagons, quadrilaterals and triangles, respectively. He further looked for the relationship between A and C , A and B , and B and C . This finding was confirmed by Figure 1.5 that shows the S1's attempt in determining the relationship between two quantities.




Figure 1.5 The Relationship between Two Quantities According to S1

The participant obtained the general formula of AB relationship by substitution. He thus generated a new formula $B = 5A + 1$. Furthermore, the relationship between A and B is depicted in Figure 1.6.

$$\begin{array}{l}
 \text{Hub. A & B} \\
 \hline
 B = 5n + 1 \\
 \boxed{B = 5A + 1}
 \end{array}$$

Figure 1.6 The Relationship between A and B According to S1

To find the relationship between A and C , S1 substituted A into the formula $C = 3n + 1$ and generated $C = 3A + 1$. Figure 1.7 below shows the relationship between A and C generated by S1.

Handwritten work for Figure 1.7:

$$\begin{array}{l} \text{Hub. } A \& C \\ \hline C = 3n + 1 \\ \boxed{C = 3A + 1} \end{array}$$

Figure 1.7 The Relationship between A and C According to S1

Finally, S1 explained the relationship between B and C by substituting $B = 5A + 1$ with $A = \frac{B-1}{5}$ and $C = 3A + 1$ to generate $= \frac{C-1}{3}$. The participant demonstrated an effort to figure out the general formula of BC relationship, but failed to do so. Figure 1.8 presents the relationship between B and C suggested by S1.

Handwritten work for Figure 1.8:

$$\begin{array}{l} \boxed{B = 5A + 1} \Rightarrow A = \frac{B-1}{5} \\ \boxed{C = 3A + 1} \Rightarrow A = \frac{C-1}{3} \\ \hline \text{Hub. } B \& C \\ \frac{B-1}{5} \times \frac{C-1}{3} \\ 3B - 3 = 5C - 5 \\ 3B - 5C = -5 + 3 \\ \boxed{3B - 5C = -2} \end{array}$$

Figure 1.8 The Relationship between B and C According to S1

After that, S1 examined the generalization he made regarding the relationship between B and C by working on the existing formulas to generate $B = \frac{5C-2}{3}$ and $C = \frac{3B+2}{5}$. This finding was confirmed by Figure 1.9 depicting the S1's effort to re-examine the relationship between B and C .

Handwritten work for Figure 1.9:

$$\begin{array}{l} \text{Hub. } B \& C \\ \hline \frac{B-1}{5} \times \frac{C-1}{3} \\ 3(B-1) = 5(C-1) \\ 3B - 3 = 5(C-1) \quad \rightarrow 3B - 3 = 5C - 5 \\ 3B = 5C - 5 + 3 \quad 3B - 3 + 5 = 5C \\ 3B = 5C - 2 \quad 3B + 2 = 5C \\ B = \frac{5C - 2}{3} \quad C = \frac{3B + 2}{5} \\ \\ B = \frac{5 \cdot 4 - 2}{3} \quad C = \frac{3 \cdot 6 + 2}{5} \\ = \frac{20 - 2}{3} \quad = \frac{18 + 2}{5} \\ = \frac{18}{3} = 6 \quad = \frac{20}{5} = 4 \end{array}$$

Figure 1.9 The S1's Effort to Re-examine the Relationship between *B* and *C*

The following is the S1 functional thinking process presented in Diagram 1.1.














Diagram 1.1 Functional thinking process S1

Explanation of Symbols

	Decagon		$g(x) = 3x + 1$
	Triangle		$h(x) = 5x + 1$
	Quadrilateral		relationship between quantities (applies otherwise)
	Recursive Pattern		Move to another mental structure
	Covariational relationship		Move to another mental structure (applies otherwise)

	$U_n = a + (n - 1)b$		$g(x) = 3f(x) + 1$ or $f(x) = \frac{g(x)-1}{3}$
	$U_n = n$		$h(x) = 5f(x) + 1$ or $f(x) = \frac{h(x)-1}{5}$
	$U_n = 3n + 1$		$g(x) = \frac{3h(x)+2}{5}$ or $h(x) = \frac{5g(x)-2}{3}$
	$U_n = 5n + 1$		The resulting process
	$f(x) = x$		The next step

Functional thinking process in solving problems (S2)

The initial activity carried out by the S2 identifies the problem, namely observing and understanding Figure 1, Figure 2, and Figure 3 with the object of observing many flat shapes from each image. Furthermore, the subject of S2 assumes a tenth as x , a triangle as y , and a quadrilateral as z . Based on the results of the observations made, the subject of S2 organized the data by making lists and grouping many flat shapes in Figure 1, Figure 2, Figure 3. The work of the S2 subject in organizing the data presented in Figure 1.10.

Segi 10	: 1, 2, 3	(x)
Segi 3	: 4, 7, 10	(y)
Segi 4	: 6, 11, 16	(z)

Figure 1.10 Work Results of S2 Subjects in Organizing Data

Subject S2 used a Venn diagram to describe the relationship between variant quantities. Subjects S2 associated x with y and used the formula $f(x) = ax + b$ to generalize the relationship between the two variables (x and y); hence $f(1) = a + b = 4$, $f(2) = 2a + b = 7$, by subtracting $f(2)$ by $f(1)$, $a = 3$ was obtained. The value of $a = 3$ was substituted to $f(3) = 3a + b = 10$, hence $f(3) = 3.3 + b = 10$, and $b = 1$. Therefore, the relationship between x and y is $f(x) = 3x + 1$. This finding was corroborated with the S2's answer in generalizing the relationship between x and y such as presented in Figure 1.11.


	$f(x) = ax + b$ $f(1) = a + b = 4$ $f(2) = 2a + b = 7$ $-a = -3$ $a = 3$	$f(3) = 3a + b = 10$ $3.3 + b = 10$ $b = 1$	RU Hub $x - y$ $f(x) = ax + b$ $= 3x + 1$
---	--	---	---

Figure 1.11. Generalization of the Relationship between x and y by S2

Subjects S2 used a Venn Diagram to describe the relationship between x and z . The standard formula of $f(x) = ax + b$ was used to obtain $f(1) = a + b = 6$, $f(2) = 2a + b = 11$. The value of $f(2)$ was subtracted by $f(1)$; hence, $a = 5$ was obtained and substituted into $f(3) = 3a + b = 16$, Since $f(3) = 3.5 + b = 16$, $b = 1$. The relationship between x and z thus can be written as $f(x) = 5x + 1$. This finding was corroborated with the S2's answer in generalizing the relationship between x and z such as presented in Figure 1.12.




Figure 1.12 Generalization of the Relationship between x and z by S2

Again, subjects S2 drew a Venn Diagram to explain the relationship between y and x . They firstly mentioned the general formula of $f(y) = ay + b$, and concluded that $f(4) = 4a + b = 1$, $f(7) = 7a + b = 2$. They added that if $f(7)$ was subtracted by $f(4)$ then $a = \frac{1}{3}$, if $a = \frac{1}{3}$ was substituted into $f(10) = 10a + b = 3$, then $f(10) = 10 \cdot \frac{1}{3} + b = 3$, and $b = -\frac{1}{3}$. In conclusion, the relationship between y and x can be written as $f(y) = \frac{1}{3}y - \frac{1}{3}$. This finding was confirmed by the S2's answer in generalizing the relationship between y and x , such as presented in Figure 1.13




Figure 1.13 Generalization of the Relationship between y and x by S2

S2 also drew a Diagram Venn to describe the relationship between y and z . They used the standard formula of $f(y) = ay + b$, $f(4) = 4a + b = 6$, $f(7) = 7a + b = 11$, and subtracted $f(7)$ by $f(4)$ to obtain $a = \frac{5}{3}$. Thus, the relationship between y and z can be written as $f(y) = \frac{5}{3}y - \frac{2}{3}$. This finding was strengthened by the S2's answer in generalizing the relationship between y and z , such as presented in Figure 1.14




Figure 1.14 Generalization of the Relationship between y and z by S2

The relationship between z and x was described by the subjects using a Diagram Venn. The standard formula use for this relationship was $f(z) = az + b$, so that $f(6) = 6a + b = 1$, $f(11) = 11a + b = 2$. The value of $f(11)$ was subtracted by $f(6)$; thus, $a = \frac{1}{5}$. If $a = \frac{1}{5}$ was substituted into $f(16) = 16a + b = 3$, $f(16) = 16 \cdot \frac{1}{5} + b = 3$, $b = -\frac{1}{5}$. Therefore, the relationship between z and x can be written as $f(z) = \frac{1}{5}z - \frac{1}{5}$. This finding was strengthened by the S2's answer in generalizing the relationship between z and x , such as presented in Figure 1.15




Figure 1.15 Generalization of the Relationship between z and x by S2

To explain the relationship between z and y , subjects S1 and S2 used a Venn Diagram and the standard formula $f(z) = az + b$, $f(6) = 6a + b = 4$, $f(11) = 11a + b = 7$; $f(11)$ was subtracted by $f(6)$ to obtain $a = \frac{3}{5}$, that was substituted into the formula so that $f(16) = 16a + b = 10$, $f(16) = 16 \cdot \frac{3}{5} + b = 10$, and $b = \frac{2}{5}$. In short, the z and y relationship was explained as $f(z) = \frac{3}{5}z + \frac{2}{5}$. This finding was corroborated with the S2's answer in generalizing the relationship between z and y , such as presented in Figure 1.16

② Hub $z - y$
 $f(z) = az + b$
 $f(6) = 6a + b = 4$
 $f(11) = 11a + b = 7$
 $-5a = -3$
 $a = \frac{3}{5}$
 $f(16) = 16a + b = 10$
 $16 \cdot \frac{3}{5} + b = 10$
 $\frac{48}{5} + b = \frac{50}{5}$
 $b = \frac{50 - 48}{5} = \frac{2}{5}$
 $f(z) = az + b = \frac{3}{5}z + \frac{2}{5}$

Figure 1.16 Generalization of the Relationship between z and y by S2

Furthermore, based on the relationships between the variant quantities, subject S2 concluded six standard formulas for: 1) the x and y relationship, that is $y = 3x + 1$, 2) the x and z relationship, that is $z = 5x + 1$, 3) the y and x relationship, that is $x = \frac{1}{3}y - \frac{1}{3}$, 4) the y and z relationship, that is $z = \frac{5}{3}y - \frac{2}{3}$, 5) the z and x relationship, that is $x = \frac{1}{5}z - \frac{1}{5}$, and 6) the z and y relationship, that is $y = \frac{3}{5}z + \frac{2}{5}$. Following is the result of the S2's work in drawing a conclusion on the relationship between x , y and z (Figure 1.17).

R_n
 $x \begin{cases} y = 3x + 1 \\ z = 5x + 1 \end{cases}$
 $y \begin{cases} x = \frac{1}{3}y - \frac{1}{3} \\ z = \frac{5}{3}y - \frac{2}{3} \end{cases}$
 $z \begin{cases} x = \frac{1}{5}z - \frac{1}{5} \\ y = \frac{3}{5}z + \frac{2}{5} \end{cases}$

Figure 1.17. The Relationship Between x , y and z by S2

Finally, the relationship between x , y and z was verbally expressed as follows: the number of triangles and the number of quadrilaterals will decrease by 1 when the number of decagons increases by 1. The same rule also applies to the multiplication of the two-dimensional figures. The generalization of the relationship between x , y and z can be seen in Figure 1.18

Hubungan
 Setiap bertambahnya 1 segi-puluh akan berkurang 4 pada segitinya
 dan segi empat. berlaku juga kelipatannya.

Figure 1.18 Generalization of the Relationship between x , y and z by S2

The following is the S2 functional thinking process presented in Diagram 1.2.




















Diagram 1.2 Functional thinking process S2

Explanation of Symbols

	Decagon	\rightarrow	Generated process
	Triangle		$g(x) = 3f(x) + 1$ or $f(x) = \frac{g(x)-1}{3}$

	Quadrilateral		$h(x) = 5f(x) + 1$ or $f(x) = \frac{h(x)-1}{5}$
	$f(x) = x$		$g(x) = \frac{3h(x)+2}{5}$ or $h(x) = \frac{5g(x)-2}{3}$
	$g(x) = 3x + 1$		Generalization of the relationship between $f(x)$, $g(x)$, and $h(x)$
	$h(x) = 5x + 1$		Switch to another mental structure
	Recursive patterning		$f(x) = ax + b$
	Covariational relationship between two or more than two variant quantities		Switch to another mental structure and vice versa
	Next step		

The functional thinking process is a student's mental activity that is in accordance with the functional thinking framework. The functional thinking framework in this study is 1) identifying the problem, 2) organizing the data, 3) determining the recursive pattern, 4) determining the covariational relationship, 5) generalizing the relationship between quantity variations (correspondence), and 6) checking the generalization results again. This study found two functional thinking processes of students in solving mathematical problems based on APOS theory. The two functional thinking processes are called semi-compositional functional thinking processes and compositional functional thinking processes. Semi-compositional functional thinking process is a functional thinking process where mental activity in generalizing the relationship between quantity variations in the form of compositional functions is carried out partially on a given quantity variation. Compositional functional thinking process is a functional thinking process in which mental activity is generalizing the relationship between quantity variations in the form of compositional functions. The following functional thinking processes are analyzed based on the APOS theory:

Functional Thinking Process at the Action Stage

All subjects in the semi-compositional and compositional functional thinking process categories took the same initial step, namely reading all the information on the test sheet. Next, the subject identifies the problem by

observing and understanding the given case. Observing certain cases is one of the activities of the inductive reasoning process in solving problems. This is supported by Cañadas et al. (2007); Canadas and Castro (2007); Pinto and Cañadas (2005); Polya (1973); Reid (2002); Yuniati (2018); Yuniati (2020) which states that observing cases is an activity of an inductive reasoning process that is carried out on certain cases of the proposed problem. Thus the functional thinking process is an inductive reasoning process.

The subject's activity in identifying the problem, the mental structure that emerges is Action. This is in accordance with the opinion of Dubinsky and McDonald (2008) which states that action occurs through physical or mental manipulation involving the transformation of objects that are influenced by external stimuli. External stimuli in the form of cognitive objects that have been previously constructed in the individual's mind through learning experiences. The mental mechanism that arises in this activity is interiorization. This is in accordance with the opinion of Dubinsky (2001) which states that individuals interiorize actions by repeating and reflecting on the action in their mind, so that they can imagine and explain the transformation without having to do it explicitly.

Functional Thinking Process at the Process Stage

The next step, all subjects count objects according to the same shape and color. This is in accordance with one of the Gestalt laws, namely the law of similarity which describes the tendency to perceive the same group of objects as a single unit, if the objects are the same in terms of shape, color or texture. From the grouping, data 1, data 2, and data 3. Then, the subject in the category of compositional functional thinking processes in organizing data by making lists. This is in accordance with the opinion of Sutarto et al. (2016) which states that the strategy used in organizing certain cases is by making lists. Meanwhile, in the semi-compositional category, organizing data is done by making tables. This is in accordance with the opinion of Blanton et al. (2015) which states that the method used in organizing data is described in the table.

The next activity, subjects in the semi-compositional and compositional functional thinking process categories wrote down data 1, data 2, and data 3 in sequence and formed a number pattern. The number pattern is a recursive pattern obtained inductively using the formula $b = U_n - U_{(n-1)}$, where b = different, U_n = nth term, and $U_{(n-1)}$ = the term before n . This is in accordance with the opinion of Pinto and Cañadas (2012); Stephens et al. (2011); and Tanişli (2011) which states that the recursive pattern is looking for variations

or patterns of variation in a series of values for variables, so that certain values can be obtained based on previous values.

The recursive pattern of data 1, data 2, and data 3 is used as a benchmark by the subject in the semi-compositional functional thinking process category to determine changes in the value of the relationship between variations in quantity (covariational relationship) i.e. changes in value occur between the location of an item and the item itself. This is in accordance with the opinion of Wilkie (2014) which states that a covariational relationship in a number sequence occurs between the location of an item and the item itself. Whereas in the subject of compositional functional thought processes category, the recursive pattern is used as a benchmark to determine changes in the value of the relationship between quantity variations, namely changes in the value of two (or more) quantity variations (independent variable and dependent variable). This is in accordance with the opinion of Carlson, et al. (2004); Blanton and Kaput (2005); Subanji (2011); Subanji and Supratman (2015); Tanişli (2011) which states that the covariational relationship is a mental activity in coordinating two quantities (independent variable and dependent variable) related to changes in the value of one quantity to another quantity.

The mental structure that appears in this activity is the process, while the mental mechanisms that arise are coordination and reversal. According to Dubinsky et al. (2005), coordination is a mental mechanism in coordinating actions that have been interiorized. Coordination is used to construct new processes. Two or more processes can be coordinated to form a new process. Reversal is an activity to trace back knowledge that has been previously owned to construct a new concept.

Functional Thinking Process at the Object Stage

The next activity, subjects in the semi-compositional and compositional functional thinking process categories generally generalize the relationship between quantity variations (correspondence) by using algebraic representations. This is in accordance with the research findings of Yuniati et al. (2019) and Cabral et al (2021) which states that students in generalizing relationships between quantities (correspondence) mostly use algebraic representations. Algebraic representation is the most dominant representation used by students because the learning experience in the teacher's class uses algebraic formulas. This is different from the results of research from Goldin (2002); Lannin, et al. (2006); MacGregor and Stacey (1995); Blanton et al. (2015); Swafford and Langrall (2000); Tanişli (2011) who found the results of generalizing the relationship between variations in quantity using verbal representations. On the other hand, the results of research from Tanişli (2011)

and Blanton et al. (2015) also found the results of generalizing the relationship between variations in quantity using symbolic representations. The difference is because the subjects used in the previous study were elementary school students, while the subjects used in this study were students.

Subjects in the semi-compositional functional thought process category generalize the relationship between quantity variations separately, namely generalizing data 1, generalizing data 2, and generalizing data 3 using the formula from the arithmetic sequence, namely $U_n = a + (n - 1)b$. However, the subject realized that the generalization of data 1, data 2, and data 3 was in the form of a function, then connected to obtain a new form of function, namely a composition function. Thus the semi-compositional functional thinking process is a mental activity in generalizing the relationship between quantity variations in the form of compositional functions that are carried out partially on a given quantity variation. Meanwhile, in the category of compositional functional thinking processes, the subject realized that data 1, data 2, and data 3 were a function. Then these functions are connected so as to produce a new function, namely the composition function. Thus the process of functional compositional thinking is a mental activity in generalizing the relationship between quantity variations in the form of a compositional function.

The mental structure that appears in this activity is the object, while the mental mechanism that arises is encapsulation and de-encapsulation. According to Dubinsky and McDonald (2001) an individual is said to have encapsulated the mental structure of the process into an object if he is aware of the process as a totality, realizing that actions can be taken on the process. Arnon et al. (2004) explained that not only one object can be de-encapsulated, but two objects can be de-encapsulated into their constituent processes. The two processes are coordinated and re-encapsulated a new object.

Functional Thinking Process at the Schematic Stage

The last activity, subjects in the semi-compositional and compositional functional thinking process categories re-checked the generalization results of the relationship between quantities and believed that the resulting formula was correct. The mental structure that appears in this activity is the Schema. Schema is a collection of mental structures of actions, processes, objects and other schemas which are combined to form the totality of students in understanding a concept being studied Dubinsky and McDonald (2008) and Dubinsky and McDonald (2001). Characteristics of students' functional thinking processes in solving mathematical problems based on APOS Theory can be seen in Table 1.4

CONCLUSION

Based on the research questions, analysis results, and discussion, it can be concluded that the functional thinking processes of students in solving mathematical problems based on APOS Theory are as follows: the first step, students identify problems by observing and understanding objects separately according to the shapes and colors shown. same. In this activity, the mental structure that appears is action, while the mental mechanism that appears is interiorization. The second step, students organize data 1, data 2, and data 3 by making lists or tables. The third step, students determine the recursive pattern inductively by using the formula $b = U_n - U_{(n-1)}$, where $b =$ different, $U_n =$ nth term, and $U_{(n-1)} =$ the term before n. The fourth step, students determine covariational relationships, namely students look for changes in the value between the location of an item and the item itself and changes in the value of two (or more) variations in quantity (independent variable and dependent variable). The mental structure that appears in these activities is the process, while the mental mechanisms that arise are coordination and reversal. The fifth step, students generalize the relationship between variations in quantity (correspondence). In generalizing the relationship between quantity variations, there are 2 differences made by students, namely 1) generalizing the relationship between quantity variations in the form of a composition function which is carried out partially on a given quantity variation and 2) generalizing the relationship between quantity variations in the form of a composition function. In this activity, the mental structure that appears is the object, while the mental mechanisms that arise are reversal, encapsulation, and de-encapsulation. The sixth step, students re-check the results of the generalization of the relationship between variations in quantity and believe that the resulting formula is correct. In this activity, the mental structure that appears is schema, while the mental mechanism that appears is thematization.

ACKNOWLEDGMENTS

Researchers would like to thank all those who have helped in this research.

REFERENCES

- Arnon, I., Cottrill, J., & Dubinsky, E. (n.d.). 2014. *APOS Theory*. New York: Springer
- Blanton, M. L., Brizuela, B. M., Gardiner, A. M., Sawrey, K., Newman-owens, A., Blanton, M., & Newman-owens, A. 2016. A Learning Trajectory in 6-Year-Olds' Thinking About Generalizing Functional Relationships.

- Journal for Research in Mathematics Education*. 46(5), 511–558.
<https://doi.org/10.5951/jresmetheduc.46.5.051>
- Blanton, M. L., & Kaput, J. J. 2005. Helping Elementary Teachers Build Mathematical Generality into Curriculum and Instruction. *ZDM*. 37(1).
<https://doi.org/10.1007/BF02655895>
- Blanton, M. L., & Kaput, J. J. 2004. Elementary Grades Students Capacity for Functional Thinking. *Proceedings of the 28th Conference of the International Group for the Psychology of Mathematics Education*. 2, 135–142.
http://emis.math.tifr.res.in/proceedings/PME28/RR/RR033_Blanton.pdf
- Blanton, M. L., & Kaput, J. J. 2005. Helping Elementary Teachers Build Mathematical Generality into Curriculum and Instruction. *ZDM*. 37(1).
<https://doi.org/10.1007/BF02655895>
- Blanton, M. L., Stephens, A., Knuth, E., Gardiner, A. M., Isler, I., Kim, J., ... & Kim, J. 2015. The Development of Children’s Algebraic Thinking : The Impact of a Comprehensive Early Algebra Intervention in Third Grade. *Journal for Research in Mathematics Education*. 46(1), 39-87.
<https://doi.org/10.5951/jresmetheduc.46.1.0039>
- Cabral, J., Oliviera, H., and Mendes F., 2021. Preservice Teachers’ Mathematical Knowledge about Repeating Patterns and their Ability to Notice Preschoolers Algebraic Thinking. *Acta Scientiae*. 23(6), 30-59.
 DOI: 10.17648/acta.scientiae.6302
- Canadas, M. C., & Castro, E. 2007. A Proposal of Categorisation for Analysing Inductive Reasoning. *PNA*, 1(2), 67–78.
<https://doi.org/10.1227/01.NEU.0000032542.40308.65>
- Cañadas, M. C., Jordi D., Lourdes F., Reid, and Oleksiy Y. 2007. The Conjecturing Process: Perspectives in Theory and Implications in Practice. *Journal of Teaching and Learning* 5(1):55–72.
- Carlson, M., Sally J., Edward C., Sean L., and Eric H. 2002. Applying Covariational Reasoning While Modeling Dynamic Events: A Framework and a Study. *Journal for Research in Mathematics Education* 33(5): 352–78.
- Creswell. 2012. *Educational Research Fourth Edition*. Pustaka Pelajar. ISBN 978-602-229-474-0
- Doorman, M., Drijvers, P., Gravemeijer, K., Boon, P., & Reed, H. 2012. Tool use and Development of the Function Concept: from Repeated Calculations to Functional Thinking. *International Journal of Science and Mathematics Education*. 1243–1267. <https://doi.org/10.1007/s10763-012-9329-0>
- Dubinsky, Ed. and M. McDonald. 2001. “APOS: A Constructivist Theory of

- Learning. (Pp. 275–282).:” Pp. 275–82 in *In D. Holton (Ed.), The teaching and learning of mathematics at university level: an ICMI study*. Dordrecht, The Netherlands: Kluwer Academic Publishers.
- Dubinsky, Ed. 2001. Using a Theory of Learning in College. *TaLUM* 12:10–15.
- Dubinsky, Ed. 2002. Reflective Abstraction in Advanced Mathematical Thinking. *Advanced Mathematical Thinking* 95–126.
- Dubinsky, Ed and McDonald. 2008. APOS: A Constructivist Theory of Learning in Undergraduate Mathematics Education Research. *Animal Genetics* 39(5):561–63.
- Dubinsky, Ed, Kirk W., McDonald, and Anne B. 2005. Some Historical Issues and Paradoxes Regarding the Concept of Infinity: An APOS Analysis: Part 2. *Educational Studies in Mathematics* 60(2):253–66.
- Goldin, G. 2002. Representation in Mathematical Learning and Problem Solving. Pp. 197–218 in *In L. D. English (Ed.), Handbook of international research in mathematics education*. Mahwah, NJ: Lawrence Erlbaum Associates, Publishers.
- Lannin, John K., David D. Barker, and Brian E. Townsend. 2006. Recursive and Explicit Rules: How Can We Build Student Algebraic Understanding? *Journal of Mathematical Behavior* 25(4):299–317.
- MacGregor, M. and Stacey. 1995. The Effect of Different Approaches to Algebra on Students’ Perceptions of Functional Relationships. *Mathematics Education Research Journal* 7(1):69–85.
- Markworth, K. A. 2010. *Growing and Growing: Promoting Functional Thinking with Geometric Growing Patterns*. A Dissertation Submitted to the Faculty of the University of North Carolina at Chapel Hill in Partial Fulfillment of the Requirements for the Degree of Doctor of Philosophy in the School of Education. Chapel Hill. <https://eric.ed.gov/?id=ED519354>
- Mceldoon, K. L. & Rittle-Johnson, B. 2010. Assessing Elementary Students Functional Thinking Skills: The Case of Function Tables. https://peabody.vanderbilt.edu/docs/pdf/PRO/ATME_McEldoonandRittle-JohnsonPME-NApaper_2010.pdf
- Pinto, E., & Cañadas, M. C. 2012. Functional Thinking and Generalisation in Third Year of Primary School. *Proceedings of the Tenth Congress of the European Society for Research in Mathematics Education, At Institute of Education, Dublin City University*. 1–8
- Polya. 1973. *How to Solve It*. 2nd ed. Princeton: Princeton University Press.
- Reid, D.A. 2002. Conjectures And Refutations In Grade 5 Mathematics. *Journal for Research in Mathematics Education*, 33 (1), 5-29. <https://doi.org/10.2307/749867>.

- Schools, Bronxville P, British C, British C, and San J. 2001. *The Roles of Representation in School Mathematics*. NCTM.
- Stephens, A. C., Blanton, M. L., Knuth, E., Marum, T., & Gardiner, A. M. 2011. From Recursive Pattern To Correspondence Rule: Developing Students' Abilities To Engage in Functional Thinking. *Proceedings of the 34th Annual Meeting of the North American Chapter of the International Group for the Psychology of Mathematics Education*. Kalamazoo, MI: Western Michigan University
- Stephens, A. C., Fonger, N., Strachota, S., Isler, I., Blanton, M., Knuth, E., ... & Isler, I. 2017. A Learning Progression for Elementary Students' Functional Thinking A Learning Progression for Elementary Students' Functional. *Mathematical Thinking and Learning*, 19(3), 143–166. <https://doi.org/10.1080/10986065.2017.1328636>
- Stephens, A., Blanton, M. L., Strachota, S., Knuth, E., Isler, I., & Gardiner, A. 2017. The Interplay between Students' Understandings of Proportional and Functional Relationships. *Proceedings of the 39th Annual Meeting of the North American Chapter of the International Group for the Psychology of Mathematics Education*. Indianapolis, IN: Hoosier Association of Mathematics Teacher Educators. 251–258
- Subanji. 2011. *Teori Berpikir Pseudo Penalaran Kovariasional*. Universitas Negeri Malang. ISBN: 979.495.963.4
- Subanji, Rajiden, Supratman & Maedi, A. 2015. The Pseudo-Covariational Reasoning Thought Processes in Constructing Graph Function of Reversible Event Dynamics Based on Assimilation and Accommodation Frameworks. *Journal Korean Society of Mathematical Education*. 19 (1). 61-79.
- Sutarto, Nusantara, T, Subanji, & Sisworo. 2015. Local Conjecturing Process in The Solving of Pattern Generalization Problem. *Educational Research and Reviews*. 11(8), 732-742. Doi: 10.5897/ERR2016.2719
- Swafford, J. O., & Langrall, C. W. 2000. Grade 6 students' pre-instructional use of equations to describe and represent problem situations. *Journal for Research in Mathematics Education*. 31(1), 89–112. <https://www.jstor.org/stable/749821>
- Tall, D. 1999. Reflections on APOS Theory in Elementary and Advanced Mathematical Thinking. *Proceedings of the 23rd Conference of Psychology of Mathematics Education*, 111–118. <https://doi.org/10.1177/1010539509360571>
- Tanis, D. 2011. Functional Thinking Ways in Relation to Linear Function Tables of Elementary School Students. *The Journal of Mathematical Behavior*. 30, 206–223. <https://doi.org/10.1016/j.jmathb.2011.08.001>

- Warren, E. 2004. Patterns Supporting the Development of Early Algebraic Thinking. *MERGA 28 2005 Building Connections Research Theory and Practice* 2:759–66.
- Warren, E. A., & Cooper, T. J. 2005. Introducing Functional Thinking in Year 2 : a case study of early algebra teaching. *Contemporary Issues in Early Childhood*. 6(2), 150–162. <https://doi.org/10.2304/ciec.2005.6.2.5>
- Warren, E. A. & Cooper, T. J. 2006. Using Repeating Patterns to Explore Functional Thinking, *APMC*. 11(1), 9–14. <https://files.eric.ed.gov/fulltext/EJ793907.pdf>
- Warren, E. A., Cooper, T. J., & Lamb, J. T. 2006. Investigating Functional Thinking in the Elementary Classroom : Foundations of Early Algebraic Reasoning. *Mathematical Behavior*. 25, 208–223. <https://doi.org/10.1016/j.jmathb.2006.09.006>
- Warren, E., Samantha B., and Sandra G. 2007. Functional Thinking in a Year 1 Classroom. *Apmc* 12(3):14–17.
- Wilkie, K. J. 2004. Learning to Like Algebra Through Looking: Developing Upper Primary Students' Functional Thinking with Visualisations of Growing Patterns. *APMC*. 19(4). <https://eric.ed.gov/?id=EJ1093277>
- Wilkie, K. J. 2014. Upper Primary School Teachers' Mathematical Knowledge for Teaching Functional Thinking in Algebra. *Journal of Mathematics Teacher Education*. 17(5). <https://doi.org/10.1007/s10857-013-9251-6>
- Wilkie, K. J. 2015. Learning to Teach Upper Primary School Algebra : Changes to Teachers' Mathematical Knowledge for Teaching Functional Thinking. *Mathematics Education Research Journal*. 28 (2). 245-275. <https://doi.org/10.1007/s13394-015-0151-1>
- Wilkie, K. J., & Clarke, D. M. 2016. Developing Students' Functional Thinking in Algebra Through Different Visualisations of a Growing Pattern's Structure. *Mathematics Education Research Journal*, 223–243. <https://doi.org/10.1007/s13394-015-0146-y>
- Yuniati, S., Nusantara, T., Subanji, & Sulandra, I. 2018. The Process of Discovering Student's Conjecture in Algebra Problem Solving. *International Journal of Insights for Mathematics Teaching*. 1(1), 35-43. <http://journal2.um.ac.id/index.php/ijoint/article/view/3014>
- Yuniati, S., Nusantara, T., Subanji, & Sulandra, I. 2019. The Use of Multiple Representation in Functional Thinking. *International Journal of Recent Technology and Engineering*. 8 (1C2). <https://www.ijrte.org/wp-content/uploads/papers/v8i1C2/A11120581C219.pdf>
- Yuniati, S., Nusantara, T., Subanji, & Sulandra, I. 2020. Stages in Partial Functional Thinking in the Form of Linear Functions: APOS Theory. *Humanities and Social Sciences Reviews*. 8(3), 536–544.

<https://doi.org/10.18510/hssr.2020.8358>

Yuniati, S., Nusantara, T., Subanji, & Sulandra, I. 2020. Generalisation of Relations Between Quantity Variations Through Arithmetic Sequences in Functional Thinking. *International Journal of Innovation, Creativity and Change*. 13(2), 580–593. <https://www.ijicc.net/index.php/volume-13-2020/182-vol-13-iss-2>

Tabel 1.1 Functional thinking process indicators in solving problems based on APOS Theory

Functional Thinking Framework	Indicator	Alleged Answer	Mental Mechanism	Mental Structure	Information
Identify the problem	Identify all the information on the test sheet such as: ➤ Read the test sheet given. ➤ Observe and understand the many tenths in Figure 1, Figure 2, and Figure 3. ➤ Observe and understand the many triangles in Figure 1, Figure 2, and Figure 3. ➤ Observe and understand the many quadrilaterals in Figure 1, Figure 2, and Figure 3.	➤ Many tenths in the 1st picture, 2nd picture and 3rd picture. ➤ Many triangles in the 1st picture, 2nd picture and 3rd picture. ➤ Many quadrilaterals in the 1st picture, the 2nd picture and the 3rd picture.	Interiorization	Action	P_n = natural number X_n = many Tenth Y_n = many triangle Z_n = many quadrilaterals
Organizing data	Organizing submitted data such as: ➤ Make a list or table to organize data from the 1st figure, 2nd figure, 3rd figure. ➤ Organizing the many tenths of Figure 1, Figure 2, and Figure 3. ➤ Organizing many triangles from Figure 1, Figure 2, and Figure 3. ➤ Organizing many quadrilaterals from Figure 1, Figure 2, and Figure 3.	➤ Many tenths (X_n) is 1, 2, 3 ➤ Many triangles (Y_n) is 4, 7, 10 ➤ Many quadrilaterals (Z_n) is 6, 11, 16	Coordination	Process	
Define a recursive pattern	Observing certain objects in the form of a list / table and thinking about the next unknown object such as: ➤ Determine the number pattern of the tenth, triangular, and quadrilateral objects and think about the number pattern up to the nth. ➤ Determine the difference of the object of a tenth, triangle, and quadrilateral.	➤ $X_n = 1, 2, 3, \dots$ ➤ $Y_n = 4, 7, 10, \dots$ ➤ $Z_n = 6, 11, 16, \dots$ ➤ Different from X_n is 1 ➤ Different from Y_n is 3 ➤ Different from Z_n is 5	Coordination reversal	Process	

<p>Determine the covariational relationship</p>	<p>Determine the change in value of the relationship between quantity variations in a given problem such as:</p> <ul style="list-style-type: none"> ➤ Sequences X_n ➤ Sequences Y_n ➤ Sequences Z_n ➤ Connecting between X_n and Y_n ➤ Connecting between X_n and Z_n ➤ Connecting between Y_n and X_n ➤ Connecting between Y_n and Z_n ➤ Connecting between Z_n and X_n ➤ Connecting between Z_n and Y_n ➤ Connecting between X_n, Y_n and Z_n 	<p>➤ When X_n increase 1, P_n increase 1</p> <p>➤ When Y_n increase 3, P_n increase 1</p> <p>➤ When Z_n increase 5, P_n increase 1</p> <p>➤ When X_n increase 1, Y_n increase 3</p> <p>➤ When X_n increase 1, Z_n increase 5</p> <p>➤ When Y_n increase 3, X_n increase 1</p> <p>➤ When Y_n increase 3, Z_n increase 5</p> <p>➤ When Z_n increase 5, X_n increase 1</p> <p>➤ When Z_n increase 5, Y_n increase 3</p> <p>➤ When X_n increase 1, Y_n increase 3, Z_n increase 5</p>	<p>Coordination</p>	<p>Process</p>
<p>Determine correspondence</p>	<p>Generalize the relationship between quantity variations on a given problem, such as:</p> <ul style="list-style-type: none"> ➤ Generalizing sequences X_n ➤ Generalizing sequences Y_n ➤ Generalizing sequences Z_n ➤ Generalize the relationship between X_n and Y_n ➤ Generalize the relationship between X_n and Z_n ➤ Generalize the relationship between Y_n and X_n ➤ Generalize the relationship between Y_n and Z_n ➤ Generalize the relationship between Z_n and X_n ➤ Generalize the relationship between Z_n and Y_n ➤ Generalize the relationship between X_n, Y_n and Z_n 	<p>➤ $X_n = P_n$</p> <p>➤ $Y_n = 3P_n + 1$</p> <p>➤ $Z_n = 5P_n + 1$</p> <p>➤ $Y_n = 3X_n + 1$</p> <p>➤ $Z_n = 5X_n + 1$</p> <p>➤ $X_n = \frac{Y_n - 1}{3}$</p> <p>➤ $Z_n = \frac{5Y_n - 2}{3}$</p> <p>➤ $X_n = \frac{Z_n - 1}{5}$</p> <p>➤ $Y_n = \frac{3Z_n + 2}{5}$</p> <p>➤ $Y_n + Z_n = (3X_n + 1) + (5X_n + 1)$</p>	<p>Reversal</p>	<p>Object</p>
<p>Re-check the generalization results</p>	<p>Check the truth of the generalization results based on certain cases.</p>	<p>➤ Verbal representation</p>	<p>Thematization</p>	<p>Scheme</p>

Table 1.4 Characteristics of students' functional thinking processes in solving mathematical problems based on APOS Theory

Functional Thinking Framework	Functional Thinking Process		Mekanisme Mental	Struktur Mental
	Semi Composition	Kompositional		
Identify the problem	<ul style="list-style-type: none"> ➤ Read the given test sheet ➤ Observe and understand Figure 1, Figure 2, and Figure 3 	<ul style="list-style-type: none"> ➤ Read the given test sheet ➤ Observe and understand Figure 1, Figure 2, and Figure 3 	Interiorization	Action
Organizing data	<ul style="list-style-type: none"> ➤ Create tables and group multiple objects on each image 	<ul style="list-style-type: none"> ➤ List and group multiple objects on each image 		
Define a recursive pattern	<ul style="list-style-type: none"> ➤ Determine the number sequence of each object ➤ Using formulas $b = U_n - U_{(n-1)}$ ➤ Representing algebraically 	<ul style="list-style-type: none"> ➤ Determine the number sequence of each object ➤ Using formulas $b = U_n - U_{(n-1)}$ ➤ Representing verbally 	Coordination	Process
Determine the covariational relationship	<ul style="list-style-type: none"> ➤ Determining the change in value from the relationship between variations in quantity in a number series, namely determining the change in value based on the location of an item with the item itself ➤ Verbal representation 	<ul style="list-style-type: none"> ➤ Determine the change in value between 2 quantities (independent variable and dependent variable) ➤ Determine the change in value between 3 quantities (independent variable and dependent variable) ➤ Representing verbally 	reversal	
Determine correspondence	<ul style="list-style-type: none"> ➤ Using formulas $U_n = a + (n - 1)b$ ➤ Generalize the relationship between quantity variations in the form of a composition function that is carried out partially on a given quantity variation ➤ Representing algebraically 	<ul style="list-style-type: none"> ➤ Using function formulas $f(x) = ax + b$ and Venn Diagram (connecting 2 quantities) ➤ Generalize the relationship between quantity variations in terms of compositional functions ➤ Representing algebraically (connecting 2 quantities) ➤ Representing verbally (connecting 3 quantities) 	Reversal	Object
Re-check the generalization results	<ul style="list-style-type: none"> ➤ Representing verbally 	<ul style="list-style-type: none"> ➤ Representing verbally 	Encapsulation De-encapsulation	Scheme

Corresponding author: Suci Yuniati. Email: suci.yuniati@uin-suska.ac.id

Acta Sci. (Canoas), 23(1), 1-17, Jan/Fev. 2021

Investigating Functional Thinking Processes That Impact on Function Composition Problems in Indonesia

ORIGINALITY REPORT

13%

SIMILARITY INDEX

11%

INTERNET SOURCES

9%

PUBLICATIONS

2%

STUDENT PAPERS

MATCH ALL SOURCES (ONLY SELECTED SOURCE PRINTED)

4%

★ www.ijicc.net

Internet Source

Exclude quotes On

Exclude matches < 15 words

Exclude bibliography On