

## BUKTI KORESPONDENSI JURNAL SYARAT UTAMA

Judul Paper : The Implementation of Probabilistic Neural Networks to Sentiment Analysis of National Principle and Religion Issues in Indonesia  
Penulis : Mustakim dan Rice Novita  
Korespondensi : Mustakim  
Nama Jurnal : Journal of System and Management Sciences  
SJR : 0.225  
Link Jurnal : <http://www.aasmr.org/jsms/index.html>  
Link List Jurnal : <http://www.aasmr.org/jsms/Vol13/Vol.13.No.5.html>  
Link Publish : <http://www.aasmr.org/jsms/Vol13/No.5/Vol.13%20No.5.20.pdf>  
Link Scopus : <https://www.scopus.com/sourceid/21100944442>  
Link Scimago : <https://www.scimagojr.com/journalsearch.php?q=21100944442&tip=sid&clean=0>

The screenshot shows the homepage of the Journal of System and Management Sciences (JSMS). The header features the journal's title in a large, stylized font. Below the title is a navigation menu with links for Home, Editorial Board, Review Process, Publication Ethics, Current, Archives, Instructions, and Contact. The main content area is divided into two columns. The left column contains a 'Welcome to JSMS' section with a world map and text describing the journal's mission and scope. The right column contains a 'News' section with several announcements regarding submission email changes and issue publications for 2023. At the bottom of the right column is a 'Feature Articles' section.

The screenshot shows the Scopus source details page for the Journal of System and Management Sciences. The page includes the Scopus logo and navigation options like Author Search, Sources, and user account links. The main content area displays the journal's name, Scopus coverage years (2019 to Present), publisher (Success Culture Press), ISSN (1816-6075), and E-ISSN (1818-0523). The subject area is listed as 'Decision Sciences: Information Systems and Management' and 'Business, Management and Accounting: Management of Technology and Innovation'. The source type is identified as 'Journal'. On the right side, a sidebar displays key metrics: CiteScore 2022 (1.6), SJR 2022 (0.225), and SNIP 2022 (0.732). At the bottom, there are links for 'View all documents', 'Set document alert', 'Save to source list', and 'Source Homepage'.

# Paper Submit Eksternal Kotak Masuk x



**Mustakim PRDT** <mustakim@uin-suska.ac.id>  
kepada mincong ▾

Rab, 5 Apr, 22.12 ☆ ↶ ⋮

Dear Editor Journal of System and Management Sciences

Paper Title: The Implementation of Probabilistic Neural Networks to Sentiment Analysis of National Principle and Religion Issues in Indonesia  
Author: Mustakim and Rice Novita  
Affiliation: Universitas Islam Negeri Sultan Syarif Kasim Riau, Indonesia

Noted: This research original form Indonesian cases

Thanks

Satu lampiran • Dipindai dengan Gmail ⓘ



**Mincong** <tang12290@gmail.com>  
kepada saya ▾

Kam, 6 Apr, 21.17 ☆ ↶ ⋮

🌐 Inggris ▾ > Indonesia ▾ [Terjemahkan pesan](#)

[Nonaktifkan untuk: Inggris](#) x

thanks, we will send your paper to reviewers soon

# JSMS DECISION: MINOR REVISION Eksternal Kotak Masuk



**Mincong** <tang12290@gmail.com>  
kepada saya

Sel, 18 Apr, 01:14

Inggris > Indonesia [Terjemahkan pesan](#)

[Nonaktifkan untuk: Inggris](#)

Dear Authors,

Please check the reviewer comments, you **MUST** return the revised version before May 16, 2023. When you submit the revised version, please **DO** remember to provide a response to reviewers with details. **THIS IS A MUST**. In addition, please strictly format your paper according to the template of the journal. Thank you very much.

Best regards,  
Mincong

3 Lampiran • Dipindai dengan Gmail



**Mustakim PRDT** <mustakim@uin-suska.ac.id>  
kepada Mincong

Sen, 15 Mei, 22:46

Dear Editor Journal of System and Management Sciences

Herewith I attached the Revision of my paper,  
Paper Title: The Implementation of Probabilistic Neural Networks to Sentiment Analysis of National Principle and Religion Issues in Indonesia  
Author: Mustakim, Rice Novita

Thanks



Satu lampiran • Dipindai dengan Gmail





Mincong <stang12290@gmail.com>  
kepada saya ▾

Kam, 18 Mei, 23.06 ☆ ↶ ⋮

🌐 Inggris ▾ > Indonesia ▾ [Terjemahkan pesan](#)

[Nonaktifkan untuk: Inggris](#) ×

PLEASE PROVIDE A RESPONSE TO REVIEWERS

Mustakim PRDT <[mustakim@uin-suska.ac.id](mailto:mustakim@uin-suska.ac.id)> 于2023年5月15日周一 11:47写道:



Mustakim PRDT <[mustakim@uin-suska.ac.id](mailto:mustakim@uin-suska.ac.id)>  
kepada Mincong ▾

Jum, 19 Mei, 18.29 ☆ ↶ ⋮

Dear **JSMS** Editor,

The followings are comments given by two reviewers who have reviewed our paper:

**Reviewer 1:**

Reviewer 1 provided input on the context of the research and suggested a deeper discussion in our paper. This feedback was valuable in providing a more in-depth explanation, especially in the results and analysis section. Based on this input, we added a section discussing related scientific works toward the end before the conclusion. Additionally, from the reviewer's evaluation, we recognized the importance of adding a section on the future direction of the research, particularly concerning Neural Network modeling. We acknowledge that without this feedback, we would not have included these aspects in our paper.

**Reviewer 2:**

Reviewer 2 provided numerous insights on the main aspects of the research, particularly in the introduction and methodology sections, which were clear and helpful. In the results and discussion section, we incorporated the weaknesses of our study based on the reviewer's input. The reviewer also provided feedback on the discussion, so we included a section with statistical graphs and explanations. The reviewer stated that all the references were improper, but upon checking with Mendeley reference management, we found no errors except for the use of the APA style instead of IEEE. We have rectified this issue as per the reviewer's suggestion. The reviewer also recommended improving the abstract, which we have now written in a comprehensive manner. We express our gratitude to the reviewer.

Both reviewers from **JSMS** provided significant input for the improvement and enhancement of our research paper, making them valuable assets to **JSMS**. Thank you.



**JSMS ACCEPTANCE 20230520** Eksternal Kotak Masuk x

**Mincong** <tang12290@gmail.com> kepada saya ▾ Rab, 24 Mei, 14.56 ☆ ↶ ⋮

Inggris ▾ > Indonesia ▾ [Terjemahkan pesan](#) Nonaktifkan untuk: Inggris x

Dear Author,  
Please check the acceptance letter and invoice for your paper.  
You are recommended to make a wire to cover the APC. Or you can choose to make a payment through Paypal to the account: [manager@sc-press.com](mailto:manager@sc-press.com), the paypal charge would be 25 USD.  
Thus if you use Paypal, you have to make a payment 655 USD for your paper.  
Once you have done in either way, please send us the slip (confirmation).  
Thank you very much for your cooperation.  
Best regards,  
Mincong Tang

Satu lampiran • Dipindai dengan Gmail ⓘ





Mustakim PRDT <mustakim@uin-suska.ac.id>

Jum, 26 Mei, 14.27

kepada Mincong

Dear Editor JSMS

Here we attach proof of journal payment,

Title: The Implementation of Probabilistic Neural Networks to Sentiment Analysis of National Principle and Religion Issues in Indonesia

Author: Mustakim and Rice Novita


Affiliation: Department of Information System, Universitas Islam Negeri Sultan Syarif Kasim Riau, Indonesia

Email: [mustakim@uin-suska.ac.id](mailto:mustakim@uin-suska.ac.id)

Thanks



Satu lampiran • Dipindai dengan Gmail




Mustakim PRDT <mustakim@uin-suska.ac.id>

Sel, 30 Mei, 09.48

kepada editor, mincong



2 Lampiran • Dipindai dengan Gmail



## Journal of System and Management Sciences

ISSN: 1816-6075

JSMS-2023-05-20

Date: May 24, 2023

### ACCEPTANCE OF MANUSCRIPT

Dear

**Mustakim, Rice Novita**

I am pleased to inform you that based on the referees reports, your paper entitled

**The Implementation of Probabilistic Neural Networks to Sentiment Analysis of National Principle and Religion Issues in Indonesia**

has been accepted for the publication in Journal of System and Management Sciences

The paper will be published in the No.5 issue of 2023.

With best wishes,

Yours sincerely

Mincong Tang (Managing Editor)

## REVIEWER'S REPORT

Manuscript No.

Manuscript Title

The Implementation of Probabilistic Neural Networks to Sentiment Analysis of National Principle and Religion Issues in Indonesia

Authors

Please provide your comments and suggestions considering the following points for publication in Journal.

Is the topic of the article suitable for publication?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Is the article <b>original</b> with <b>new</b> and <b>important</b> results?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Is the title of the article appropriate?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Are the abstract and keywords appropriate?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Is the quality of the illustrations and tables appropriate?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Are the references up-to-date and adequate with journal style?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Is the article well organized and clearly written?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Is the English language satisfactory?	<input checked="" type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Are the conclusions sound and justified?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Did the author confuse the summary with conclusion?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No

What is your overall grading of the manuscript?

At least 3 to consider publication after revision  0  1  2  3  4  5  
(worst) (best)

### COMMENTS:

I have reviewed the manuscript titled "The Implementation of Probabilistic Neural Networks to Sentiment Analysis of National Principle and Religion Issues in Indonesia" and find it to be an interesting and well-written paper that contributes to the literature on sentiment analysis and neural networks.

The authors present a study that employs probabilistic neural networks (PNN) to analyze sentiment related to national principle and religion issues in Indonesia. They provide a comprehensive review of the relevant literature and describe the methodology used to collect and analyze the data. The authors also discuss the findings of their study and the implications of their results.

The study's methodology is robust, and the analysis is thorough. The findings suggest that PNN can be an effective tool for sentiment analysis, particularly for complex issues such as national principle and religion in Indonesia. The authors' approach is innovative, and their findings provide valuable insights into the use of neural networks for sentiment analysis in sociopolitical contexts.

Overall, I believe that this paper makes a valuable contribution to the literature on sentiment analysis and neural networks. The research is well-designed, and the analysis is thorough. The findings have important implications for researchers and practitioners interested in sentiment analysis and neural networks, particularly in sociopolitical contexts.

I have a few minor suggestions for improvement that the authors may wish to consider. Firstly, the authors may consider providing more details on the selection criteria for the articles included in the study. Secondly, the authors could provide more context and discussion on the implications of their findings for sentiment analysis and neural networks, particularly in other sociopolitical contexts. Finally, the authors may wish to consider providing some practical recommendations for researchers and practitioners on how to leverage neural networks for sentiment analysis.

Overall, I recommend this paper for publication in its current form, with the above suggestions for improvement.

**RECOMMENDATION REGARDING THIS MANUSCRIPT:**

√Minor Revisions  Major Revisions  Reject  Another Conference/Journal



## REVIEWER'S REPORT

Manuscript No.

Manuscript Title The Implementation of Probabilistic Neural Networks to Sentiment Analysis of National Principle and Religion Issues in Indonesia

Authors \_\_\_\_\_

Please provide your comments and suggestions considering the following points for publication in Journal.

- |  |   |  |
|--|---|--|
| Is the topic of the article suitable for publication?                        | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No            |
| Is the article <b>original</b> with <b>new</b> and <b>important</b> results? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No            |
| Is the title of the article appropriate?                                     | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No            |
| Are the abstract and keywords appropriate?                                   | <input type="checkbox"/> Yes            | <input checked="" type="checkbox"/> No |
| Is the quality of the illustrations and tables appropriate?                  | <input type="checkbox"/> Yes            | <input checked="" type="checkbox"/> No |
| Are the references up-to-date and adequate with journal style?               | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No            |
| Is the article well organized and clearly written?                           | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No            |
| Is the English language satisfactory?  | <input type="checkbox"/> Yes            | <input checked="" type="checkbox"/> No |
| Are the conclusions sound and justified?                                     | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No            |
| Did the author confuse the summary with conclusion?                          | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No            |

What is your overall grading of the manuscript?

- At least 3 to consider publication after revision  0  1  2  3  4  5  
(worst) (best)

### COMMENTS:

The paper is well written and has some merits to the field. I have some minor comments for you to improve:

1. Abstract is poorly written, I have made changes for you as following: *“Indonesia's diverse population presents critical issues, including political, social, religious freedom, National Principle, and conflict issues. With the widespread use of internet and social media, machine learning technology has become a tool to analyze public opinions about anti-Pancasila, intolerance, khilafah, and radicalism. This study examines the frequency of discussions on these topics on social media and utilizes probabilistic neural networks (PNN) to classify text data. The study conducted several trials with different parameters and employed hold-out and K-fold cross-validation schemes. The results show that the radicalism keyword had the best accuracy of 64.9% on the hold-out with a spread of 0.1 and 20% of testing data, while the keyword khilafah had the best accuracy of 87.9% with a spread of 0.001 and K=6 in the K-fold cross-validation. The study also finds that cross-validation has better accuracy than hold-out to analyze the distribution of data. In 2019, the sentiment analysis revealed that almost 50% of Indonesians show neutral attitudes toward these four critical issues. This study demonstrates the potential of machine learning technology to analyze public opinions on complex sociopolitical issues in Indonesia.”*
2. In the introduction section, you should summarize the gap of research as well. Where do you contribute? you should focus on the findings in the existing literature and then propose your research question(s).
3. Please make sure that sufficient details about the methodology be provided, otherwise people cannot replicate your method.
4. There is no discussion of the results, please add. In addition, What is the limitation of your study?
5. ALL references are wrong, please check carefully.
6. Other comments include:  
Please proofread and correct some of the language errors.  
Please check carefully about the subtitles of each section.

Please include some references from JSMS and JLISS.  
Format your paper according to the template of the journal.

**RECOMMENDATION REGARDING THIS MANUSCRIPT:**

Minor Revisions  Major Revisions  Reject  Another Conference/Journal

# **The Implementation of Probabilistic Neural Networks to Sentiment Analysis of National Principle and Religion Issues in Indonesia**

Mustakim, Rice Novita

Department of Information System, Universitas Islam Negeri Sultan Syarif  
Kasim Riau, Indonesia  
E-mail: mustakim@uin-suska.ac.id (Corresponding Author);  
rice.novita@uin-suska.ac.id

**Abstract.** Indonesia consists of many tribes, nations, and religions throughout the country. This diversity raises critical issues, such as political issues, religious freedom issues, social issues, National Principle issues and conflict issues. Technological developments, especially the internet and social media, have been utilized by many groups to discuss these issues. One of the manifestations of technological developments is machine learning technology. This technology serves as the media and tool to analyze public opinions about anti-Pancasila, intolerance, khilafah (caliphate), and radicalism on social media. This study has discovered that the four topics are respectively discussed 2783, 4939, 53,396, and 25,561 times. The probabilistic neural network (PNN) has several advantages to classify text data. This study conducted several trials, such as parameter spread of 0.001, 0.01, and 0.1. Moreover, this study employed the distribution of hold-out data by dividing training data into 90%, 80%, and 70% and employed one cross-validation scheme with a total of  $K = 10$ . The experiments have obtained that the radicalism keyword has the best accuracy of 64.9% on the hold-out with a spread of 0.1 and 20% of testing data. The cross-validation has discovered that the keyword khilafah has the best accuracy of 87.9% with a spread of 0.001 and  $K=6$ . The experimental results show that to analyze each model's distribution of data, K-fold cross-validation has better accuracy than hold-out does. The sentiment analysis conducted in 2019 has proven that almost 50% of Indonesians show neutral attitudes about these four important issues.

**Keywords:** Hold-Out, K-Fold Cross Validation, Classification, Probabilistic Neural Network, Anti-Pancasila

## 1. Introduction

Indonesia is a unitary state consisting of several aspects of ethnicity, languages, ethnicity, and religions. The diversity of Indonesia is presented in its national symbol and basis, namely the Garuda Pancasila. Diversity, which includes the concept of unity and oneness, has become the main idea of the Guidelines on the Appreciation and Practices of Pancasila (P4) and has long been the main guideline for Indonesians' life. The first principle of the Pancasila states that Indonesia is a country that believes in God. This principle functions as a life guideline and points of view as well as provides freedom of religion to ensure Indonesians' respective beliefs (UUD, 1945).

Freedom of religion has become a trending topic lately. This topic reveals people's understanding of freedom of religion that agrees with Pancasila and the 1945 Constitution. Unfortunately, this understanding becomes a polemic in society resulting in the emergence of several SARA issues. Dividing and compartmentalizing religions have discredited certain sections to create friction in society (Bustamamahmad & Zulfidar, 2021). Such a condition has lasted quite a long time and involved several elements of society, both the lower and upper classes. Religious issues are frequently associated with the rise of issues of anti-Pancasila, terrorism, radicalism, and *khilafah* (caliphate) in Indonesia (Syah, 2017).

In computer science, sentiment is more focused on analyzing people's thoughts; this topic is discussed in a cyberspace article and is known as sentiment analysis (Shaik, 2023). Sentiment analysis is a field of study that analyzes an individual's opinions, sentiments, evaluations, judgments, attitudes, and emotions toward an organization, individual, problem, event, or particular topic (Drus & Khalid, 2019). Several studies have conducted a sentiment analysis. For example, Satriya et al. (2023) state that the sentiment analysis of social media is very interactive and real-time to track the behavior of an individual or group of Indonesians (Satriya, 2023). Another study by Patel et al. (2023) deploys that sentiment analysis has drastically shifted from initially analyzing online product reviews to analyzing online product reviews and social media texts from Twitter and Facebook (Patel et al., 2023). Finally, Chan (2022) conducts a sentiment analysis on social media (Chen et al., 2022).

Computer science is the media to conduct data analytics, of which the process starts by collecting raw data, processing the collected data to produce a conclusion, and concluding several research techniques. One of the techniques is the classification technique, which is a part of data mining science. A classification is a group of supervised learning sections, divides data into training and testing data (Utami & Mustakim, 2021) (Gharavi et al., 2022), has a special class called a target (Gurning et al., 2022), and has a dynamic measure of accuracy (Abbas et al., 2023). Each algorithm in the classification techniques, such as the probabilistic neural network (PNN) algorithm, has several weaknesses and advantages. PNN is a reliable algorithm that applies to sentiment analysis cases (Behera et al., 2016) and has a very high accuracy value (Savchenko & Belova, 2022). PNN is a part of the development of an artificial neural network (ANN), and this algorithm offers more advantages than its predecessor algorithms, namely the neural network perceptron and neural network backpropagation (Jia & Wu, 2022). Some of these algorithms have been implemented in several cases and evaluated, and even compared to the Support Vector Machine (SVM); the advantage of the PNN is the accuracy (L. Xu et al., 2020). The previous studies only employed one type of data-sharing technique, namely hold-out. Meanwhile, data mining consists of three sharing data techniques: hold-out, cross-validation, and

clustering.

To date, there are 63 million Twitter users in Indonesia (Kominfo, 2019). Millions of tweets posted by social media users are tabulated daily into a database. The tabulated data are then analyzed to reveal in-depth critical information. This information is employed for three purposes. The first is to understand and solve national public perceptions. The second is to respond to cases of radicalism, intolerance, *khilafah*, and anti-Pancasila in Indonesia. The third is to map several keywords frequently discussed by applying one of the data mining techniques, namely PNN. Further analysis can examine a relationship and answer the main issues that arise from religion or political keywords.

This current research is expected to provide the widest possible information on Indonesians' perceptions of the general public, government, and intellectuals. These perceptions are divided into three aspects of opinion: positive, negative, and neutral aspects. These aspects could address any issues, which could undermine the Unitary State of the Republic of Indonesia. In addition, the results of this research can countermeasure parties who undermine the authority of the Unitary State of the Republic of Indonesia.

This research's novelty is the application of the classification technique that infers public opinions by comparing several data-sharing techniques. The collected data were then validated by language experts. Finally, this research could conclude the best accuracy of the applied algorithm.

## 2. Related Work

The existence of text mining technology has resulted in non-structural data as the main consideration to conduct data-based research. Text data analysis has become more interesting for data science researchers, especially for those who concern about the sentiment analysis of social media. Public opinion is frequently associated with positive, negative, and neutral issues, especially economic, social, political, and religious issues. Rusydiana (2018) analyzes public opinion about *waqf* in Indonesia and has proven that 66% of the public positively responds to the zakat while 445 of the respondents show negative and neutral responses. The study concludes that the government should support the zakat revival to overcome the economy of Indonesia (Rusydiana, 2018).

Previous studies have widely applied sentiment analysis using several techniques of data mining, such as classification, clustering, and association. For example, Najyah and Haryanti (2021) investigate the sentiment of the Covid-19 cases in Indonesia. They have proven that the use of a probabilistic neural network (PNN) can obtain an accuracy of 89% (Najiyah & Haryanti, 2021). Meanwhile, Ghiassi (2022) examines clustering cases, spam filtering, and text data grouping with feature engineering using the K-Nearest Neighbor (K-NN), spectral algorithms, and DBSCAN algorithms (Ghiassi et al., 2022). The data were analyzed using sentiment analysis.

One of the data mining classification techniques with high accuracy to process training and testing data is the PNN, an algorithm part of the artificial neural network (ANN). PNN offers higher accuracy than another algorithm does. Lin et al. (2022) explain that the variational mode decomposition parameters can be optimized with cuckoo search and PNN; thus, intelligent gearbox errors can be identified. The PNN algorithm can increase the effectiveness of algorithm optimization (Lin et al., 2022).

Furthermore, Alam and Yao (2018) compare PNN, SVM, Naïve Bayes, and MaxE and have proven that PNN has the highest accuracy of 98 % (Alam & Yao, 2018). Therefore, text mining and structural data cases can be selected using algorithms with high accuracy.

Research of the text-based sentiment analysis cases of anti-Pancasila, radicalism, intolerance, and *khilafah* is a continuation of several previous studies by Mustakim et al. (2019), which comparatively investigates the same Islamic objects. Other previous studies classify texts of Tafsir Al- Qur'an Bil Ma'tsur and Bil Ra'yi by applying the K-NN algorithm (Nur et al., 2019), map topics in the Qur'an using classification and association techniques to distinguish and decipher relationships between words in the translation of the Al-Qur'an (Novita et al., 2021), and interpret verses in the Qur'an using a combination of the fuzzy K-NN, improved K-NN, and modified K-NN algorithms (Nur et al., 2021).

### 3. Research Methodology

This research collected data on the basic concepts and theories of data mining, radicalism, intolerance, anti-Pancasila, and *khilafah*. The collected data included constraints, advantages, and disadvantages that will affect the work system in the field. This research employed experimental and descriptive analysis methods. The method of this research is presented in Figure 1.




Fig. 1: Research Methodology

Data were collected by observing Twitter as the main data source. Data were collected from literature studies of journals on computing, data mining, text mining, intolerant cases, and radicalism. Furthermore, data were collected by interviewing big data analytic experts about modeling and analysis results as well as experts in the social, religious, and political fields to gain additional analysis materials. The data were then classified using the probabilistic neural network (PNN) algorithm with an experimental split value of 0.1, 0.001, and 0.0001. The best trial results were continued with analyzing and concluding research results.

### 3.1. Text Preprocessing

Text pre-processing consists of tokenizing, filtering, stemming, tagging, and analyzing (Hickman et al., 2022). Text processing has a term known as the vector space model (VSM), which represents a collection of documents as vectors in a vector space. VSM is a basic technique to obtain information to assess the relevance of documents by searching keywords (queries) on search engines, classifying documents, and grouping documents (Eminagaoglu, 2022). The ranking measure in VSM can rank documents according to their similarity or relevance to the query. The simulation of the similarity size is presented in Figure 2 (D. Xu & Miller, 2022).




Fig. 2: VSM with Two Documents D 1 , and D 2 , and User Query Q 1

The equation for calculating the point distance on VSM is presented in equation 1.

$$\text{Similarity} \left( \vec{d}_j, \vec{q} \right) = \frac{\vec{d}_j \cdot \vec{q}}{\left| \vec{d}_j \right| \cdot \left| \vec{q} \right|} = \frac{\sum_{i=1}^t (W_{ij} \cdot W_{iq})}{\sqrt{\sum_{i=1}^t W_{ij}^2} \cdot \sqrt{\sum_{i=1}^t W_{iq}^2}} \quad (1)$$

### 3.2. Probabilistic Neural Network (PPN)

Probabilistic Neural Network (PNN) is an artificial neural network that has been widely developed and applied for policy-making, clustering, and human interests (Tan et al., 2022). PNN has a fairly high level of classification accuracy and only requires a relatively short training time. PNN offers the best classification accuracy because it has the smoothing parameter (spread) (Alweshah et al., 2022). PNN consists of four layers: input layers, pattern layers, summation layers, and output layers (Chaki et al., 2022).

## 4. Results and Discussion

This study collected the primary data, known as a dataset, using the Python programming language. This study collected data posted on Twitter from January

2014 to December 2020. The initial data from the data crawling process are summarized in Table 4.1. The data were divided into four keywords: anti-Pancasila, intolerance, khilafah, and radicalism. This study collected 2783 data on anti-Pancasila, 4939 data on intolerance, 53,396 data on khilafah, and 25,561 data on radicalism. In total, this study collected 86,679 data before conducting the preprocessing. The next process was preprocessing the data by cleaning the data that still contained layers, noise, and redundancies.

The best modeling of this study was collected based on the best accuracy in each experiment from three spreads, three data divisions based on hold-outs, and 10K based on cross-validation of four keywords on Twitter datasets. Based on the previous experiments and data processing, the results of the algorithm processing are divided into three main parts: comparisons based on the distribution of hold-out data, comparisons of cross-validation data, and comparisons of the best hold-outs with the best cross-validation.

#### 4.1. Hold-Out

The experiment was conducted using the keywords anti-Pancasila, intolerance, khilafah, and radicalism with a spread of 0.001, 0.01, and 0.1, testing data of 10%, 20%, and 30%, and training data of 90%, 80%, and 70%. The details of the experimental results are shown in Table 1.

Table 1: Hold-out Trial Results

No	Spreads	Test Data	Anti-Pancasila		Intolerance		Khilafah		Radical	
			Acc	Misclass	Acc	Misclass	Acc	Misclass	Acc	Misclass
1	0.001	10%	0.435	0.565	0.437	0.563	0.444	0.556	0.470	0.531
2	0.001	20%	0.421	0.579	0.439	0.561	0.447	0.553	0.580	0.420
3	0.001	30%	0.393	0.607	0.453	0.547	0.454	0.546	0.492	0.508
4	0.01	10%	0.435	0.565	0.477	0.523	0.446	0.554	0.541	0.459
5	0.01	20%	0.424	0.576	0.477	0.523	0.449	0.551	0.607	0.393
6	0.01	30%	0.393	0.607	0.479	0.521	0.465	0.535	0.573	0.427
7	0.1	10%	0.454	0.546	0.520	0.480	0.477	0.529	0.626	0.374
8	0.1	20%	0.431	0.569	0.529	0.471	0.467	0.533	0.650	0.350
9	0.1	30%	0.395	0.606	0.519	0.481	0.454	0.546	0.639	0.362

The experimental process was conducted using a spread value of 0.001 and with 10% of testing data Based on the confusion matrix, the accuracy is 43.52% These results are summarized in Figure 3.






Fig. 3: Confusion matrix accuracy Spread 0.001; test data 10%; Anti-Pancasila

This experiment examined all the data distribution and the trial process on the spread to get the best accuracy results. The four experimental results conclude that the best spread of the PNN for dividing hold-out data is 0.1. Meanwhile, the best data testings are 10% and 20%. The details of these results are shown in Figure 4.




Fig. 4: Accumulation of each keyword sentiment analysis using PNN

## 4.2. Cross Validation

The cross-validation with a spread of 0.001 for the data on anti-Pancasila has discovered the value of 4.80 with 10K divisions for each keyword. Meanwhile, the highest accuracy is 83.3% at K=4.




Fig. 5: Accurate Results of Anti-Pancasila Cross Validation with a Spread of 0.001

This process constitutes the modeling conducted in this study. Each model is visualized equally. Other keywords excluding intolerance, radicalism, and khilafah were analyzed using cross-validation.




Fig. 6: Comparison results of the best accuracy of PNN with Cross Validation

The results of comparing the entire cross-validation are shown in Figure 6. Meanwhile, the conclusions of 12 previous processes are presented in Table 2.

Table 2: The Best Cross Validation Accuracy Details for each Keyword

No	Keyword	Spreads	K	Accuracy	Misclass
1	Anti-Pancasila	0.1	6	0.854	0.477
2	Intolerance	0.001	10	0.857	0.498
3	Khilafah	0.001	6	0.879	0.392
4	Radical	0.001	7	0.825	0.421

### 4.3. Best Modeling

This study employed two data-sharing models: hold-out and cross-Validation, with spreads of 0.001, 0.01, and 0.1 on PNN. The result shows that the best accuracy

comparison is cumulative, as presented in Figure 7.




Fig. 7: Results of Final Comparison of the best accuracy of PNN Hold Out and Cross-Validation

#### 4.4. Sentiment Analysis

This study conducted a sentiment analysis on the keywords anti-Pancasila, intolerance, khilafah, and radicalism. The data were collected from Twitter users in Indonesia in 2019. The results of the sentiment analysis were shown in Figure 8.




Fig. 8: Final of Sentiment Analysis

This study conducted a sentiment analysis on the keywords anti-Pancasila, intolerance, khilafah, and radicalism. The data were collected from Twitter users in Indonesia in 2019. The results of the sentiment analysis were shown in Figure 8.

### 5. Conclusions

This study has discovered 2783 data on anti-Pancasila, 4939 data on intolerance, 53,396 data on khilafah, and 25,561 data on radicalism. These data were collected from social media. The probabilistic neural network (PNN) has several advantages to classify text data. This study processed several trials. First, parameter spreads are 0.001, 0.01, and 0.1. Second, hold-out data were distributed by dividing training data and discovered 90%, 80%, and 70%. Third, one cross-validation scheme has a total of  $K = 10$ . The experiments have obtained that keyword radicalism has the best accuracy

of 64.9% on the hold-out with a spread of 0.1 and testing data of 20%. Meanwhile, the cross-validation has revealed that the keyword khilafah has the best accuracy of 87.9% with a spread of 0.001 and K=6. The experimental results show that the distribution of data by K-fold cross-validation in each model has better accuracy than hold-out does. Finally, the sentiment analysis collected in 2019 has revealed that 32% of Indonesians show a negative sentiment value, 21% of Indonesians show a positive sentiment value, and 46% of Indonesians show a neutral sentiment value.

## References

Abbas, K. A., Gharavi, A., Hindi, N. A., Hassan, M., Alhosin, H. Y., Gholinezhad, J., Ghoochaninejad, H., Barati, H., Buick, J., & Yousefi, P. (2023). Unsupervised machine learning technique for classifying production zones in unconventional reservoirs. *International Journal of Intelligent Networks*, 4, 29–37. <https://doi.org/https://doi.org/10.1016/j.ijin.2022.11.007>

Alam, S., & Yao, N. (2018). Probabilistic neural network and word embedding for sentiment analysis. *International Journal of Advanced Computer Science and Applications*, 9(7).

Alweshah, M., Rababa, L., Ryalat, M. H., Al Momani, A., & Ababneh, M. F. (2022). African buffalo algorithm: Training the probabilistic neural network to solve classification problems. *Journal of King Saud University-Computer and Information Sciences*, 34(5), 1808–1818. <https://doi.org/10.1016/j.jksuci.2020.07.004>

Behera, S., Tripathy, M., & Satapathy, J. K. (2016). A novel approach for voltage secure operation using Probabilistic Neural Network in transmission network. *Journal of Electrical Systems and Information Technology*, 3(1), 141–150. <https://doi.org/10.1016/j.jesit.2015.03.016>

Bustamam-ahmad, K., & Zulfidar, F. (2021). *Memahami Kembali Konsep Khil ā fah*. 14, 1–16.

Chaki, S., Routray, A., & Mohanty, W. K. (2022). A probabilistic neural network (PNN) based framework for lithology classification using seismic attributes. *Journal of Applied Geophysics*, 199, 104578. <https://doi.org/10.1016/j.jappgeo.2022.104578>

Chen, J., Song, N., Su, Y., Zhao, S., & Zhang, Y. (2022). Learning user sentiment orientation in social networks for sentiment analysis. *Information Sciences*, 616, 526–538.

Drus, Z., & Khalid, H. (2019). Sentiment analysis in social media and its application: Systematic literature review. *Procedia Computer Science*, 161, 707–714. <https://doi.org/10.1016/j.procs.2019.11.174>

Eminagaoglu, M. (2022). A new similarity measure for vector space models in text classification and information retrieval. *Journal of Information Science*, 48(4), 463–476. <https://doi.org/10.1177/0165551520968055>

Gharavi, A., Hassan, M., Gholinezhad, J., Ghoochaninejad, H., Barati, H., Buick, J., & Abbas, K. A. (2022). Application of machine learning techniques for identifying productive zones in unconventional reservoir. *International Journal of Intelligent Networks*, 3, 87–101.

Ghiassi, M., Lee, S., & Gaikwad, S. R. (2022). Sentiment analysis and spam filtering using the YAC2 clustering algorithm with transferability. *Computers & Industrial Engineering*, 165, 107959. <https://doi.org/https://doi.org/10.1016/j.cie.2022.107959>

Gurning, U. R., Mustakim, Rizaldi, S. T., & Syukron, H. (2022). Comparison of Naïve Bayes, C4.5 and K-Nearest Neighbor for Covid-19 Data Classification. *2022 International Symposium on Information Technology and Digital Innovation (ISITDI)*, 16–21.

Hickman, L., Thapa, S., Tay, L., Cao, M., & Srinivasan, P. (2022). Text preprocessing for text mining in organizational research: Review and recommendations. *Organizational Research Methods*, 25(1), 114–146. <https://doi.org/10.1177/109442812097>

Jia, D.-W., & Wu, Z.-Y. (2022). Structural probabilistic seismic risk analysis and damage prediction based on artificial neural network. *Structures*, 41, 982–996. <https://doi.org/https://doi.org/10.1016/j.istruc.2022.05.056>

Kominfo. (2019). *Kominfo: Pengguna Internet di Indonesia 63 Juta Orang*. [https://www.kominfo.go.id/content/detail/3415/kominfo-pengguna-internet-di-indonesia-63-juta-orang/0/berita\\_satker](https://www.kominfo.go.id/content/detail/3415/kominfo-pengguna-internet-di-indonesia-63-juta-orang/0/berita_satker)

Lin, Y., Xiao, M., Liu, H., Li, Z., Zhou, S., Xu, X., & Wang, D. (2022). Gear fault diagnosis based on CS-improved variational mode decomposition and probabilistic neural network. *Measurement*, 192, 110913. <https://doi.org/https://doi.org/10.1016/j.measurement.2022.110913>

Najiyah, I., & Haryanti, I. (2021). *SENTIMEN ANALISIS COVID-19 DENGAN METODE*. 3(1), 100–111.

Novita, R., Mustakim, M., & Salisah, F. N. (2021). Determination of the relationship pattern of association topic on Al-Qur'an using FP-Growth Algorithms. *IOP Conference Series: Materials Science and Engineering*, 1088(1), 12020.

Nur, A., Mustakim, Syarifandi, S., & Amin, S. (2019). Implementation of text mining classification as a model in the conclusion of Tafsir Bil Ma'tsur and Bil Ra'yi contents. *International Journal of Engineering and Advanced Technology*, 9(1), 2789–2795. <https://doi.org/10.35940/ijeat.A9780.109119>

Nur, A., Yasir, M., & Fatni, Z. (2021). *The Comparison of Nearest Neighbor Algorithm as Modeling in Conclusion of Interpretation of Bil Ma ' tsur and Bil Ra ' yi*. 101–105. <https://doi.org/10.1109/IC2IE53219.2021.9649246>

Patel, A., Oza, P., & Agrawal, S. (2023). Sentiment Analysis of Customer Feedback and Reviews for Airline Services using Language Representation Model. *Procedia Computer Science*, 218, 2459–2467. <https://doi.org/10.1016/j.procs.2023.01.221>

Rusydiana, A. S. (2018). Sentiment analysis of Islamic waqf: Evidence in Indonesia. *Maqdis: Jurnal Kajian Ekonomi Islam*, 3(2), 123–134. <https://doi.org/10.15548/maqdis.v3i2.184>

Satrya, W. F. (2023). Sentiment analysis of Indonesian police chief using multi-level ensemble model ensemble model. *Procedia Computer Science*, 216(2022), 620–629. <https://doi.org/10.1016/j.procs.2022.12.177>

Savchenko, A. V, & Belova, N. S. (2022). Sequential analysis in Fourier probabilistic neural networks. *Expert Systems with Applications*, 207, 117885. <https://doi.org/https://doi.org/10.1016/j.eswa.2022.117885>

Shaik, T. (2023). Sentiment Analysis and Opinion Mining: A Survey. *International Journal of Computer Applications*, 150(6), 22–25. <https://doi.org/10.5120/ijca2016911545>

Syah, I. A. (2017). Pergeseran Dari Sistem Khilafah Ke Nation State Dunia Islam. *UIR Law Review*, 1(2), 201–212. <https://doi.org/10.25299/uirlrev.2017.1.02.752>

Tan, Q., Mu, X., Fu, M., Yuan, H., Sun, J., Liang, G., & Sun, L. (2022). A new sensor fault diagnosis method for gas leakage monitoring based on the naive Bayes and probabilistic neural network classifier. *Measurement*, 194, 111037. <https://doi.org/10.1016/j.measurement.2022.111037>

Utami, N., & Mustakim. (2021). Data Distribution Modelling in Supervised Learning Algorithm is for the classification of Prospective Recipient Candidate. *2021 4th International Seminar on Research of Information Technology and Intelligent Systems, ISRITI 2021*, 593–597. <https://doi.org/10.1109/ISRITI54043.2021.9702783>

UUD. (1945). *Undang-undang Dasar Negara Republik Indonesia 1945*. 105(3), 129–133. <https://webcache.googleusercontent.com/search?q=cache:BDsuQOHOci4J:https://media.neliti.com/media/publications/9138-ID-perlindungan-hukum-terhadap-anak-dari-konten-berbahaya-dalam-media-cetak-dan-ele.pdf+&cd=3&hl=id&ct=clnk&gl=id>

Xu, D., & Miller, T. (2022). A simple neural vector space model for medical concept normalization using concept embeddings. *Journal of Biomedical Informatics*, 130, 104080. <https://doi.org/10.1016/j.jbi.2022.104080>

Xu, L., Wang, X., Bai, L., Xiao, J., Liu, Q., Chen, E., Jiang, X., & Luo, B. (2020). Probabilistic SVM classifier ensemble selection based on GMDH-type neural network. *Pattern Recognition*, 106, 107373. <https://doi.org/https://doi.org/10.1016/j.patcog.2020.107373>