



DURATION DIABETES SURVIVAL TIMES MODELLING USING SOME EXTENDED LOMAX DISTRIBUTION

TUGAS AKHIR

Disusun Sebagai Salah Satu Syarat untuk Memperoleh Gelar Sarjana Sains
Pada Program Studi Matematika Fakultas Sains dan Teknologi



UIN SUSKA RIAU

Oleh:

Fajar Fadhilah Mondri
12050413493

PROGRAM STUDI MATEMATIKA

FAKULTAS SAINS DAN TEKNOLOGI

UNIVERSITAS ISLAM NEGERI SULTAN SYARIF KASIM RIAU

PEKANBARU

2024

Hak Cipta Dilindungi Undang-Undang

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:

a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suatu masalah.

b. Pengutipan tidak merugikan kepentingan yang wajar UIN Suska Riau.

2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin UIN Suska Riau.

Hak cipta milik UIN Suska Riau

State Islamic University of Sultan Syarif Kasim Riau



LEMBAR PERSETUJUAN

***DURATION DIABETES SURVIVAL TIMES MODELLING USING
SOME EXTENDED LOMAX DISTRIBUTION***

TUGAS AKHIR

Oleh:

FAJAR FADHILAH MONDRI
12050413493

Telah diperiksa dan disetujui sebagai laporan Tugas Akhir
di Pekanbaru, pada tanggal 11 Desember 2024

Ketua Program Studi

Wartono, M.Sc.
NIP. 19730818 200604 1 003

Pembimbing

Dr. Rado Yendra, M.Sc.
NIP. 19751115200801 1 010

- Hak Cipta Dndungi Undang-Undang
1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 - a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suatu masalah.
 - b. Pengutipan tidak merugikan kepentingan yang wajar UIN Suska Riau.
 2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin UIN Suska Riau.



LEMBAR PENGESAHAN

***DURATION DIABETES SURVIVAL TIMES MODELLING USING
SOME EXTENDED LOMAX DISTRIBUTION***

TUGAS AKHIR

Oleh:

FAJAR FADHILAH MONDRI
12050413493

Telah dipertahankan di depan sidang dewan penguji sebagai salah satu syarat untuk memperoleh gelar Sarjana Sains Fakultas Sains dan Teknologi Universitas Islam Negeri Sultan Syarif Kasim Riau di Pekanbaru, pada tanggal 11 Desember 2024

Pekanbaru, 11 Desember 2024
Mengesahkan

Ketua Program Studi

Wartono, M.Sc.
NIP. 19730818 200604 1 003

Dr. Hartono, M.Pd.
NIP. 19640301 199203 1 003

DEWAN PENGUJI

- Ketua** : Nilwan Andiraja, M.Sc.
- Sekretaris** : Dr. Rado Yendra, M.Sc.
- Anggota I** : Ari Pani Desvina, M.Sc.
- Anggota II** : Rahmadeni, M.Si.

Hak Cipta Dilindungi Undang-Undang
1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, dan penyusunan laporan, penulisan kritik atau tinjauan suatu masalah.
b. Pengutipan tidak merugikan kepentingan yang wajar UIN Suska Riau.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin UIN Suska Riau.



1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suatu masalah.
 b. Pengutipan tidak merugikan kepentingan yang wajar UIN Suska Riau.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin UIN Suska Riau.

Lampiran Surat :
 Nomor : Nomor 25/2021
 Tanggal : 10 September 2021

SURAT PERNYATAAN

Saya Yang bertanda tangan dibawah ini :

Nama : Fajar Fadhilah Mondri
 NIM : 12050413493
 Tempat/Tgl.Lahir : Payakumbuh, 01 Maret 2001
 Fakultas/Pascasarjana : Sains Dan Teknologi
 Prodi : Matematika

Judul Jurnal :

Duration Diabetes Survival Times Modelling Using Some Extended Lomax Distribution

Menyatakan dengan sebenar-benarnya bahwa :

1. Penulisan Jurnal dengan judul sebagaimana di atas adalah hasil pemikiran dan penelitian saya sendiri.
2. Semua kutipan pada karya tulis saya ini sudah disebutkan sumbernya.
3. Oleh karena Jurnal saya ini, saya nyatakan bebas dari plagiat.
4. Apa bila dikemudian hari terbukti terdapat plagiat dalam penulisan Jurnal saya tersebut, maka saya bersedia menerima sanksi sesuai peraturan perundang-undangan.

Demikianlah surat pernyataan ini saya buat dengan penuh kesadaran dan tanpa paksaan dari pihak manapun juga

Pekanbaru, 23 Desember 2024
 Yang membuat pernyataan



Fajar Fadhilah Mondri
 NIM : 12050413493

**pilih salah satu sesuai jenis karya tulis*



Article Accepted for Publication (Manuscript ID :ETJV09110-36)

Eksternal Kotak Masuk x

7 dari 452

Min, 3 Nov, 13.43 (2 hari yang lalu)

ETJ JOURNAL <journaletj@gmail.com>

Dear Author: **Fajar Fadhilah Mondri**

We are pleased to inform you that your article **"Duration Diabetes Survival Times Modelling Using Some Extended Lomax Distribution"** has been accepted for publication in the current issue of the journal of ETJ. Pay ASAP article processing fee **(30 USD)** by following the link below.

Payment Link :- <http://everant.org/index.php/etj/mod>

After receiving the copyright form and publication fee, we will publish your article within 24 working hours.

Please check all the corresponding author details and article title, We will not make any changes after the publication of the article because we index your article in many indexing services.

Best Regards
Journal Manager
Engineering and Technology Journal
Everant Journals
<http://everant.org/index.php/etj>

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 - a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suatu masalah.
 - b. Pengutipan tidak merugikan kepentingan yang wajar UIN Suska Riau.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin UIN Suska Riau.

Duration Diabetes Survival Times Modelling Using Some Extended Lomax Distribution

Fajar Fadhilah Mondri¹, Rado Yendra², Ari Pani Desvina³, Rahmadeni⁴, Muhammad Marizal⁵

^{1,2,3,4,5} Universitas Islam Negeri Sultan Syarif Kasim Riau

ABSTRACT: The precise modeling of survival time in diabetes is essential for accurately estimating the potential lifespan of individuals diagnosed with diabetes. One of the key factors in assessing the potential survival times of diabetes patients in a specific region is the probability distribution of diabetes survival times. Therefore, data on diabetes survival times are necessary to conduct statistical modeling, particularly in determining the most suitable probability distribution. Statistical models are developed to draw conclusions about the probability distribution of diabetic patients at the Mandau Regional General Hospital (RSUD) in Bengkalis Regency, Riau Province. To achieve this, six distributions will be utilized and evaluated to identify the best model for describing diabetes survival times. The primary objective of this research is to identify the most appropriate distribution to represent the survival times of diabetes patients from 50 individuals in the Bengkalis region, using the Lomax (LM) distribution, three parameters modified Lomax distributions (Rayleigh Lomax (RL), Logistics Lomax (LL), New Rayleigh Lomax (NRL)) and four parameters modified Lomax Distribution (Odd Lomax Log Logistics (OL), Novel Extended Power Lomax (PL)). The maximum likelihood method will be employed to estimate the parameter values of the distributions used in this study. Additionally, graphical assessments (density-density plot) and numerical criteria (Akaike's Information Criterion (AIC), -log likelihood (-l)) will be utilized to determine the best-fitting model. In most instances, the results obtained from graphical assessments were consistent but differed from the numerical criteria. The model with the lowest values of AIC and -l was selected as the best fit. Overall, the RL and OL distributions were identified as the most suitable model.

KEYWORDS: Lomax, Rayleigh Lomax, Logistics Lomax, New Rayleigh Lomax, Odd Lomax Log Logistics, Novel Extended Power Lomax, diabetes survival times

INTRODUCTION

The COVID-19 pandemic has indirectly increased death rates due to a rise in diabetes patients. Some reasons for this increase include heightened stress from being confined at home, frequent consumption of fast food, and lack of exercise. Diabetes is a significant public health issue in Indonesia and globally. According to the International Diabetes Federation, 463 million people worldwide have diabetes, with the prevalence expected to reach 9.3% by 2020, representing a 45% increase to 629 million patients annually by 2045. Indonesia has one of the highest rates of diabetes, with 6.2% of the population affected [2]. This equates to over 10.8 million individuals in 2020, projected to increase to 16.7 million by 2045 [1]. The Minister of Health of Indonesia reported that diabetes affects the most people in the province of Riau, with a 358.3% increase [3], while in Bengkalis, diabetes affected 10.57% of the population in 2019 [4]. Understanding the survival times of diabetic patients is crucial for estimating the risk of death from diabetes. Survival time studies can be conducted using statistical techniques to develop a model that accurately represents survival patterns. Various studies have aimed to determine the optimal probability model for diabetic survival time data.

Alka and Gurpit [5] utilized the Weibull distribution to estimate the onset time of nephropathy in type 2 diabetic patients. Gurpit et al. discussed survival function estimates of diabetic nephropathic patients using distributions such as exponential, gamma, Weibull, log-normal, inverse Gaussian, and Rayleigh. Their research concluded that the gamma distribution is the most effective method for predicting the survival function of diabetic nephropathic patients. Previous research has been conducted to determine the best probability model for data on the survival time of diabetic patients. Ummu et al. [6] estimated the duration of diabetes survival time using the Weibull, Gamma, and Log-Normal distributions. The results showed that the Weibull model was the best in approaching the given observational data. This was also supported by numerical models such as AIC and BIC, which provided the smallest values for the two numerical methods compared to other probability models. Furthermore, Manda Lisa Usvita et al. [7] compared three types of distributions, namely Exponential (E), Weibull (W), and Rayleigh-Lomax (RL), applied to survival times of diabetes patients. The Method of Moments was used to obtain the estimated parameters. Based on the smallest Akaike's Information Criterion (AIC) and Bayesian Information

Criterion (BIC) values, and graphical inspection (probability density function (pdf)) of survival times of diabetes patients, the study has shown that RL is the best-fit distribution in modeling survival times for diabetes patients in the Mandau RSUD, Bengkalis Regency, Riau Province. Sutriana et al[8] using lindley (LIN) distribution, three modified lindley distributions such as weighted Lindley exponential (WLE), Power Modified Lindley (PML), Lindley half-Cauchy (LHC) and Rayleigh Lomax distribution (RL). The best fit result was chosen as the distribution with the lowest values of AIC, BIC and $-l$. In general, the Rayleigh Lomax (RL) distribution has been selected as the best model. Gurpit et al. [9] discussed the estimation of the survival function in diabetic nephropathy patients with exponential, gamma, Weibull, log-normal, inverse Gaussian, and Rayleigh distributions, where the gamma distribution was discovered as the best. Marvasti et al. [10] compared the Cox and the parametric models to analyze the effective time factor of occurrence in patients with type 2 nephropathy using the log-normal distribution. The results showed that the log-normal distribution was suitable for this case. Based on this description, the distributions that are commonly used in survival analysis for diabetic patient data with parametric models are Weibull, exponential, gamma, Rayleigh, and log-normal distributions. Fatima et al. [11] conducted research related to the introduction of developing a new distribution, the Rayleigh-Lomax distribution, and applied this distribution to the survival data. The data used included information on aircraft windshield damage, glass fiber resistance, and carbon fiber tension. Their research indicates that the Rayleigh-Lomax distribution is appropriate for survival data analysis. Selecting the most suitable distribution is a key focus in studying survival times. Therefore, this study

aims to identify the best-fitting distribution for the survival times of diabetic patients based on various goodness-of-fit criteria. A preliminary investigation was conducted on the survival times of diabetes in 50 patients from the Bengkalis region. The goal is to propose six distributions: Lomax (LM) distribution[12], three-parameter modified Lomax distributions (Rayleigh Lomax (RL)[11], Logistics Lomax (LL)[13], New Rayleigh Lomax (NRL)[14]), and four-parameter modified Lomax distributions (Odd Lomax Log Logistics (OL)[16], Novel Extended Power Lomax (PL)[17]) to model the duration of diabetes survival time data in Bengkalis. The proposed distributions are compared with existing distribution functions to assess their suitability in describing diabetes characteristics. Unknown parameter estimates were calculated using the Maximum Likelihood Method. Graphical methods such as pdf plots, as well as numerical criteria like AIC and $-l$, were employed to determine the distribution that best fits the diabetes data. The next section includes the distributions selected for modeling the duration of diabetes survival time data.

MATERIALS

For this study, an independent sample of 50 diabetes patients was observed at Mandau Regional General Hospital (RSUD), Bengkalis Regency, Riau Province. The following table provides initial information on the survival times of diabetes patients. Descriptive statistics for the duration of diabetes, including mean, variance, minimum, and maximum values, are presented in Table 1. The consistency between the variations in data and the means suggests that the duration of diabetes survival times is relatively stable. The data and histogram of diabetes survival times are illustrated in Figure 1.

Table 1: The descriptive statistics for duration of diabetes (years)

| Statistics | Mean | Variation | Minimum | Maximum |
|------------|-------|-----------|---------|---------|
| | 3.936 | 4.828882 | 0.300 | 9.300 |




Figure 1. The plot and histogram of the duration of diabetes data, respectively.

METHODS

3.1 Probability Density Function (PDF)

In this study, six probability density functions (PDFs) associated with modeling duration of diabetes, LM, RL, LL, NRL, OE and PL are considered. The equations defining the PDFs for various candidate distributions of interest are provided below. Each distribution considered is listed in Table 2, where x (duration of diabetes) represents the observed values of the random variable for the event of interest. To fit a specific theoretical distribution to the observed distribution of duration of diabetes, parameters are estimated using the maximum likelihood method. The

maximum likelihood function for this model is implicit and complex, and detailed discussion is beyond the scope of this paper. The nonlinear equation generated by the maximum log-likelihood function ($l(\Omega)$, where Ω represents parameters) necessitates a numerical method, specifically the Newton-Raphson method, to obtain the solution. This method is employed iteratively to find the solution. Various initial values have been tested, and if they converge to the same value, it is considered the estimated parameter. The procedure for goodness-of-fit tests for model selection, both numerically and graphically, is also discussed.

Table 2: Presents the Probability Density Function (PDF) of various distributions.

| Distribution | Pdf (x) |
|--------------|---|
| LM | $f(x; \beta, \lambda) = \lambda\beta(1 + \beta x)^{-(\lambda+1)}, x > 0, \beta > 0, \lambda > 0$ |
| RL | $f(x; \beta, \lambda, \theta) = \frac{\beta\lambda}{\theta} \left(\frac{\theta}{\theta + x}\right)^{-2\lambda+1} \exp\left(-\frac{\beta}{2} \left(\frac{\theta}{\theta + x}\right)^{-2\lambda}\right), x \geq -x, \beta > 0, \lambda > 0, \theta > 0$ |
| LL | $f(x; \beta, \lambda, \alpha) = \frac{\lambda\beta\alpha(\beta x + 1)^{\lambda-1}((\beta x + 1)^\lambda - 1)^{\alpha-1}}{(1 + ((\beta x + 1)^\lambda - 1)^\alpha)^2}, x > 0, \beta > 0, \lambda > 0, \alpha > 0$ |
| NRL | $f(x; \theta, \lambda, \sigma) = \frac{\theta x}{\lambda\sigma^2} \left(1 + \frac{x^2}{2\lambda\sigma^2}\right)^{-(\theta+1)}, x > 0, \theta > 0, \lambda > 0, \sigma > 0$ |
| OL | $f(x; a, b, c, d) = \frac{\frac{a}{b} \frac{c}{d} \left(\frac{x}{b}\right)^{a-1}}{\left(1 + \frac{1}{d} \left(\frac{x}{b}\right)^a\right)^{(c+1)}, x, a, b, c, d > 0$ |
| PL | $f(x; \alpha, \gamma, \beta, \lambda) = \frac{\log \alpha}{\alpha - 1} \gamma \beta \lambda^\gamma x^{\beta-1} (\lambda + x^\beta)^{-\gamma-1} \alpha^{1-\lambda^\gamma (\lambda + x^\beta)^{-\gamma}}, x, \alpha, \gamma, \beta, \lambda > 0$ |

3.2 Maximum Likelihood Estimate (MLE) and Goodness of Fit Tests (GOF)

Let (x_1, x_2, \dots, x_n) be a random sample from LM, RL, LL, NRL, OE and PL distributions. The log-likelihood ($l(\Omega)$) is presented in Table 3. The maximum likelihood estimate (MLE) is the solution of the equation and thus the solution of the following nonlinear equation. The most appropriate distribution is identified using results based on several goodness-of-fit (GOF) tests. The GOF tests considered are

based on graphical inspection (PDF plot), and numerical criteria such as Akaike’s Information Criterion (AIC) and – log likelihood ($-l$) were applied to determine the GOF criteria of the distributions. In most cases, graphical inspection gave the same result, but their AIC results differed. The best fit result was chosen as the distribution with the lowest values of AIC. The formula of numerical methods such as AIC is shown in Table 4.

Table 3: The Log Likelihood of Various Distributions

| Distribution | $l(x)$ (Log-Likelihood function) |
|--------------|--|
| LM | $l(x; \lambda, \beta) = n \log(\lambda) + n \log(\beta) - (\lambda + 1) \sum_{i=1}^n \log(1 + \beta x_i)$ |
| RL | $l(x; \lambda, \beta, \theta) = n \log(\lambda) + n \log(\beta) - n \log(\theta) - (2\lambda - 1) \sum_{i=1}^n \log\left(\frac{\theta}{\theta + x_i}\right) - \left(\frac{\beta}{2} \left(\frac{\theta}{\theta + x_i}\right)^{-2\lambda}\right)$ |
| LL | $l(x; \lambda, \beta, \alpha) = n \log(\lambda) + n \log(\beta) + n \log(\alpha) + (\lambda - 1) \sum_{i=1}^n \log(\beta x_i + 1) + (\alpha - 1) \sum_{i=1}^n \log((\beta x_i + 1)^\lambda - 1) - 2 \sum_{i=1}^n \log(1 + ((\beta x_i + 1)^\lambda - 1)^\alpha)$ |
| NRL | $l(x; \theta, \lambda, \sigma) = n \log(\theta) - n \log(\lambda) - 2n \log(\sigma) - (\theta + 1) \sum_{i=1}^n \log\left(1 + \frac{x_i^2}{2\lambda\sigma^2}\right)$ |



| | |
|----|--|
| OL | $l(x; a, b, c, d) = n(\log(a) - \log(b) + \log(c) - \log(d)) + (a - 1) \sum_{i=1}^n \log\left(\frac{x_i}{b}\right) - (c + 1) \sum_{i=1}^n \log\left(1 + \frac{1}{d}\left(\frac{x_i}{b}\right)^a\right)$ |
| PL | $l(x; \alpha, \gamma, \beta, \lambda) = n \log(\log(\alpha)) - n \log(\alpha - 1) + n \log(\gamma + \beta) + n\gamma \log(\lambda) + (\beta - 1) \sum_{i=1}^n \log(x_i) + (-\gamma - 1) \sum_{i=1}^n \log(\lambda + x_i^\beta) + \log(\alpha) \sum_{i=1}^n \log(1 - \lambda^\gamma (\lambda + x_i^\beta)^{-\gamma})$ |

Table 4: presents the formulas of numerical criteria for model evaluation.

| Numerical Criteria | Formula |
|--------------------|----------------------------|
| AIC | $-2l + 2p$ |
| $-l$ | $-\log \text{ likelihood}$ |

$l = \log \text{ likelihood}$, $p = \text{Number of parameters}$

RESULTS AND DISCUSSION

In this section, we analyze a dataset of diabetes survival times to demonstrate the performance of LM, RL, LL, NRL, OL, and PL distributions in practice. The fitting of these

distributions was assessed using the data. The computed parameter values of various probability density functions are presented in Table 3.

Table 3: Computed parameter values of different probability density functions

| | LM | RL | LL | NRL | OL | PL |
|-----------|----------|--------|--------|---------|----------|---------|
| λ | 1227.722 | | | | | |
| β | 0.0002 | | | | | |
| θ | | 0.0503 | | | | |
| λ | | 0.973 | | | | |
| β | | 0.0003 | | | | |
| λ | | | 15.353 | | | |
| β | | | 0.0130 | | | |
| α | | | 1.904 | | | |
| θ | | | | 89.055 | | |
| λ | | | | 0.0019 | | |
| σ | | | | 674.650 | | |
| a | | | | | 1.855 | |
| b | | | | | 2.334 | |
| c | | | | | 23309.71 | |
| d | | | | | 76375.69 | |
| α | | | | | | 1.00011 |
| γ | | | | | | 43.043 |
| β | | | | | | 1.7160 |
| λ | | | | | | 491.022 |

On the graphical presentation of the modeling of the duration of diabetes survival time data, in other words, on the duration of diabetes survival time histogram, the density function curves for LM, RL, LL, NRL, OL, and PL distribution models are seen in Figures 2, 3, and 4 respectively. When the density functions (pdf) are examined, it was determined that some distributions yield similar results. From these figures, the RL and OL distribution models are able to provide good results for the duration of diabetes survival time data. However, instead of graphical evaluation, Table 4 provides a more

meaningful comparison using AIC, and $-l$ values. Table 4 includes AIC, and $-l$ values test statistics for the goodness of fit test for the fitness of the duration of diabetes survival time data based on Maximum Likelihood Estimators for LM, RL, LL, NRL, OL and PL distributions. According to these results, although similar results are obtained for all six distributions, the lowest AIC, and $-l$ values are obtained for the RL and OL distribution. In conclusion, it is seen that the RL and OL distribution provides better modeling in terms of numerical criteria.






Figure 2. Fitted probability density functions (pdf) for LM and RL distributions, respectively.





Figure 3. Fitted probability density function (PDF) for LL and NRL distributions, respectively.





Figure 4. Fitted probability density function (pdf) of OL and PL distributions, respectively.

Table 4. AIC and – Log Likelihood (l) function values

| | LM | RL | LL | NRL | OL | PL |
|------|----------|-----------------|---------|---------|----------------|---------|
| -log | 118.5225 | 107.3208 | 109.365 | 107.522 | 107.286 | 107.802 |
| AIC | 241.045 | 220.6416 | 224.73 | 221.044 | 222.572 | 223.604 |

2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin UIN Suska Riau.

a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suatu masalah.

b. Pengutipan tidak merugikan kepentingan yang wajar UIN Suska Riau.

Hak Cipta Dilindungi Undang-Undang

State Islamic University of Sultan Saifur Kasim Riau

UIN Suska Riau

Diizinkan mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber.

Diizinkan mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber.

Diizinkan mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber.

Diizinkan mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber.

Diizinkan mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber.

Diizinkan mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber.

Diizinkan mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber.

Diizinkan mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber.

Diizinkan mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber.

Diizinkan mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber.

Diizinkan mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber.

Diizinkan mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber.

Diizinkan mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber.

Diizinkan mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber.



CONCLUSION

In this research, the focus is on determining the best statistical model for the duration of diabetes survival time data. The study considers six distributions: Two-Parameter Lomax Distribution (LM), Three-Parameter Rayleigh Lomax Distribution (RL), Three-Parameter Logistics Lomax Distribution (LL), Three-Parameter New Rayleigh Lomax Distribution (NRL), Four-Parameter Odd Lomax Log Logistics Distribution (OL), and Four-Parameter Novel Extended Power Lomax Distribution (PL). It is shown that conventional probability density functions (PDFs), such as LM, are inadequate; hence, extended functions are used to model the observed duration survival distributions more effectively. Results clearly show that the proposed extended PDFs, RL and OL, provide a viable alternative to other PDFs in describing the duration of diabetes survival time.

REFERENCES

1. E. Pranita, *Naik 6,2 persen selama pandemi pasien diabetes Indonesia peringkat 7 dunia*, 5 November 2020, <https://www.kompas.com/sains/read/2020/11/05/100200923>.
2. International Diabetes Federation, *International Diabetes Federation 9th ed.*, Brussels, (2019).
3. V. Lusiana, *Menkes sebut diabetes paling banyak “serang” warga Riau ini sebabnya*, 25 Maret 2019, <https://riau.antaranews.com/berita/112025>, accessed 8 juni 2019.
4. Juli, *Kencing Manis dan Hipertensi Masuk 10 Pola Penyakit Utama di Bengkalis*, 3 November 2019, <http://infopublik.id/kategori/nusantara/384135>, accessed 11 januari 2020.
5. S. Alka dan G. Gurprit, *A parametric approach to estimate survival time of diabetic nephropathy with left truncated and right censored data*, *International Journal of Statistics and Probability*, 1 (2012), 128-137.
6. Ummu Athifah, Rado Yendra, Muhammad Marizal, and Rahmadeni, *Survival Time Data Modeling for Diabetics During the Covid 19 Pandemic Using Several Sensitive Distributions (Weibull, Gamma, and Normal Logs)*, *Applied Mathematical Sciences*, 15(2021), 717-724
7. Manda Lisa Usvita, Arisman Adnan, Rado Yendra (2021). *The Modelling Survival Times for Diabetes Patient Using Exponential, Weibull and Rayleigh-Lomax Distribution* *International Journal of Mathematics Trends and Technology*, 109-112.
8. Sutriana, Rado Yendra, Rahmadeni, Muhammad Marizal (2023). *The Comparison Duration Diabetes Survival Times Modelling Using Lindley (LIN), Weighted Lindley Exponential (WLE), Power Modified Lindley (PML), Lindley Half-Cauchy (LHC) and Rayleigh Lomax (RL) Distributions*. *International Journal of Mathematics And Computer Research*, 11(12), 3894-3898
9. G. Gurpit, S. Alka, dan M. Juhi, *An application of gamma generalized linear model for estimation of survival function of diabetic nephropathy patient*, *International Journal of Statistics in Medical Research*, 2 (2013), 209-219.
10. S. K. Marvasti, S. Rimaz, J. Abolghasemi, dan I. Heydari, *Comparing of Cox model and parametric models in analysis of effective factors on eventime of neuropathy in patients with type 2 diabetes*, *Journal of Research in Medical Science*, (2017).
11. K. Fatima, U. Jan, dan S. P. Ahmad, *Statistical Properties of Rayleigh Lomax Distribution with Applications in Survival Analysis*, *Journal of Data Science*, 3(2018), 531-548.
12. Abbas Pak and Mohammad Reza Mahmoudi, *Estimating the parameters of Lomax distribution from imprecise information*, *Journal of Statistical Theory and Applications*, 2018, 17(1), 122-135
13. Arun Kumar Chaudhary, Vijay Kumar, *The Logistic Lomax Distribution with Properties and Applications*, *International Journal of New Technology and Research*, 2020, 6(12), 74-80
14. K. Naga Saritha, G. S. Rao And K. Rosaiah, *Survival analysis of cancer patients using a new Lomax Rayleigh distribution*, *JAMSI*, (2023), 1, 19-45
15. Benson Benedicto Kailembo, Srinivasa Rao Gadde, Peter Josephat Kirigiti, *Application of Odd Lomax log-logistic distribution to cancer data*, *Heliyon*, 2024, 1-17
16. Maha E. Qura, Mohammed Alqawba, Mashail M. Al Sobhi and Ahmed Z. Afify, *A Novel Extended Power-Lomax Distribution for Modeling Real-Life Data: Properties and Inference*, *Journal of Mathematics*, 2023, 1-16





Hak Cipta Dilindungi Undang-Undang

State Islamic University of Sultan Syarif Kasim

1. Dituntut untuk mengidentifikasi bagian atau seluruh karya tulis yang mencantumkan dan menyebutkan sumber:

- a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suatu masalah.
 - b. Pengutipan tidak merugikan kepentingan yang wajar UIN Suska Riau.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin UIN Suska Riau.



UIN SUSKA RIAU



Hak Cipta Diindungi Undang-Undang

State Islamic University of Sultan Syarif Kasim

1. Tidak diperkenankan untuk menyalin bagian-bagian tanpa mencantumkan dan menyebutkan sumber:

- a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suatu masalah.
 - b. Pengutipan tidak merugikan kepentingan yang wajar UIN Suska Riau.
2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin UIN Suska Riau.

1599 / Fadhilah Mondri et al. / Duration Diabetes Survival Times Modelling Using Some Extended Lomax Distribution

Workflow: Publication

Submission Review Copyediting Production

Submission Files

| File Name | Size | Date | Type |
|--------------|------|------------------|--------------|
| Fajar01.docx | 4450 | October 29, 2024 | Article Text |

Download All Files

Pre-Review Discussions

| Name | From | Last Reply | Replies | Closed |
|----------|------|------------|---------|--------|
| No Items | | | | |

1599 / Fadhilah Mondri et al. / Duration Diabetes Survival Times Modelling Using Some Extended Lomax Distribution

Workflow: Publication

Submission Review Copyediting Production

Round 1

Round 1 Status

Submission accepted.

Notifications

| | |
|-----------------------|---------------------|
| [etj] Editor Decision | 2024-11-03 06:18 AM |
| [etj] Editor Decision | 2024-11-04 09:59 AM |

UIN SUSKA RIAU



Notifications



[etj] Editor Decision

2024-11-03 06:18 AM

Fajar Fadhilah Mondri, Rado Yendra, Ari Pani Desvina, Rahmadeni, Muhammad Marizal:

We have reached a decision regarding your submission to Engineering And Technology Journal, "Duration Diabetes Survival Times Modelling Using Some Extended Lomax Distribution".

Our decision is to: Accept Submission

[Engineering And Technology Journal](#)

Engineering And Technology Journal

[Back to Submissions](#)

1599 / Fadhi

Library

Workflow

Submissi

Round 1

Round

Subm

Notifications

[\[etj\] Editor Decision](#)

2024-11-03 06:18 AM

[\[etj\].Editor Decision](#)

2024-11-04 09:59 AM

Notifications



[etj] Editor Decision

2024-11-04 09:59 AM

Fajar Fadhilah Mondri, Rado Yendra, Ari Pani Desvina, Rahmadeni, Muhammad Marizal:

The editing of your submission, "Duration Diabetes Survival Times Modelling Using Some Extended Lomax Distribution," is complete. We are now sending it to production.

Submission URL: <https://everant.org/index.php/etj/authorDashboard/submission/1599>

[Engineering And Technology Journal](#)

2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin UIN Suska Riau.

1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mengacukan sumber. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suatu masalah.

Hak cipta dilindungi undang-undang



Gmail

- Tulis
- Kotak Masuk 372
- Ber bintang
- Ditunda
- Ter kirim
- Draf
- Selengkap nya
- Label

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

Telusuri email

Aktif



7 dari 452

Article Accepted for Publication (Manuscript ID :ETJV0910-36) Eksternal Kotak Masuk

ETJ JOURNAL <journal@ej@gmail.com> kepada saya

Min, 3 Nov, 13.43 (2 hari yang lalu)

Dear Author, :- **Fajar Fadhilah Mondri**

We are pleased to inform you that your article "**Duration Diabetes Survival Times Modelling Using Some Extended Lomax Distribution**" has been accepted for publication in the current issue of the journal of ETJ. Pay ASAP article processing fee (30 USD) by following the link below.

Payment Link :- <http://everant.org/index.php/etj/mod>

After receiving the copyright form and publication fee, we will publish your article within 24 working hours.

Please check all the corresponding author details and article title, We will not make any changes after the publication of the article because we index your article in many indexing services.

Best Regards
Journal Manager
Engineering and Technology Journal
Everant Journals
<http://everant.org/index.php/etj>

FAJAR FADHILAH MONDRI Matematika <12050413493@students.uin-suska.ac.id> kepada ETJ

Min, 3 Nov, 15.30 (2 hari yang lalu)

Can i send the issuance fee via bank transfer? if yes, can you send the account number and bank name? thanks

Telusuri email

Aktif



7 dari 452

ETJ JOURNAL kepada saya

Min, 3 Nov, 15.35 (2 hari yang lalu)

Dear Author,

You can pay to our technical associate Account

Directly Deposit Account Detail:

Account Holder Name: JMCR PUBLICATION

Account No: 510101006334035

Bank Name: Union Bank OF India

IFSC Code : UBIN0539121

Swift Code for Inwards Remittance: UBINBBSYI

Bank Address: nai abadi mandasaur, INDIA

Best Regards
Journal Manager
Engineering and Technology Journal
Everant Journals
<http://everant.org/index.php/etj>

FAJAR FADHILAH MONDRI Matematika <12050413493@students.uin-suska.ac.id> kepada ETJ

Sen, 4 Nov, 10.26 (22 jam yang lalu)

Telusuri email

Aktif



3 dari 452

Congratulations Your Article published (Manuscript ID:ETJV0910-36) Eksternal Kotak Masuk

ETJ JOURNAL kepada saya

Sen, 4 Nov, 23.21 (9 jam yang lalu)

Dear Author, :- **Fajar Fadhilah Mondri**

Congratulations...Your article titled "Duration Diabetes Survival Times Modelling Using Some Extended Lomax Distribution" has been published in the ETJ November issue.

Article Details:

November Issue :- <https://everant.org/index.php/etj/issue/view/198>

Article link :- <https://everant.org/index.php/etj/article/view/1599>

Article DOI :- <https://doi.org/10.47191/etj.v9i11.02>

Article PDF :- <https://everant.org/index.php/etj/article/view/1599/1156>

Google Scholar links :- https://scholar.google.com/citations?view_op=view_citation&hl=en&user=HKbP4ocAAAAA&sortBy=pubdate&citation_for_view=HKbP4ocAAAAA:s84jm74t-ccC

linkedin link :- https://www.linkedin.com/posts/etj-publication-37b10629b_duration-diabetes-survival-times-modelling-activity-7259237240248156161-JoF?utm_source=share&utm_medium=member_desktop

Indexcopernicus Link :- <https://journals.indexcopernicus.com/search/article?articleId=4094968>

Zenodo link :- <https://zenodo.org/records/14035953>

Europub link :- <https://europub.co.uk/articles/750286>

2. Dilarang mengemukakan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin UIN Suska Riau.

Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:

- a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suatu masalah.
- b. Pengutipan tidak merugikan kepentingan yang wajar UIN Suska Riau.



Engineering and Technology Journal
Peer Review Journal

ISSN: 2456-3358
Everant

Search [] fajar01 0

Home Editorial Member Submissions Archives Current Contact Online ISSN : 2456-3358

Home Archives Vol. 9 No. 11 (2024): VOLUME 09 ISSUE 11

Vol. 9 No. 11 (2024): VOLUME 09 ISSUE 11

Current Issue

Vol. 9 No. 11 (2024): VOLUME 09 ISSUE 11
Published: 2024-11-04

Articles

Application of WebVR Technology for 360-Panoramic Heritage Exploration: A Case Study of Wat Phou Heritage, Laos
 Vatthana Vongpaxa 5463-5468
 Abstract : 0 PDF : 0
 DOI : 10.47191/etj/v9i11.0

Duration Diabetes Survival Times Modelling Using Some Extended Lomax Distribution
 Fajar Fadhillah Mondri , Rado Yendra , Ari Pani Desvina , Rahmadeni , Muhammad Marizal 5469-5474
 Abstract : 0 PDF : 0
 DOI : 10.47191/etj/v9i11.02

Open Journal Systems

Make a Submission

Information

For Readers
For Authors
For Librarians

Author Guidelines
Call for Paper
Publication Fees

Publication Ethics
Indexing
Peer-Review Policy
Article Correction Policy
Article Withdrawal Policies

Current Issue

ETOH 3.0
RST 2.0
RSC 3.0

1. Hak Cipta dilindungi Undang-undang
2. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 - a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suatu masalah
 - b. Pengutipan tidak merugikan kepentingan yang wajar UIN Suska Riau.
3. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin UIN Suska Riau.



Engineering and Technology Journal
Peer Review Journal

ISSN: 2456-3358
Everant

Search

fajar01 0 ▾

Home
Editorial Member
Submissions
Archives
Current
Contact

Online ISSN : 2456-3358

Home
Archives
Vol. 9 No. 11 (2024): VOLUME 09 ISSUE 11
Articles

Duration Diabetes Survival Times Modelling Using Some Extended Lomax Distribution

<https://doi.org/10.47191/etj/v9i11.02> Check for updates

Fajar Fadhilah Mondri
Universitas Islam Negeri Sultan Syarif Kasim Riau

Rado Yendra
Universitas Islam Negeri Sultan Syarif Kasim Riau

Ani Pani Desvina
Universitas Islam Negeri Sultan Syarif Kasim Riau

Rahmadeni
Universitas Islam Negeri Sultan Syarif Kasim Riau

Muhammad Marizal
Universitas Islam Negeri Sultan Syarif Kasim Riau
<https://orcid.org/0000-0002-8037-4816>

SHARE
✉
🌐

ABSTRACT
HOW TO CITE
METRICS
REFERENCES

The precise modeling of survival time in diabetes is essential for accurately estimating the potential lifespan of individuals diagnosed with diabetes. One of the key factors in assessing the potential survival times of diabetes patients in a specific region is the probability distribution of diabetes survival times. Therefore, data on diabetes survival times are necessary to conduct statistical modeling, particularly in determining the most suitable probability distribution. Statistical models are developed to draw conclusions about the probability distribution of diabetic patients at the Mandau Regional General Hospital (RSUD) in Bengkalis Regency, Riau Province. To achieve this, six distributions will be utilized and evaluated to identify the best model for describing diabetes survival times. The primary objective of this research is to identify the most appropriate distribution to represent the survival times of diabetes patients from 50 individuals in the Bengkalis region, using the Lomax (LM) distribution, three parameters modified Lomax distributions (Rayleigh Lomax (RL), Logistics Lomax (LL), New Rayleigh Lomax (NRL)) and four parameters modified Lomax Distribution (Odd Lomax Log Logistics (OL), Novel Extended Power Lomax (PL)). The maximum likelihood method will be employed to estimate the parameter values of the distributions used in this study. Additionally, graphical assessments (density-density plot) and numerical criteria (Akaike's Information Criterion (AIC), -log likelihood (-l)) will be utilized to determine the best-fitting model. In most instances, the results obtained from graphical assessments were consistent but differed from the numerical criteria. The model with the lowest values of AIC and -l was selected as the best fit. Overall, the RL and OL distributions were identified as the most suitable model.

Dimension Badge

| | | |
|--|-----|-------------------------|
| | ? | Total citations |
| | ? | Recent citations |
| | n/a | Field Citation Ratio |
| | n/a | Relative Citation Ratio |

Downloads

[PDF](#)

Issue

Vol. 9 No. 11 (2024): VOLUME 09 ISSUE 11

Section

Articles

Date Log

Accepted
November 3, 2024
Published
November 4, 2024

Keywords

Lomax, Rayleigh Lomax, Logistics Lomax, New Rayleigh Lomax, Odd Lomax Log Logistics, Novel Extended Power Lomax, Diabetes Survival Times

1. Dilarang menyalin sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber:
 a. Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penyusunan laporan, penulisan kritik atau tinjauan suatu masalah;
 b. Pengutipan tidak merugikan kepentingan yang wajar UIN Suska Riau.

2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin UIN Suska Riau.